

TO:
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-009-07491-00-00
Spot: S2SW Sec/Twnshp/Rge: 14-20S-11W
660 feet from S Section Line, 1320 feet from W Section Line
Lease Name: LANGFELD Well #: 8
County: BARTON Total Vertical Depth: 3277 feet

Operator License No.: 31647
Op Name: CHURCHHILL, KIM DBA K.C. OPERATI
Address: 534 S E 70 AVE.
ELLINWOOD, KS 67526

PROD Size: 5.5 feet: 3271 125 SX CMT
SURF Size: 8.625 feet: 218 200 SX CMT

106⁸⁹

Well Type: OIL UIC Docket No: _____ Date/Time to Plug: 08/13/2004 11:30 PM
Plug Co. License No.: 31925 Plug Co. Name: QUALITY WELL SERVICE, INC.
Proposal Rcvd. from: RICHARD MCINTYRE Company: QUALITY WELL SERVICE, INC. Phone: (620) 727-3410

Proposed
Plugging
Method:

Plugging Proposal Received By: CASE MORRIS Witness Type: COMPLETE (100%)
Date/Time Plugging Completed: 08/13/2004 2:00 PM KCC Agent: CASE MORRIS

Actual Plugging Report:

Perfs:

Sanded to 3160' and dumped 5 sxs cement.
Pulled casing in two at 430'.
POOH. Casing in very poor condition.
Ran tubing to 550'.
Tubing stacked out - possibly going outside casing.
Circulated with 245 sxs 60/40 pozmix - 10% gel cement with 500# hulls.
Tied onto 8 5/8". Pumped 30 sxs cement.
Max. P.S.I. 450#. S.I.P. 300#.

Remarks: ALLIED CEMENTING COMPANY.

Plugged through: TBG

District: 04

100

Signed

Case Morris

(TECHNICIAN)

INVOICED

DATE 8-26-04

TEL NO 2005060.442

SEP 07 2004

NATL COOP REFG ASSN

#8

LANGFELD

14-20-11W 53
C S2 SW

Contr. BIRMINGHAM-BARTLETT

BARTON County

E. 1760 RB Comm. Comp. 1-15-54 IP 85 BOPD & 38% WTR

Tops	Depth	Datum	Casing
ANH	480	1280	8" 218 5" 3271
DOUG	2929	-1169	CORRECTED CARD 2-12-54 DST 2929-60/2 HR, 1800' GAS, 165' SL O & GCM, BHP 220#; DST 3012-46/2 HR, 63' SL O & GCM, 60' O & GCM, 60' H O & GCM, 150' V O & GCM; DST 3100-10/2 HR, 1445' MDY WTR BHP 980#; DST 3141-58/2 HR, 240' GAS, 30' MDY WTR, BHP 0#; DST 3160-91/2 HR, 650' GAS 100' SL O & GCM, BHP 570#; DST 3197-3210 2 HR, 40' MDY SLT WTR, BHP 800#; DST 3216-37/2 HR, 35' SL O SPT MUD, BHP 0#; DP: COFB: DD 3275: 30' OIH/5 HR; BAIL 350 MD/3 HR; ACID 250: DD 3277: 1 1/2 BOPH/2 HR; ACID 500: 538' OIH & 200' WIH/32 HR; SWB SILICA SD POOL 23.41 BF (20% WTR)/6 HR PMP 5.32 BFPH (15% WTR) 8 HR;
DOUG SND	2952	-1192	
LANS	3010	-1250	
ARB	3270	-1510	
TD	3277	-1517	

INDEPENDENT OIL & GAS SERVICE
WICHITA, KANSAS

+	+	+
+	+	+
+	+	+

(CORR ELEV & DATUM)

14-20-11W
C S2 SW

TO:
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-009-14552-00-00
Spot: S2SESW Sec/Twnshp/Rge: 14-20S-11W
330 feet from S Section Line, 3630 feet from E Section Line
Lease Name: LANGFIELD Well #: 2-B-8
County: BARTON To: _____

Operator License No.: 31647
Op Name: CHURCHHILL, KIM DBA K.C. OPERATI
Address: 534 S E 70 AVE.
ELLINWOOD, KS 67526

PROD Size: 5.5 feet: 3278
SURF Size: 8.625 feet: 240

Amy:
This well
number was
corrected to "8"
Sheila

Well Type: OIL UIC Docket No: _____ Date/Time to I: _____
Plug Co. License No.: 31925 Plug Co. Name: QUALITY WELL SERVICE, INC.
Proposal Rcvd. from: RICHARD MCINTYRE Company: QUALITY WELL SERVICE, INC. Phone: (620) 727-3410

Proposed
Plugging
Method:

[Empty box for Proposed Plugging Method]

Plugging Proposal Received By: CASE MORRIS WitnessType: COMPLETE (100%)
Date/Time Plugging Completed: 08/13/2004 2:00 PM KCC Agent: CASE MORRIS

Actual Plugging Report:

Perfs:

Sanded to 3160' and dumped 5 sxs cement.
Pulled casing in two at 430'.
POOH. Casing in very poor condition.
Ran tubing to 550'.
Tubing stacked out - possibly going outside casing.
Circulated with 245 sxs 60/40 pozmix - 10% gel cement with 500# hulls.
Tied onto 8 5/8". Pumped 30 sxs cement.
Max. P.S.I. 450#. S.I.P. 300#.

Remarks: ALLIED CEMENTING COMPANY.

Plugged through: TBG

District: 04

Signed _____

(TECHNICIAN)

AUG 23 2004

14-20-11W
CSL SE SW
#2B LANGFELD

D R BUCHANAN ET AL
BARTON County

E 1760 Comm. 8-2-40 Comp. 8-15-40 IP 3000 BOPD

Casing
8" 2 1/2"
5" 3 2 7/8"
3000' OIL
HFO 3289

INDEPENDENT OIL & GAS SERVICE
WICHITA, KANSAS

Tops	Depth	Datum
ARB	3278	
TD	3289	

TO:
STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-009-14552-00-00
Spot: S2SESW Sec/Twnshp/Rge: 14-20S-11W
330 feet from S Section Line, 3630 feet from E Section Line
Lease Name: LANGFIELD Well #: 2-B
County: BARTON Total Vertical Depth: 3289 feet

Operator License No.: 31647
Op Name: CHURCHHILL, KIM DBA K.C. OPERATI
Address: 534 S E 70 AVE.
ELLINWOOD, KS 67526

PROD Size: 5.5 feet: 3278
SURF Size: 8.625 feet: 240

\$ 106⁸⁹

Well Type: OIL UIC Docket No: _____ Date/Time to Plug: 08/13/2004 11:30 PM
Plug Co. License No.: 31925 Plug Co. Name: QUALITY WELL SERVICE, INC.
Proposal Rcvd. from: RICHARD MCINTYRE Company: QUALITY WELL SERVICE, INC. Phone: (620) 727-3410

Proposed
Plugging
Method:

Plugging Proposal Received By: CASE MORRIS WitnessType: COMPLETE (100%)
Date/Time Plugging Completed: 08/13/2004 2:00 PM KCC Agent: CASE MORRIS

Actual Plugging Report:

Perfs:

Sanded to 3160' and dumped 5 sxs cement.
Pulled casing in two at 430'.
POOH. Casing in very poor condition.
Ran tubing to 550'.
Tubing stacked out - possibly going outside casing.
Circulated with 245 sxs 60/40 pozmix - 10% gel cement with 500# hulls.
Tied onto 8 5/8". Pumped 30 sxs cement.
Max. P.S.I. 450#. S.I.P. 300#.

RECEIVED
AUG 26 2004
KCC WICHITA

Remarks: ALLIED CEMENTING COMPANY.

Plugged through: TBG

District: 04

Signed _____

Case Morris

(TECHNICIAN)

INVOICED

DATE

8-26-04

INV. NO.

2005060442

Form CP-2/3

AUG 23 2004

D R BOGHANAN ET AL #2B LANGFIELD
 14-20-11W
 3000 BOFD
 1760


BARTON County

Comm 6-2-40 Comp 8-15-40 IP 3000 BOFD

Casing
 8" 240
 5" 3278
 3000' OIL
 HHO 3289

Tops	Depth	Datum
ARB	3278	
TD	3289	

INDEPENDENT OIL & GAS SERVICE
 WICHITA, KANSAS



INVOICE