

WELL PLUGGING RECORD

OR

FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging off formations.

STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission 800 Bittling Building Wichita, Kansas

Phillips County, Sec. 20 Twp. 4 Rge. 18.00 (W)

Location as "NE 1/4 NW 1/4 SW 1/4" or footage from lines NW 1/4 NW 1/4

Lease Owner The Carter Oil Co.

Lease Name T. W. Jackson Well No. 1

Office Address Box 786, Great Bend, Kansas

Character of Well (completed as Oil, Gas or Dry Hole) Dry Hole

Date well completed 12-13-42 19

Application for plugging filed 12-28-42 19

Application for plugging approved 12-29-42 19

Plugging commenced 12-29-42 19

Plugging completed 2-1-43 19

Reason for abandonment of well or producing formation Dry Hole

If a producing well is abandoned, date of last production 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well C. T. Alexander

Producing formation None Depth to top Bottom Total Depth of Well 3506 Feet

Show depth and thickness of all water, oil and gas formations.



OIL, GAS OR WATER RECORDS

CASING RECORD

Table with 7 columns: Formation, Content, From, To, Size, Put In, Pulled Out. Row 1: Kansas City, 3080', 3319', 8 5/8", 275', None. Row 2: 5 1/2", 3364', 2427'.

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Total Depth 3506 FB to 3187'
Cement 3187' to 3054'
Mud 3054' to 275'
Cement 275' to 255'
Mud 255' to 26'
Cement 26' to 6'
Mud 6' to surface



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to The Carter Oil Co. Address: Box 786, Great Bend, Kansas

STATE OF Kansas, COUNTY OF Barton, ss.

(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) by A. E. Brink, Box 786 Great Bend Kan (Address)

SUBSCRIBED AND SWORN to before me this 9 day of Feb. 19 43

My Commission Expires July 29, 1946

My commission expires

J. M. Gardner Notary Public



15-147-00021-00-00

# CROW DRILLING COMPANY

422 COMMERCIAL NATIONAL BANK BUILDING

SHREVEPORT, LA.

Driller's log on T.W. Jackson #1 well located  
in Sec. 20, Twn. 48, Rge 18W, Phillips, County.

0'	to	237'	Sand and shale	3181'	to	3197'	Lime & shale streaks
237'	to	280'	Shale and shell	3197'	to	3203'	Lime
280'	to	520'	Shale and shell	3203'	to	3209'	Lime
520'	to	625'	Shale and sand streaks	3209'	to	3210'	Lime
625'	to	745'	Sand	3210'	to	3248'	Lime and shale
745'	to	828'	Shale and sand streaks	3248'	to	3253'	Lime
828'	to	910'	Sand and shells	3253'	to	3256'	Lime
910'	to	1190'	Sand	3256'	to	3257'	Lime
1190'	to	1200'	Red shale	3257'	to	3274'	Lime and shale
1200'	to	1432'	Red shale and shells	3274'	to	3317'	Lime and shale
1432'	to	1444'	Anhydrite	3317'	to	3356'	Lime and shale
1444'	to	1464'	Anhydrite	3356'	to	3401'	Lime and shale
1464'	to	1652'	Shale and shell	3401'	to	3428'	Lime and shale
1652'	to	1772'	Shale	3428'	to	3460'	Lime and shale
1772'	to	1803'	Broken lime	3460'	to	3483'	Lime and shale
1803'	to	1828'	Shale and shell	3483'	to	3499'	Chert
1828'	to	2000'	Shale and shells	3499'	to	3510'	Granite
2000'	to	2121'	Shale and shells	Total Depth - 3510'			
2121'	to	2170'	Shale				
2170'	to	2190'	Lime shale				
2190'	to	2251'	Shale				
2251'	to	2377'	Lime and shale streaks				
2377'	to	2485'	Lime shale				
2485'	to	2570'	Lime				
2570'	to	2648'	Shale and lime streaks				
2648'	to	2748'	Shale and lime streaks				
2748'	to	2762'	Lime				
2762'	to	2815'	Lime shale				
2815'	to	2820'	Sand				
2820'	to	2842'	Lime shale				
2842'	to	2872'	Sandy shale				
2872'	to	2910'	Shale and lime				
2910'	to	2938'	Lime				
2938'	to	3024'	Lime				
3024'	to	3056'	Lime				
3056'	to	3079'	Shale and lime streaks				
3079'	to	3113'	Lime				
3113'	to	3173'	Lime				
3173'	to	3175'	Lime				
3175'	to	3181'	Lime				

20 4 18K  
59 34