For KCC	Use:	10	-10-04	l
Effective	Date:_		-10-0	
District #	·		1	
SGA?	Yes	☐ No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date October 23, 2004	Spot 60'S & 70'W of C- East
month day year	S/2 . NW - Sec. 33 Twp. 32 S. R. 19 X Wes
OPERATOR: License# 4058 1/30 04	2040 feet from XN / S Line of Section
Name: AMERICAN WARRIOR, INC.	1250 feet from E / X W Line of Section
Address: P. O. Box 399	Is SECTION X Regularirregular?
City/State/Zip:Garden City, Kansas 67846-0399	
Contact Person: Cecil O'Brate	(Note: Locate well on the Section Plat on reverse side) County: Comanche
Phone: 620/275-9231	
CONTRACTOR: License# 5929 6/30/05	Lease Name: <u>KERSTETTER</u> Well #: <u>4-33</u>
Name: DUKE DRILLING CO., INC.	Is this a Prorated / Spaced Field? Target Information(s):Arbuckle
Well Class: Type Equipment:	Nearest Lease or unit boundary: 1250'
	Ground Surface Flourities
	Teel MSL
X Gas Storage Pool Ext. Air Rotary OWO Disposal Wildcat Cable	Public makes and the makes
	Depth to bottom of fresh water: 120 ' Yes X No
Seismic; # of Holes Other	Depth to bottom of usable water:180 '
Other	Surface Pipe by Alternate: X 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:600'
Operator:	Length of Conductor Pipe required:None
Well Name:	Projected Total Depth: 6000'
Original Completion Date:Original Total Depth:	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	— DWR Permit #:
Bottom Hole Location:	(Material Asset As
KCC DKT #:	- Will Cores be taken? Yes X No
	[1:00 X 140
Δ.	If Yes, proposed zone:
A The undersigned hereby affirms that the drilling, completion and eventure	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventure	FFIDAVIT KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual It is agreed that the following minimum requirements will be met:	FFIDAVIT KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well-	FFIDAVIT KANSAS CORPORATION COMMISSION SEP 2 9 2004
The undersigned hereby affirms that the drilling, completion and eventually is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be	FFIDAVIT KANSAS CORPORATION COMMISSION SEP 2 9 2004 each drilling rig: CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventually is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet in	FFIDAVIT RECEIVED KANSAS CORPORATION COMMISSION SEP 2 9 2004 each drilling rig; set by circulating cement to the top; in all cases surfavious set to be set.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet intent of 4. If the well is dry hole, an agreement between the operator and the	RECEIVED KANSAS CORPORATION COMMISSION all plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; conservation division of the underlying formation. a district office on plus length and placement in the set of the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended in the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either.	FFIDAVIT RECEIVED KANSAS CORPORATION COMMISSION All plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; conservation division set by circulating cement to the top; in all cases surfaviorities and be set of the underlying formation. e district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either processing the complete of	FFIDAVIT RECEIVED KANSAS CORPORATION COMMISSION SEP 2 9 2004 each drilling rig; conservation Division set by circulating cement to the top; in all cases surfavacions stell be set of the underlying formation. e district office on plug length and placement is necessary prior to plugging; obtained from below the placement of the plugging; obtained from below to the plugging to the plugging; obtained from below to the plugging to the plu
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing or	FFIDAVIT RECEIVED KANSAS CORPORATION COMMISSION SEP 2 9 2004 each drilling rig; conservation Division set by circulating cement to the top; in all cases surfavacions stell be set o the underlying formation. e district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on. 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet intent of the well is dry hole, an agreement between the operator and the strength of the specified district office will be notified before well is either placed. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing organist be completed within 30 days of the spud date or the well shall.	RECEIVED KANSAS CORPORATION COMMISSION al plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; conservation division
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing or	RECEIVED KANSAS CORPORATION COMMISSION al plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; conservation division
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet int. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either placed in a ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing organist be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the besides.	FFIDAVIT RECEIVED KANSAS CORPORATION COMMISSION All plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; conservation division set by circulating cement to the top; in all cases surfaved and stall be set of the underlying formation. e district office on plug length and placement is necessary prior to plugging; soluged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet init. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the bes	FFIDAVIT RECEIVED KANSAS CORPORATION COMMISSION SEP 2 9 2004 each drilling rig; conservation division set by circulating cement to the top; in all cases surfavacion at all be set o the underlying formation. e district office on plug length and placement is necessary prior to plugging; lougged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet int. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties. If an ALTERNATE II COMPLETION, production pipe shall be comported within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. 2. Signature of Operator or Agent: 2. Sall stall	FFIDAVIT RECEIVED KANSAS CORPORATION COMMISSION SEP 2 9 2004 each drilling rig; conservation division set by circulating cement to the top; in all cases surfavacion at all be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; ented from below any usable water to surface within 120 days of spud date. Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the surface casing or an authorized pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best posterior of the surface casing or a surface casing or the spud date or the well shall be completed. Sall years of Cuse ONLY	RECEIVED KANSAS CORPORATION COMMISSION al plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; conservation division e district office on plug length and placement is necessary prior to plugging; contented from below any usable water to surface within 120 days of spud date. Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the second properties of the spuddate or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Date: 9/29/04 Signature of Operator or Agent: Sall: For KCC Use ONLY API # 15 - 033 - 214/2 - 000	RECEIVED KANSAS CORPORATION COMMISSION al plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; conservation division each drilling rig; conservation division e district office on plug length and placement is necessary prior to plugging; contended from below any usable water to surface within 120 days of spud date. Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the surface casing or an authorized pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best posterior of the surface casing or a surface casing or the spud date or the well shall be completed. Sall years of Cuse ONLY	RECEIVED KANSAS CORPORATION COMMISSION al plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; conservation division e district office on plug length and placement is necessary prior to plugging; contended from below any usable water to surface within 120 days of spud date. Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best continuous properties of the spud state of the well shall be completed. Signature of Operator or Agent: Sall Source of Conductor pipe required. None feet	RECEIVED KANSAS CORPORATION COMMISSION al plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; conservation division e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the state of the well is dry hole, an agreement between the operator and the surface of the well is either placed by the specific of the specific or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best posterior of the specific of the specific of the specific or the well shall be completed. Signature of Operator or Agent: Sally For KCC Use ONLY API # 15 - O33 - 214/2 - OO OO Conductor pipe required NONE feet	RECEIVED KANSAS CORPORATION COMMISSION al plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; conservation division each drilling rig; conservation division e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Iter #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best contact of the surface of the su	RECEIVED KANSAS CORPORATION COMMISSION al plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; conservation division set by circulating cement to the top; in all cases surfavacions stall be set of the underlying formation. e district office on plug length and placement is necessary prior to plugging; oliugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the second of the specified below and the second of the second of the spuddate of the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed. Sall shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed. Sall shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed. Sall shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well sha	RECEIVED KANSAS CORPORATION COMMISSION al plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; CONSERVATION DIVISION set by circulating cement to the top; in all cases surfavacing set of the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best contact of the surface of the su	RECEIVED KANSAS CORPORATION COMMISSION SEP 2 9 2004 each drilling rig; CONSERVATION DIMSION set by circulating cement to the top; in all cases surfave prior to plugging; on the underlying formation. e district office on plug length and placement is necessary prior to plugging; on the underlying formation. e district office on plug length and placement is necessary prior to plugging; on the underlying formation. ented from below any usable water to surface within 120 days of spud date. Her #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the second of the	RECEIVED KANSAS CORPORATION COMMISSION al plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; CONSERVATION DIVISION set by circulating cement to the top; in all cases surfaviourn stell be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ler #133.891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Title: Agent Title: Agent Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Sall Solution of the statements made herein are true and to the best confidence of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - O 33 - 2/4/2 - OO OO Sall Sall Sall Sall Sall Sall Sal	RECEIVED KANSAS CORPORATION COMMISSION al plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; conservation division conservation division set by circulating cement to the top; in all cases surfavance in the set by circulating and placement is necessary prior to plugging; ented from below any usable water to surface within 120 days of spud date. ler #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the surface casing or a must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Sall shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. Sall shall be completed within 30 days of the spud date or the well shall be completed. Sall shall be completed within 30 days of the spud date or the well shall be completed. Sall shall be completed within 30 days of the spud date or the well shall be completed. Sall shall be completed and the spud date or the well shall be completed. Sall shall be completed and the shall be completed and the shall be completed. Sall shall be completed and the shall be completed and the shall be completed. Sall shall be completed and the shall be completed and the shall be completed. Sall shall be completed and the shall be completed and the shall be completed. Sall shall be completed and the shall be	RECEIVED KANSAS CORPORATION COMMISSION al plugging of this well will comply with K.S.A. 55 et. seq. SEP 2 9 2004 each drilling rig; CONSERVATION DIVISION set by circulating cement to the top; in all cases surfaviorem stell be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. ler #133.891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Title: Agent Title: Agent Title: Agent Title: Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Location of Well: County:
feet from N / S Line of Section feet from E / W Line of Section
feet from E / W Line of Section
Sec Twp S. R East West
Is Section: Regular or Irregular
If Section is irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

· •	 :	•		•	•	•	
• • •		, , , ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;				• • •	
• • •		A040			•	,	
1250	/	••••		• • • •		· · · · · · · · · · · · · · · · · · ·	•
			33	; :			
; ;			· ·		• • •		
		•			•		· ·
			•		• •	:	<u>:</u>



NOTE: In all cases locate the spot of the proposed drilling locaton.

COMANCHE COUNTY

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

October 4, 2004

Mr. Cecil O'Brate American Warrior, Inc. PO Box 399 Garden City, KS 67846-0399

RE: Drilling Pit Application Kerstetter Lease Well No. 4-33 NW/4 Sec. 33-32S-19W Comanche County, Kansas

Dear Mr. O'Brate:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Also please file the enclosed CDP-5 form, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Kalty H

Environmental Protection and Remediation Department

cc: S Durrant