15-137-00297-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

## WELL PLUGGING APPLICATION FORM

Lease Owner Empire Drilling Co. Address 1121 Union Natl. Bldg., Wichits (Applicant)  Lease (Farm Name) Muir Well No. 1				
Lease (Farm Name) Muir Well No. 1   Well Location NW NW SE Sec. 194wp. 6 Rge 25 (F)-(W)				
County Norton Field Name (if any) Wildeat				
Total Depth 3845: Oil Gas Dry Hole x				
was well log filed with application? Yes. If not, explain:				
Date and hour plugging is desired to begin 11-28-51				
Plugging of the well will be done in accordance with the Rules and				
Regulations of the State Corporation Commission, or with the approval				
of the following exceptions: Explain fully any exceptions desired.				
(Use an additional sheet if necessary)				
Name of the person on the lease in charge of well for owner				
Marion Helberg Address Lindsborg, Kansas				
Name of Plugging Contractor Empire Drilling Company				
Address 1121 Union Natl. Bank Bldg., Wichita, Kansas				
Invoice covering assessment for plugging this well should be sent to				
Empire Drilling Company Address 1121 Union Natl. Bldg.				
and payment will be guaranteed by applicant.  STATE CONTRACTOR COMMISSION  Applicant or Acting Agent  Date December 3, 1951				

15-137-00297-00-00

COMPANY:

CONTRACTOR:

FARM:

LOCATION:

COMMENCED:

COMPLETED:

EMPIRE DRILLING COMPANY &

L. W. MUIR

EMPIRE DRILLING COMPANY

MUIR #1

31-4-23W NW NW SE 19 Norton County, Kansas

11-18-51

11-28-51

0			
		75	Clay and shells
75 100	to the	100	Shells and shale
	to	555	Shale and shells
555	to	824	Shale and shells
824	to .	1365	Shale, sand and shells
1365	to	1460	Shale and shells
1460	to	1710	Sand and shale
1710	to	1940	Shale and shells
1940	to	1965	ANHYDRITE
1965	to	1990	Lime
1990	to	2160	Lime and shale
2160	to	2385	Lime and shale
2385	to	2565	Shale and shells
2565	to	2650°	Shale and lime
2650	to	2830	Shale and lime
2830	to	2925	Lime and shells
2925	to	2990	Shale and lime
2990	to	3125	Shale and lime
3125	to	3230	Shale and lime
3230	to to	3355	Shale and lime
3355	to	3406	Shale and lime
3406	to	3466	Shale and lime
3466	<b>to</b>	3524	Lime cherty
3524	to	3552	
3552	to	3605	Lime and shale
3605	The to be the	3685	Lime and shale
3685	Kara to Man S	3745	Shale Shale Shale
3745	to	3790	CONGLOMERATE
3790	to	3845	CONGLOMERATE & ARBUCKLE
HART BEST OF			T. D. 3845

Set 189' of 8-5/8" surface pipe. Cemented with 135 sacks of cement. Drill Stem Test: 3514' - 3552', open 45 minutes, recovered 183 ft. of

Anhydrite 1940', Topeka 3269', Heebner 3429', Toronto 3453', Lansing-Kansas City 3468', base Kansas City 3651', Conglomerate 3733', Arbuckle 3791'.

All measurements taken from rotary bushings. Elevation: 2327' ground.

DRY.

## CERTIFICATE

I, Dan J. Kornfeld, do hereby certify that the above and foregoing is a true and correct copy of the log of the MUIR #1 in Sec. 19-6-25W. Norton County, Kansas, as reflected by files of the Empire Drilling Company.

Subscribed and sworn to before me a Notary Public, within and for Sedgwick County, Kansas, on this 3rd day of December, 1951.

My commission expires Dec. 22, 1954.

PLUGGNG MIN SEC 31 TU DEC 190K 146E-LXXIIIE 29

STATE OF KANSAS

## STATE CORPORATION COMMISSION

CONSERVATION DIVISION 800 BITTING BUILDING WICHITA, KANSAS

Recember 3, 1961

Well No. Lease Description County File No.

Empire Drilling Co. 1121 Union Nat'l. Ben't Bldg. Wichita. Kencas

## Centlement

a wine in the state of

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr.

STATE CORPORATION COMMISSION CONSERVATION DIVISION

J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR