

15-137-00074-00-00

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Lease Owner Harry Gore Address Wichita, Kansas  
(Applicant)  
Lease (Farm Name) Bullock Well No. 1

Well Location NE NE NW Sec. 22 Twp. 4 Rge. 23 ~~XX~~ (W)

County Norton Field Name (if any) Wild cat

Total Depth 3857' Oil      Gas      Dry Hole X

Was well log filed with application?     . If not, explain:     

Date and hour plugging is desired to begin 1-22-52

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.  
(Use an additional sheet if necessary)     

Name of the person on the lease in charge of well for owner       
Marion Helberg Address Lenora, Kansas

Name of Plugging Contractor Empire Drilling Company  
Address 1121 Union National Bank Bldg., Wichita, Kansas

Invoice covering assessment for plugging this well should be sent to  
Harry Gore Address 400 Brown Bldg., Wichita, Ks.

and payment will be guaranteed by applicant.

RECEIVED  
STATE CORPORATION COMMISSION

HARRY GORE

*Harry Gore*

PLUGGING  
FILE NO. 2214 23W  
PAGE 14 LINE 3

JAN 30 1952

BY:       
Applicant or Acting Agent

Wichita, Kansas

1-30-52

Date 1-22-52

13-137-00074-00-00

COMPANY:

HARRY GORE

CONTRACTOR:

EMPIRE DRILLING COMPANY

FARM:

BULLOCK NO. 1

LOCATION:

NE NE NW Sec. 22-4-23W  
Norton County, Kansas

COMMENCED:

1-9-52

COMPLETED:

1-22-52

0	to	70	Shale & Sand
70	to	535	Shale, shells & sand
535	to	584	Shale
584	to	1875	Shale, shells & Sand
1875	to	2005	Shale & shells
2005	to	2035	ANHYDRITE
2035	to	2230	Shale & lime
2230	to	2415	Lime & shale
2415	to	2595	Lime & shale
2595	to	3345	Shale & lime
3345	to	3460	Lime
3460	to	3570	Shale & lime
3570	to	3697	Lime
3697	to	3765	Lime & shale
3765	to	3804	Shale
3804	to	3850	Granite wash
3850	to	3857	Granite

T.D.

Set 173' of 8-5/8" surface pipe. Cemented with 135 sacks cement.

Ran Schlumberger Electric Log 3857'

TOPS: ANH. 2005', Topeka 3260', Heebner 3496', Brown Lime 3520',  
Lansing-K.C. 3537', Base-K.C. 3722', No Arbuckle or Regan Sand,  
Granite wash 3801', Granite 3851', T.D. 3857'.

All measurements from derrick floor.  
Elevation: 2387' D.F.

DRY.

JAN 30 1952  
1-30-52

C E R T I F I C A T E

I, Dan J. Kornfeld, do hereby certify that the above and foregoing is true and correct copy of the log of the Bullock No. 1 in Sec. 22, Township 4, Range 23 West, Norton County, Kansas, as reflected by files of the Empire Drilling Company.

*Dan J. Kornfeld*  
Dan J. Kornfeld

Subscribed and sworn to before me a Notary Public, within and for Sedgwick County, Kansas, this 24th day of January, 1952.

*Charlotte Ketchka*  
Notary Public

My commission expires *June 7, 1952*

FLUGGING  
FILE SEC 22 T 4 R 23 W  
BOOK PAGE 141 LINE 3



15-137-00074-00-00

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

January 28, 1952

Well No.	1
Lease	Dallock
Description	NE NE NW 22-4-25W
County	Worton
File No.	141-3

Mr. Harry Gore  
100 Brown Bldg.  
Wichita, Kansas

Dear Sir:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION

BY: J. P. Roberts  
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR