

15-137-00055-0000

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Lease Owner Harry Gore Address 400 Brown Building, Wichita, Kansas.  
(Applicant)

Lease (Farm Name) Wolf Well No. #1

Well Location NW-NW-NE Sec. 21 Twp. 4 Rge. 25 (E)-(W) W.

County Norton Field Name (if any) Woldeat.

Total Depth 4055 Ft. Oil      Gas      Dry Hole Dry Hole

Was well log filed with application? Yes. If not, explain:     

Date and hour plugging is desired to begin 10-18-51 12:00 P.M.

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.  
(Use an additional sheet if necessary)     

Name of the person on the lease in charge of well for owner     

T.C. Strain Address Box 188, Hays, Kansas.

Name of Plugging Contractor Strain Drilling Company

Address Box 188, Hays, Kansas.

Invoice covering assessment for plugging this well should be sent to

Harry Gore Address 400 Brown Building, Wichita, Ks.

and payment will be guaranteed by applicant.

**PLUGGING**  
FILE SEC 21 T 4 R 25  
BOOK PAGE 118 LINE 24

**RECEIVED**  
STATE CORPORATION COMMISSION  
OCT 26 1951  
CONSERVATION DIVISION  
Wichita, Kansas

T.C. Strain  
T.C. Strain  
Applicant or Acting Agent

Date October 18, 1951

10-26-51

WELL LOG

15-137-0055-00-00

COMPANY: Harry Gore,  
LEASE: Wolf #1.

NW-NW NE Sec. 21,  
Twp. 4, Rge. 25W,  
Norton County, Kansas.

Elevation: 2553 Derrick Floor.  
NOTE: All meas. rotary bushings.

0	50 Clay
50	70 Sand
70	202 Shale & sand
202	223 Shale
223	250 Shale
250	790 Shale
770	950 Sand & shale
950	1210 Shale
1210	1400 Shale
1400	1483 Sand
1483	1608 Shale & sand
1608	2100 Shale, sand & redbed
2100	2174 Redbed & shale
2174	2208 Anhydrite
2208	2253 Shale
2253	2450 Shale
2450	2655 Shale & shells
2655	2728 Shale & lime
2728	2930 Shale, lime
2930	3025 Shale & lime
3025	3095 Shale & lime
3095	3235 Shale & lime
3235	3310 Shale & lime
3310	3360 Shale & lime
3360	3490 Shale, lime
3490	3580 Shale & lime
3580	3650 Lime
3650	3680 Lime
3680	3720 Lime
3720	3759 Lime
3759	3810 Lime
3810	3875 Lime
3875	3920 Shale & lime
3920	3959 Shale
3959	3995 Conglomerate & shale
3995	4010 Arbuckle
4010	4055 Arbuckle
4055	T.D. (R.B. meas.)

COMMENCED: 10-9-51  
COMPLETED: 10-19-51

CASING RECORD:

3 5/8" Surface casing set at  
223 Ft. w/155 sacks Portland  
cement. By Sun Cementing Co.

NO Drill Stem Tests.

No Electric log run.

TOPS:

Anhydrite	2174	Lansing (K.C.)	3641 (-1088)
Topeka	3398 (-845)	Dose (K.C.)	3886 (-1273)
Heebner	3599 (-1046)	Arbuckle	3995 (-1442)
Tronto	3622 (-1069)	Total Depth	4055 Ft.

STATE OF KANSAS ) SS  
COUNTY OF ELLIS )

OCT 26 1951

10-26-51

COMMISSIONER OF GEOL. & MIN. DIVISION

I hereby affirm that the above and foregoing is a true and correct copy of the log of the Wolf #1, located NW-NW-NE, Sec. 21, Twp. 4, Rge. 25W, Norton County, Kansas.

CONTRACTOR: Strain Drilling Company

BY F.C. Strain  
F.C. Strain

Subscribed and sworn to before me this 22 day of October, 1951

My Commission expires July 18, 1955.

Delores Ann Fair  
NOTARY PUBLIC

PLUGGING  
WELL SEC 21 T 4 R 25W  
BOOK PAGE 118 LINE 24



15-137-00055-00-00

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

October 22, 1951

Well No.	1
Lease	Wolf
Description	NW NW NE 21-4-25W
County	Norton
File No.	118-24

Mr. Harry Gore  
400 Brown Bldg.  
Wichita, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION

BY: J. P. Roberts  
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR