FORM CP-1 Rev. 6/4/84

STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 200 Colorado Derby Building Wichita, Kansas 67202

## WELL PLUGGING APPLICATION FORM

(File One Copy)

/5-039-00606-000 (of this well) **API NUMBER** 12-12-52 (This must be listed; if no API# was issued, please note drilling completion date.) LEASE OPERATOR Viking Resources, Inc. OPERATORS LICENSE NO. 5011 PHONE # (316) \_\_\_\_\_262-2502 ADDRESS 105 S. Broadway, Suite 1040, Wichita, KS 67202-4224 LEASE (FARM) Jennings Unit WELL NO. 6-1 WELL LOCATION SE NW SE COUNTY Decatur SEC. 25 TWP. 4s RGE. 27 (M) or (W) TOTAL DEPTH 3488 PLUG BACK TD 3415 Check One: OIL WELL X GAS WELL D & A SWD or INJ WELL DOCKET NO. SURFACE CASING SIZE 10-3/4 SET AT 275 CEMENTED WITH 250 SACKS CASING SIZE 7 SET AT 3488 CEMENTED WITH 175 SACKS PERFORATED AT 3028-37, 3070-74, 3109-22, 3232-40, 3324-33 CONDITION OF WELL: GOOD X POOR CASING LEAK JUNK IN HOLE OPERATOR'S SUGGESTED METHOD OF PLUGGING THIS WELL Sand off all perfs, cap with 5 sacks cement, shoot and pull 7:. Pump 250-300 sacks 60/40 poz. 8% gel w/5 sacks hulls down surface pipe. (If additional space is needed use back of form) IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? \_\_\_\_\_\_ IS ACO-1 FILED? (If not, explain) DATE AND HOUR PLUGGING IS DESIRED TO BEGIN June 5, 1990 PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et seg AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION. NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS: James B. Devlin PHONE # (316) 262-2502 ADDRESS 105 South Braodway, Suite 1040, Wichita, Kansas 67202-4224 PLUGGING CONTRACTOR Kelso Casing Pulling, INc. LICENSE NO. 6050 ADDRESS Box 347, 3Chase, KS 67524 PHONE # (316) 938-2942 PAYMENT WILL BE GUARANTEED BY OPERATOR OR AGENT SIGNED: \_\_\_\_ cens B. Denlin Wichita, Kangas

DATE: 22 May 1990

The Town

## LOG OF WELL

Jennings Un, to Form PO-214 Sheet 1 (12-50)20M

				*												
OWNER	The	Texa	3 Com	pan	У		DIVISI	ION		Oklah	оша		DATE MA	DE Dece	ember 18	195
DISTRICT						DIVISION UKlahoma DATE MADE December 18, 19										
STATE				OR PA	PARISH Decatur TWP 45 RANGE 27W SEC. 25									<u> </u>		
LOCATION OF	WELL		-		· · · · · · · · · · · · · · · · · · ·		SE	NW S	3 E				<del> </del>		1	The William Company
COMMENCED		11	-1/-	52	1	,	1			11-14	_52			7:	2-12-52	***************************************
	, ,	UP		<del>/~</del>			•		,	<u></u>					Drillir	
CABLE FROM		· · · · · · · · · · · · · · · · · · ·				CHII	DRILLER.			0		conti			•	<u>.g 00</u> 0
			TO			13.				arrel			1		494	
TOTAL DEPT	n 339	ğ <b>ı</b>		ME	SURED	- PR C							ELEVATIO	^ DF-2 GL-2		
	· ·	p + # , #	PUT	' ÎN W	ELL	T:	PULLED			RECO		SH	OES		PACKERS	
SIZE	, W	EIGHT	PER	Ţ	INS.		FEET	INS.	1	FEET	INS.	LENGTH	MAKE	KIND	HTDMZJ	SET AT
0-3/4"		29#	280	)	<b>.</b>	(	SW.	new	cal	sing)				7		j.
•		23#	3490	)† .								n casi	ng)			,
*				'r', "		7	1		1							
-		and to the following the section of	1 : ;	ž .,		1. 7	<u> </u>	1	1						<b>1</b>	, F*
	<del>;   ] \</del>		<del>                                     </del>	<del>' '</del>		+	;	-	1						4,74	F
1	1 1 1			, , t		)   , ;	_	_	╂	•						F
			1			1		_								F1
1-2/1.11	easin	g set	at 2	75	wi	th	250	sac	ks	Pozm:	x C	ment,	cemen	t circ	ulated	51
-2/4	7															· _
CASING WAS CASING	S SOT	at 3	T	_cou	PLING_	w	HERE SI	. 90, но	W M	ANY SACK FT USH-JOINT	S OF CE	MENT USEDI	PE	T. AND INS.		
casing	S SOT	at 3	T	_cou	PLING_	w	HERE SI	. 90, но	W M	ANY SACK FT USH-JOINT	S OF CE	MENT USEDI	PE	RFORATED_		
WAS CASING	CEMENTE TE SIZE A DETHER Meas	at 3	T	_cou	PLING_	w	HERE SI	. so, но tt LO • 46	FLI O P	ANY SACKI FT USH-JOINT BH t	B OF CE	MENT USEDI	PE	RFORATED_		P'
WAS CASING	CEMENTE TE BIZE A DETHER MOASI	at 3	T	_ cou	PLING_	to	HERE SI	. so, но tt LO • 46	FLI O P	ANY SACKI FT USH-JOINT BH t	S OF CE	MENT USEDI	PE	RTED	NG OUTFIT	
CASING WAS CASING LINER: STA HOW PUT TOO REMARKS:	CEMENTE TE BIZE A DETHER MOASI	at 3	nt fr	_ cou	PLING_BH	to	KB ]	10.40	FLI O P	ANY SACKI FT USH-JOINT BH t	S OF CE	MENT USEDI	PE	PUMPI DESCRIPTION		
CASING WAS CASING LINER: STA HOW PUT TOO REMARKS:	CEMENTE TE BIZE A DETHER MOASI	at 3	nt fr	_ cou	PLING_BH	to	KB ]	10.40	FLI O P	ANY SACKI FT USH-JOINT BH t	S OF CE	MENT USEDI	PE	PUMPI DESCRIPTION	NG OUTFIT	
CASING WAS CASING LINER: STA HOW PUT TOO REMARKS:	CEMENTE TE SIZE A DETHER MOASI	at 3	nt fr	cou	BH	to	KB ]	10.40	FLI O P	ANY SACKI FT USH-JOINT BH t	S OF CE	MENT USEDI	PE	PUMPI DESCRIPTION	NG OUTFIT	
Casing Was casing Liner: eta How put too REMARKS:	CEMENTE TE SIZE A DETHER MOASI	at 3  DY  ND WEIGHT  UBING	nt fr	cou	BH	to	KB ]	PM E	FLI CKER	ANY SACKS  FT  USH-JOINT  BH t  F REC  R RODS  SIZE AN	B OF CE	1.50	INSE	PUMPI	NG OUTFIT , RIND, SIZE, ETC	
CASING WAS CASING LINER: STA HOW PUT TOO REMARKS:	CEMENTE TE SIZE A DETHER MOASI	at 3  DY  ND WEIGHT  UBING	nt fr	cou	BH	to	KB ]	PM E	FLI CKER	ANY SACKS  FT  USH-JOINT  BH t  F REC  R RODS  SIZE AN	B OF CE	1.50	INSE	PUMPI	NG OUTFIT , RIND, SIZE, ETC	
Casing Was casing Liner: sta How put too REMARKS:  SIZE  mpleted FLOWING, PUT IF GAS WELL,	CEMENTE TE BIZE A DETHER MOASI TOSI MPING, GA	At 3  DY  ND WEIGH  LING  FEIGHT  SEER OR  OW CAPAC	nt fr	cou	PLING_ BH	to	KB ]	PME SUCINS.  ON FIRST	OF INT	ANY SACKS FT USH-JOINT REC RODS SIZE AN	B OF CE AND IF	1.50 and 1	O BY INSE	PUMPI	NG OUTFIT , RIND, SIZE, ETC	
Casing Was casing Liner: sta How put too REMARKS:  SIZE  mpleted FLOWING, PUT IF GAS WELL,	CEMENTE TE BIZE A DETHER MOASI TOSI MPING, GA	At 3  DY  ND WEIGH  LING  FEIGHT  SEER OR  OW CAPAC	nt fr	cou	PLING_ BH	to	KB ]	PME SUCINS.  ON FIRST	OF INT	ANY SACKS FT USH-JOINT REC RODS SIZE AN	B OF CE AND IF	1.50 and 1	O BY INSE	PUMPI DESCRIPTION SETTLED	NG OUTFIT , KIND, SIZE, ETC	
Casing Was casing Liner: sta How put too REMARKS:  SIZE  mpleted FLOWING, PUT IF GAS WELL,	CEMENTE TE BIZE A DETHER MOASI TOSI MPING, GA	At 3  DY  ND WEIGH  LING  FEIGHT  SEER OR  OW CAPAC	nt fr	cou	PLING_ BH	to	KB ]	PME SUCINS.  ON FIRST	OF INT	ANY SACKS FT USH-JOINT REC RODS SIZE AN	B OF CE AND IF	1.50 and 1	O BY INSE	PUMPI DESCRIPTION SETTLED	NG OUTFIT , RIND, SIZE, ETC	
CASING WAS CASING LINER: STA HOW PUT TOO REMARKS: SIZE  MDleted FLOWING, PUT IF GAS WELL, KIND-OF SHO NUMBER OF	Test	At 3 DY ND WEIGH	nt fr	cou	PLING_ BH INS.	to FI	KB ]	P M E SUCINS.  ON FIRST	OF TOKER	ANY SACK	B OF CE AND IF	and 1	PRODUCTION ROCK PRES	PUMPI DESCRIPTION  SETTLED	NG OUTFIT	
CASING WAS CASING LINER: STA HOW PUT TOO REMARKS: SIZE  MD1eted FLOWING, PUT IF GAS WELL, KIND-OF SHO NUMBER OF SHO LENGTH OF SHO BOTTOM OF SHO	CEMENTE TE SIZE A GETHER MEAST  TO STATE OF THE SHELLS SHELLS SHOT	at 3  DY  ND WEIGHT  UBING  YEIGHT  SSER OR  DW CAPAC	nt fr		BH INS.	to  FI  ZZE OF	KB ] E Q U I	PM E SUCINS.  ON FIRST	FLL OF CKER	ANY SACK	B OF CE AND III BLANK O GI O R D	and 1	INSE INSE RODUCTION ROCK PRES DIAMETER_	PUMPI DESCRIPTION	NG OUTFIT	
CASING WAS CASING LINER: STA HOW PUT TOO REMARKS: SIZE  TO LEVEL OF SHO NUMBER OF SHO LENGTH OF SHO BOTTOM OF SHO	Tesi  Wells  Tesi	At 3  DY  ND WEIGH  LING  LING  SEER OR  DW CAPAC	nt fr	_52 mpi	BH INS.	to to ze or	KB ] E Q U I EET SHELLS	PM E SUCINS.  ON FIRST	FLL OF CKER	ANY SACK	B OF CE AND III BLANK O GI O R D	and 1	INSE INSE RODUCTION ROCK PRES DIAMETER_	PUMPI DESCRIPTION	NG OUTFIT , KIND, SIZE, ETC	
CASING WAS CASING LINER: STA HOW PUT TOO REMARKS: SIZE  MDleted FLOWING, PUT IF GAS WELL, KIND-OF SHO NUMBER OF S BOTTOM OF S TOTAL DEPTH PRODUCTION	Tesi  Measi  Measi  Tesi  Measi  Measi  Tesi  Measi  Measi  Measi  Tesi  Measi  Mea	at 3  DY  ND WEIGH  LITEME  LING  SEER OR  DW CAPAC	nt fr		PLING_ BH	to  FI  ZE OF  ANY  ANY  BBLS	KB ] E Q U I SHELLS	P M E SUCINS.  TIN PF	OF TOKER	ANY SACK	B OF CE AND III BLANK O GI O R D D RIND ARTS	and 1	RODUCTION ROCK PRES DIAMETER_ SHOT	PUMPI	NG OUTFIT RIND, SIZE, ETC	
CASING  WAS CASING  LINER: STA  HOW PUT TOO  REMARKS:  SIZE  MPleted  FLOWING, PUT  IF GAS WELL,  KIND-OF SHO  NUMBER OF SHO  LENGTH OF SHO  DETTOM OF STOTAL DEPTH  PRODUCTION  NAME OF SH	Tesi  Weasi  Tesi  Weasi  Tesi  Wells  Hells  Hells  Hells  Hot  OF Well  After Si  OOTER	DY ND WEIGH	nt fr	_52 mpi	PLING_ BH	to t	KB ] E Q U I SHELLS CHOR	PM E SUCINS.  PIN FIRST	OF FU	ANY SACK	B OF CE AND IF BLANK O GI O R D O RIND ARTS:	and 1	RODUCTION ROCK PRES DIAMETER_ SHOT	PUMPI	NG OUTFIT RIND, SIZE, ETC	
CASING  WAS CASING  LINER: STA  HOW PUT TOO  REMARKS:  SIZE  MPleted  FLOWING, PUT  IF GAS WELL,  KIND-OF SHO  NUMBER OF SHO  LENGTH OF SHO  DETTOM OF STOTAL DEPTH  PRODUCTION  NAME OF SH	Tesi  Weasi  Tesi  Weasi  Tesi  Wells  Hells  Hells  Hells  Hot  OF Well  After Si  OOTER	DEPER	nt fr	-52 mpi	BH INS.	to to PRI STANDARD ST	KB ] E Q U I  ECT  SHELLS  CHOR  SHOT	PM E SUCINS.  TINSPE  AV. SHO  TINSPE	OV MA	ANY SACKS FT  USH-JOINT  REC RODS SIZE AN  HOURS  SHOT! QUI  URE  SHOT! QUI  URNISHED  DEST ON A	B OF CE AND III BLANK O GI O R D O RIND ARTS	And 1	NODUCTION ROCK PRES DIAMETER_ SHOT_ SHOT_	PUMPI DESCRIPTION SELECTION	NG OUTFIT , KIND, SIZE, ETC  DUTS  DUTS	
CASING  LINER: STA  HOW PUT TOO  REMARKS:  SIZE  MPleted  FLOWING, PUT  IF GAS WELL,  KIND-OF SHO  NUMBER OF SHO  LENGTH OF STOTAL DEPTH  PRODUCTION  NAME OF SH	Tesize A DETHER  Measi  Tesize A DETHER  Measi  Tesize A DETHER  Measi  Tesize A DETHER  Te	DEPER	nt fr	-52 mpi	BH INS.	to to PRI STANDARD ST	KB ] E Q U I  ECT  SHELLS  CHOR  SHOT	PM E SUCINS.  TINSPE  AV. SHO  TINSPE	OV MA	ANY SACK	B OF CE AND III BLANK O GI O R D O RIND ARTS	and 1  INCHES.  TOP OF S  WELL BR  ON BEFORE	INSE INSE INSE INSE INSE ROCK PRES DIAMETER HOT HOT HOT ING DEEPER ION SETTLE	PUMPI DESCRIPTION  SETTLED	NG OUTFIT RIND, SIZE, ETC  DUT'S  DUL'S	
CASING WAS CASING LINER: STA HOW PUT TOO REMARKS: SIZE  MD1eted FLOWING, PUT IF GAS WELL, KIND OF SHO NUMBER OF STOTAL DEPTH PRODUCTION NAME OF SH COMMENCED	Tesi Measi M	at 3  DY  ND WEIGH  LING  LING  SEER OR  DW CAPAC	nt fr		DE SIL	to to property of the property	KB ] E Q U I E C U I SHELLS SHOT SHOT SHOT SHOT SHOT SHOT SHOT SHO	PM E SUCINS.  TIN PF SIZING  AY. SHO  TINSPE LETED	OF FLE	HOURE SHOT QUENTSHED	B OF CE AND IF BLANK O GI O R D O R D O R D O R D O R D O R D O R D	and 1  inches,  top of a  well br  on before  Product  Keenai	NODUCTION ROCK PRES DIAMETER_ SHOT ING DEEPER ING DEEPER ION SETTLE	PUMPI DESCRIPTION  SEURE  COMPANY EMP	NG OUTFIT RIND, SIZE, ETC  DUT'S  DUL'S	
CASING WAS CASING LINER: STATE HOW PUT TOO REMARKS: SIZE  MPleted FLOWING, PUT IF GAS WELL, KIND-OF SHO NUMBER OF STOTAL DEPTH PRODUCTION NAME OF SH COMMENCED TOTAL DEPTH	Tesi Measi M	DEPER	nt fr		PLING. BH	TO T	KB ] E Q U I EET SHELLS SHOT SHOT SHOT SHOT SHOT SHOT SHOT SHO	P M E SUC INS.  ON FIRST  SIZING  AY. SHO  CHEED	OF FLECTED	ANY SACKS FT  USH-JOINT  REC RODS SIZE AN  HOURS  URE SHOT; QU.	B OF CE AND IF BLANK O GI O R D O R D O R D O R D O R D O R D O R D	and 1  INCHES,  TOP OF S  WELL BR ON BEFORE  PRODUCT  Keenai  Jennia	NODUCTION ROCK PRESS DIAMETER SHOT ING DEEPER TION SETTLE TON SETTLE	PUMPI DESCRIPTION  SEURE  COMPANY EMP  COL PROD	NG OUTFIT RIND, SIZE, ETC  DUT'S  DUL'S	PER DAY

## State of Kansas

Kansas Corporation Commission

MIKE HAYDEN
KEITH R. HENLEY
RICH KOWALEWSKI
MARGALEE WRIGHT
JUDITH MCCONNELL
FRANK A. CARO, JR.

GOVERNOR
CHAIRMAN
COMMISSIONER
COMMISSIONER
EXECUTIVE DIRECTOR
GENERAL COUNSEL

**1HIS NOTICE** 

AUG 24 1990

**EXPIRES** 

May 24, 1990

NOTICE OF RECEIPT OF

CONSERVATION DIVISION
SHARI FEIST ALBRECHT, DIRECTOR
200 Colorado Derby Bldg
202 W. 1st Street
Wichita, KS 67202-1286
(316) 263-3238

WELL PLUGGING APPLICATION
15-039-00606-00-02

Jennings Unit 6-1 SE NW SE Sec. 25-04-27W Decatur County

Viking Resources, Inc. 105 S. Broadway, Suite 1040 Wichita, KS 67202-4224

## Gentlemen:

This letter is to notify you that the Conservation Division is in receipt of your plugging proposal, form CP-1, for the above-captioned well.

Your CP-1 has been reviewed by the Conservation Division central office for completeness and to verify license numbers. The plugging proposal will now be forwarded to the district office listed below for review of your proposed method of plugging. Please contact the district office to review your proposed plugging method at least five (5) days before plugging the well.

It has recently come to my attention that the form CP-1 has been filed by operators other than the owner or operator of the well and without the consent of the owner or operator. The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well. The CP-1 is simply reviewed to determine compliance with plugging rules and regulations.

This notice in no way constitutes authorization to plug the above-captioned well by persons not having legal rights of ownership or interest in the well. This notice is void after ninety (90) days from the above date.

Sincerely,

Shari Feist Albrecht Director

District:	_#4	2301 E. 13th	
		Hays, KS 67801	
		(913) 628-1200	