

"Corrected"

TO: STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING  
130 SOUTH MARKET, SUITE 2078  
WICHITA, KANSAS 67202

API Well Number: 15-147-20046-00-00  
Spot: CSWNWSE Sec/Twnshp/Rge: 20-4S-19W  
1650 feet from S Section Line, 2310 feet from E Section Line  
Lease/Unit Name: KINTER Well Number: 2  
County: PHILLIPS Total Vertical Depth: 3355 feet

Operator License No.: 32819  
Op Name: BAIRD OIL COMPANY LLC  
Address: 113 W. MAIN - PO BOX 428  
LOGAN, KS 67646

Conductor Pipe: Size feet:  
Surface Casing: Size 8.625 feet: 204  
Production: Size 5.5 feet: 3412  
Liner: Size feet:

Well Type: OIL UIC Docket No: Date/Time to Plug: 09/04/2001 9:00 AM

Plug Co. License No.: 32819 Plug Co. Name: BAIRD OIL COMPANY LLC

Proposal Rcvd. from: JIM BAIRD Company: BAIRD OIL COMPANY LLC Phone: (785) 689-7456

Proposed Plugging Method: Order 9 yards Redi-Mix - 5 sxs common cement - 3000# sand with 42 gallons water per yard.

Plugging Proposal Received By: CARL GOODROW Witness Type: Plugging Operations 100% Witnessed (Complete)  
Date/Time Plugging Completed: 09/04/2001 10:30 AM KCC Agent: CARL GOODROW

Actual Plugging Report:

8 5/8" set at 134' w/115 sxs cwc. 5 1/2" set at 3354' w/150 sxs.  
Prod.Perfs 3211' - 3303'. PBTD 3321'.  
Cut off - filled 8 5/8" annulus and 5 1/2" with 9 yards Redi-Mix.  
Fluid Level low.  
Plug complete.

Remarks: ALLIED CEMENTING COMPANY.

Plugged through: CSG

District: 04

Signed Carl Goodrow  
(TECHNICIAN)

RECEIVED  
10-24-2001  
OCT 24 2001

100

KCC WICHITA

SEP 07 2001

THE R. W. RINE DRIG. CO. #2 KINTER 20-4-19W  
 WICHITA, KANSAS SW NW SE  
 Contr. MURFIN DRIG. CO. Cty. PHILLIPS  
 Geol. PAUL HARPER Pool KINTER EXT & CONE  
 E. 1986 KB Cm. 8/23/68 Cp. 3/6/69 IPCO PMP 32 BOPD +  
 10 1/2 BWPD/LKC 3166-  
 70 3182-86 3236-38  
 API 15-147-20,046

LOG Tops	Depth	Datum
HEEB	3141	-1155
TOR	3166	-1180
LKC	3182	-1196
LKC 'B'	3236	-1250
LKC 'C'	3261	-1275
RTD	3410	-1424
LTD	3412	-1426

Csg. 3261-65  
 8" 204/160 sx 5 1/2" 3412/150 sx  
 W/DV TOOL  
 DST 3146-90/45", 120' GIP, 120' FO, 300'  
 MGO, 180' MW, BHP 1093-1084#, FP  
 36-300#  
 DST 3251-67/75", 120' OILY M, NW, BHP  
 1056-992#, FP 27-55#  
 DST 3270-3300/45", 30' M W/SOME OIL &  
 FILT WTR, BHP 1093-938#, FP 27-46#  
 DST 3320-50/45", 7' THIN M W/SFO, BHP  
 55-18#, FP 9-9#  
 PF /3261-65, A 500, RE-PERF 3261-65, A  
 1000, RE-PERF 3261-65, A 2000, REC LD,  
 SWB 5 BFPH, 25% WTR, PF 3236-38, COMM  
 SWB 5 BFPH, 25% WTR, PF 3182-84, SWB  
 NO FL, A 1000, COMM W/TOR, PF 3166-70,  
 (OVER)

TO  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION - PLUGGING  
130 SOUTH MARKET, SUITE 2078  
WICHITA, KANSAS 67202

API Well Number: 15-147-20046-00-00  
Spot: CSWNWSE Sec/Twnshp/Rge: 20-4S-19W  
1650 feet from S Section Line, 2310 feet from E Section Line  
Lease/Unit Name: KINTER Well Number: 2  
County: PHILLIPS Total Vertical Depth: 3355 feet

Operator License No.: 32819  
Op Name: BAIRD OIL COMPANY LLC  
Address: 113 W. MAIN - PO BOX 428  
LOGAN, KS 67646

Conductor Pipe: Size feet:  
Surface Casing: Size 8.625 feet: 134  
Production: Size 5.5 feet: 3354  
Liner: Size feet:

9/09.04

Well Type: OIL UIC Docket No: Date/Time to Plug: 09/04/2001 9:00 AM  
Plug Co. License No.: 32819 Plug Co. Name: BAIRD OIL COMPANY LLC  
Proposal Rcvd. from: JIM BAIRD Company: BAIRD OIL COMPANY LLC Phone: (785) 689-7456

Proposed Plugging Method: Order 9 yards Redi-Mix - 5 sxs common cement - 3000# sand with 42 gallons water per yard.

Plugging Proposal Received By: CARL GOODROW Witness Type: Plugging Operations 100% Witnessed (Complete)  
Date/Time Plugging Completed: 09/04/2001 10:30 AM KCC Agent: CARL GOODROW

Actual Plugging Report:

8 5/8" set at 134' w/115 sxs cwc. 5 1/2" set at 3354' w/150 sxs.  
Prod.Perfs 3211' - 3303'. PBTD 3321'.  
Cut off - filled 8 5/8" annulus and 5 1/2" with 9 yards Redi-Mix.  
Fluid Level low.  
Plug complete.

Remarks: ALLIED CEMENTING COMPANY.

Plugged through: CSG

District: 04

Signed Carl Goodrow  
(TECHNICIAN)

RECEIVED  
SEP 18 2001  
KCC WICHITA

INVOICED  
DATE 9-18-01  
INV. NO. 2002060486

Form CP-2/3

SEP 07 2001

THE R. W. RINE DRG. CO.  
WICHITA, KANSAS

#2

KINTER

20-4-19W  
SW NW SE

Contr. MURFIN DRG. CO.

Cty. PHILLIPS

Geol. PAUL HARPER

Pool KINTER EXT. & CONF

E. 1986 KB Cm. 8/23/68. Cp. 3/6/69 IPCO PMP 32 BOPD +

10½ BWP/LKC 3166-  
70 3182-86 3236-38

API 15-147-20,046

3261-65

LOG Tops	Depth	Datum
HEEB	3141	-1155
TOR	3166	-1180
LKC	3182	-1196
LKC 'B'	3236	-1250
LKC 'C'	3261	-1275
RTD	3410	-1424
LTD	3412	-1426

Csg. 8" 204/160 SX 5½" 3412/150 SX  
W/DV TOOL  
DST 3146-90/45", 120' GIP, 120' FO, 300'  
MCO, 180' MW, BHP 1093-1084#, FP  
36-300#  
DST 3251-67/75", 120' OILY M, NW, BHP  
1056-992#, FP 27-55#  
DST 3270-3300/45", 30' M W/SOME OIL &  
FILT WTR, BHP 1093-938#, FP 27-46#  
DST 3320-50/45", 7' THIN M W/SFO, BHP  
55-18#, FP 9-9#  
PF /3261-65, A 500, RE-PERF 3261-65, A  
1000, RE-PERF 3261-65, A 2000, REC LD,  
SWB 5 BFPH, 25% WTR, PF 3236-38, COMM  
SWB 5 BFPH, 25% WTR, PF 3182-84, SWB  
NO FL, A 1000, COMM W/TOR, PF 3166-70,  
(OVER)

INDEPENDENT OIL & GAS SERVICE  
WICHITA, KANSAS

3261-65