STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 245 North Water WICHITA, KANSAS 67202

WELL PLUGGING APPLICATION FORM File One Copy

API Number	15 - 023 -	20,182-00-	OO (of this w		,	
	Nielson Ente			# da da #		
*	1675 Broadway			00000000000000000000000000000000000000		in de maior ann an tagairtí ann an tagairtí an tagairtí an tagairtí an tagairtí an tagairtí an tagairtí an tag A
					A STATE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN	
rese (retm	Name) Burr	metric (*1)-augus-benegus vanian praetis praetis processora zones anderes protessorantes antiques	und dem gallen er versen an de konstruction of state de se de se de se se se se se se se se se de se de se des		Well No. "	A" #1
Vell Locatio	n 1980 FNL, 6	660 FEL	Sec. 26 Twp.	4S Rge.	(E) 4	(M)
County	Cheyenne	TC	tal Depth	1547	Field Name	Wildcat
	Gas Well					
42.1	sched with thi					
ece and nou.	r plugging is	desired to be	gin 6:30) p.m. 9/18	/81	Para Mara di Santania di Santania matembah di Santania di Santania di Santania di Santania di Santania di Santa
13 AU 3	ny representat			.*		
	Bodily	magaminas (japopulaturus interneta pint dalam mada en la laborum telepanas punta de consedici la mor, soprando	Last Care Care Care Care Care Care Care Care	Colorado	adway, Suite 80202	2770; Denve
lugging Cont V ddress	ractor by o Western Well Dr 1299 Old Brigh	drilling cont rilling Inc. nton Raod; He	ractor	and the special of th	. License No	B printiples of the control of the c
	ing assessment					THE CONTRACTOR OF THE PROPERTY
	lson Enterpris			lourd be se	nt to:	
ddress 1675	Broadway, Sui	te 2770; Den	ver, Coloraod	80202		A CONTRACTOR OF THE PROPERTY O
*					The second secon	
nd payment w	ill be guarant	eed by applic	ant or acting	agent.		
nd payment w	fle'D	eed by applic	•	~1	ner M	Bod-1

	•		0)		
	KANSAS DRILLE	ERS LOG			2 (2	(1)					S R. 40 W FNL, 660 FEL
	API No. 15	023 County		20,1 Num	.82 -0 C				- 1		
Operator Nielson Enterprises Inc								7	County <u>Cheyenne</u> 640 Acres		
ŀ	Address								1		N
1675 Broadway, Suite 2770; Denver, Colorado 80202						30202		160	160		
"A" #1 Burr									_		
	Footage Location 1980 feet fron	(N) (S) tine			660 _{feet}	from (E) XXX	line				
Ì	Principal Contractor	D. 2112-0 T.		Geolog	-	M. Bodil	77			160	60
ł	Western Well Spud Date	DLITIING T	IIC.	Total	Depth	P.B.T.D.		,		3	e well correctly
)	9/17/81 Date Completed	1547 Oil Purchaser				print the last last last last			Elev.: Gr.		
	9/18/81			None Dry Hole				□ □	DF KB3556		
					CASING	RECORD					
	Report of all strin	igs set — surface,	intermed	liate, p	roduction, et	c.					
	Purpose of string	Size hole drilled	Size casi (in O.	asing set Weight lbs/ft.		Setting depth	ting depth Type cement		ıt	Sacks	Type and percent additives
	Surface	9 7/8"	7'		17#	393'		Port1a	nd	85	
١	The state of the s										
ł	As a second seco										
)											
			<u></u>								
1		LINER RECO	RD					PI	RFORA	TION RECO	RD
ı						Ch . t-	per ft.			& type	Depth interval
	Top, ft.	Bottom, ft.	S	acks cer	nent	1	•		Size		
	Top, ft. None			acks cer	ment	None			Size		
,		TUBING RECO	ORD	acks cer		1			Size		
)	None	TUBING RECO	ORD P	acker se	et at	None					
)	None	TUBING RECO	ORD P	acker se	RE, SHOT,	1		E RECOR		T	
	None	TUBING RECO	ORD P	acker se	et at	None		E RECOR		T	epth interval treated
	None	TUBING RECO	ORD P	acker se	RE, SHOT,	None		E RECOR		De	epth interval treated
	None Size None	TUBING RECO	ORD P	acker se	RE, SHOT,	None		E RECOR	D	RECE	epth interval treated
)	None Size None	TUBING RECO	ORD P	acker se	RE, SHOT,	None		E RECOR		RECE	IVED
	None Size None	TUBING RECO	ORD P	acker se	RE, SHOT,	CEMENT SQ		E RECOR	D	RECE	epth interval treated
	None Size None	TUBING RECO	ORD Po	acker se	PRE, SHOT, material used	CEMENT SQ	UEEZ		D STAT	RECE CORPORATIONS OF THE CONSERVAT	IVED ION COMMISSION 3 1981
)	None Size None None	TUBING RECO	ORD Po	acker se	PRE, SHOT, material used	CEMENT SQ	UEEZ		D STAT	RECE CORPORATION OF THE CONSERVATION OF THE CO	IVED ION COMMISSION 8 1981

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 3830 Sp. Meridian (P.O. Box 17027), Wichita, Kansas 66217. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on Spen file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Wichitator F.

Wichita, Kansas 67202

Operator Niels	son Enterprises Inc.	DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.: Dry Hole			
Well No. "A" #1	Lease Name Burr				
s_26_T_4S_R_4					
Show all important zo cluding depth interval	WELL LOG nes of porosity and contents thereof; cored tested, cushion used, time tool open, flowin	SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.			
	N DESCRIPTION, CONTENTS, ETC.	ТОР	воттом	NAME	DEPTH
Niobrara		1366'KB			
,					
	i				
		,			
			ı		
Date Received	USE ADDITIONAL SHEETS, I	F NECESSARY, TO C	OMPLETE WE	LL RECORD.	
		G	s Seologist	ignature	
			September	Title 21 1981	
			-checuiner	Date Date	

STATE OF KANSAS

STATE CORPORATION COMMISSION CONSERVATION DIVISION 200 Colorado, Derby Bldg. Wichita, Kansas 67202

INVOICE and WELL PLUGGING AUTHORITY

•	
Occober 50, 1981	INVOICE NUMBER:8170=W
TO: Nielson Interprises	s Inc. 15-023-20182-00-00
1675Broadway Ste 2	
Denver, Colorado	80202
PLUGGING ASSESSMENT	AS FOLLOWS: PAYABLE UPON RECEIPT
J Burr A-1	
C SE NE Sec. 26-4	5–40S
Cheyenne	
1527'	\$49.63
NOTE: We also need the following	g before our file is completed:
Well Plugging R Well Log Well Plugging A	ecord (CP-4) pplication (CP-1)
WELL PLUGGING AUTHO	DRITY
Gentlemen: This is your authority to plug the abcorporation commission.	pove subject well in accordance with the rules and regulations of the state
This authority is void after ninety	(90) days from the above date.
	For Administrator
Mr. Carl Goodrow is hereby assign	Box 189 Penokee, Kansas 67659 gned to supervise the plugging of the above mentioned well.
	RETURN PINK COPY WITH REMITTANCE