For KCC Use: 12-22-04 District #__ SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud DateDecember 22, 2004	opo:	ast
month day year		/est
OPERATOR: License# 4567 (8.30.05)	4360 feet from N / V S Line of Section	
Name: D.E. Exploration, Inc.	leet noting to the or deciron	ı
P.O. Box 128	Is SECTION RegularIrregular?	
City/State/Zip: Wellsville, KS 66092	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Douglas G. Evans	County: Johnson	
Phone: (785) 883-4057	Lease Name: Hughes Well #: I-2	
((22.05)	Field Name:	/
CONTRACTOR: License#	Is this a Prorated / Spaced Field?	No
Name: Evan Energy Development, Inc.	Target Formation(s): Squirrel	
	Nearest Lease or unit boundary: 440'	/
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet	MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓	No /
Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:	No
OWWO Disposal Vildcat Cable	Depth to bottom of fresh water: 100+	
Seismic; # of Holes Other	Depth to bottom of usable water: 300+	
Other	Surface Pipe by Alternate: 1 2	
	Length of Surface Pipe Planned to be set: 20'	
If OWWO: old well information as follows:	Length of Conductor Pipe required: none	
Operator:	Projected Total Depth: 950'	
Well Name:	Formation at Total Depth: Squirrel	
Original Completion Date:Original Total Depth:	Tomation at Total Dopus	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other X	
	Assessed Assessed	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	٦٠٠٠
KCC DKT #:	Will Cores be taken? ✓ Yes ✓ Yes	_No
	If Yes, proposed zone: Squirrel	
AFF	IDAVIT KANSAS CORPORATION	COMMIS
	to the factor will be a made with I/O A 55 of one	
The undersigned hereby affirms that the drilling, completion and eventual pl		
The undersigned hereby affirms that the drilling, completion and eventual pl	lugging of this well will comply with K.S.A. 55 et. seq. DEC 17 2	2004
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	lugging of this well will comply with K.S.A. 55 et. seq. DEC 1 7 2	2004 Vision
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	lugging of this well will comply with K.S.A. 55 et. seq. DEC 1 7 2	2004 Vision
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be</i> se through all unconsolidated materials plus a minimum of 20 feet into the	ch drilling rig; with by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.	2004 VISION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the	ch drilling rig; with by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglish.	2004 VISION
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus	ch drilling rig; with by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglinged or production casing is cemented in;	2004 VISION :
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement.	ch drilling rig; ch drilling rig; ch underlying formation. district office on plug length and placement is necessary prior to pluggling goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud dates.	2004 VISION ;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feat into the second of the description of the	ch drilling rig; ch drilling rig; ch underlying formation. district office on plug length and placement is necessary prior to pluggligged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme	2004 VISION rg; a. nting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the proved all unconsolidated price pipe as specified below <i>shall be sea</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the constant of the search of the	ch drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglistic form below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing	2004 VISION rg; a. nting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the driving the second of the driving the second of the driving that the driving the second of the driving that the driving that the second of the driving that the	ch drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglistic form below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing	2004 VISION rg; a. nting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the proof of the post of the second of the post of the second of the	ch drilling rig; ch drilling rig; ch circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement in the first of surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.	2004 VISION rg; a. nting
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the drill shall be posted on each and the search of the drill shall be posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the drill shall be search of the search of	ch drilling rig; to by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglistic form below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing	2004 VISION Tg;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the description of the state of the shall be seen the operator and the description of the shall be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the shall is agreement to the shall it hereby certify that the statements made herein are true and to the best of the shall is agreement to the shall is agreement.	ch drilling rig; ch drilling rig; ch circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement in the first of surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.	2004 VISION rg; a. nting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall unconsolidated materials plus a minimum of 20 feet into the drill shall unconsolidated materials plus a minimum of 20 feet into the drill shall unconsolidated materials plus a minimum of 20 feet into the drill shall unconsolidated materials plus a minimum of 20 feet into the drill shall unconsolidated materials plus a minimum of 20 feet into the drill shall be drill shall be completed district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the drill be determined by the drill shall be determined by the drill sha	ch drilling rig; ch drilling rig; ch by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. district office on plug length and placement is necessary prior to plugglic gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Agent	2004 VISION Tg;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the drill shall be search of the summary	ch drilling rig; ch drilling rig; ch by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. district office on plug length and placement is necessary prior to plugglic gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Agent Remember to:	2004 VISION Tg;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the minimum amount of surface pipe as specified below <i>shall be</i> search through all unconsolidated materials plus a minimum of 20 feet into the search of	CONSERVATION DEC 1.7 A CONSERVATION DE 1.7 A CONSERVATION D	2004 VISION Te; a. nting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the minimum amount of surface pipe as specified below <i>shall be sea</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the figure of the surface district office will be notified before well is either plug of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the post of the surface of the surfa	ch drilling rig; ch drilling rig; ch by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office within 120 days of spud date: #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. ##135,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. ###################################	2004 VISION Te; a. nting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the minimum amount of surface pipe as specified below <i>shall be</i> search through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the first office will be notified before well is either plug to the surface of the shall be computed of the production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the spud date or the well shall the post of the spud date or the well shall the post of the spud date or the spud da	ch drilling rig; ch drilling rig; ch by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to pluggling or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;	2004 VISION Tg;
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the search of the minimum amount of surface pipe as specified below <i>shall be sea</i> through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the figure of the surface district office will be notified before well is either plug of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the post of the surface of the surfac	ch drilling rig; ch drilling rig; ch by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office within 120 days of spud date: #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. ##135,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. ###################################	2004 VISION ng; nting .
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through a serious field before well is either plug of the appropriate district office will be notified before well is either plug of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be remembered by a signature of Operator or Agent: Por KCC Use ONLY	ch drilling rig; ch drilling rig; ch by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please	2004 VISION rg; a. nting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved on the copy of the spud and intention of the copy of the spud and intention of the copy of the spud date of the spud of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the copy of the spud date of the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the copy of the spud date or the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the copy of the spud date or the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the copy of the spud date or the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the copy of the spud date or the well shall be completed. 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ch drilling rig; ch drilling rig; ch by circulating cement to the top; in all cases surface pipe shall be set to he underlying formation. district office on plug length and placement is necessary prior to plugglic ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.	2004 VISION ng; nting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through all unconsolidated materials plus a minimum of 20 feet into the seen through a serious field before well is either plug of the appropriate district office will be notified before well is either plug of pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be remembered by a signature of Operator or Agent: Por KCC Use ONLY	ch drilling rig; ch drilling rig; ch by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district office on plug length and placement is necessary prior to plugglic district from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please	2004 VISION ng; nting
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved notice of intent to drill <i>shall be</i> posted on each and a copy of the approved on the copy of the spud and intention of the copy of the spud and intention of the copy of the spud date of the spud of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the copy of the spud date of the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the copy of the spud date or the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the copy of the spud date or the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the copy of the spud date or the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the copy of the spud date or the well shall be completed. 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ch drilling rig; ch drilling rig; ch drilling rig; ch by circulating cement to the top; in all cases surface pipe shall be set to he underlying formation. district office on plug length and placement is necessary prior to pluggling good or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date #133,891-C, which applies to the KCC District 3 area, alternate II ceme be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	2004 VISION ng; nting

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15	Location of Well: County: Johnson
Operator: D.E. Exploration, Inc.	4360 feet from N / S Line of Section
Lease: Hughes	2200 feet from F E / W Line of Section
Well Number: I-2	Sec. 1 Twp. 15 S. R. 21 ✓ East West
Field:	
Number of Acres attributable to well: OTR / OTR / OTR of acreage: NESW NEW NE	Is Section: 🗸 Regular or 📗 Irregular
QTR / QTR / QTR of acreage: NESW - NW - NE	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

1						_
1				_	•	
1	•		•	•	•	•
1		•			•	_
					•	
į.						
1				• • •		
	•		•		•	•
					•	_
					•	-
Į.			•			•
1		•		•		•
1				_		
1		•				•
	•		•		•	•
• • •						
1	•	•		-	•	
i			_			
1				•	•	
	•					
1	•		•			•
	•			•	•	
1	•				•	
	•					•
	•				•	•
	•					•
	•					•
		· · · · ·				•
		· · · · ·				•
						· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·
						· · · · · · · · · · · · · · · · · · ·
	· · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				:
	•					
	•	· · · · · · · · · · · · · · · · · · ·				
	•				:	: :
	•					: :
	•				:	: :
	•				:	: :
					:	: :
					:	: :
					:	: :
					:	: :
					:	: :



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.