# For KCC Use: 12.22-04 Effective Date: 3 District # 3

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

| cpected Spud Date December 22, 2004   | Spot SENW NW NE Sec. 1 Twp. 15 S. R. 21 West   |
|---|--|
| (0.0  | 4800feet from N / S Line of Section  |
| ERATOR: License# 4567 (8-30-05)   | 2200feet from  |
| me. D.E. Exploration, Inc.  | Is SECTION Regular Irregular?  |
| dress: P.O. Box 128   |  |
| v/State/Zin: Wellsville, KS 66092   | (Note: Locate well on the Section Plat on reverse side)  |
| ntact Person. Douglas G. Evans  | County: Johnson Lesse Name: HughesWell #: I-3  |
| one: (785) 883-4057   | Eddoo Hame.  |
| 4   | Field Name:  Is this a Prorated / Spaced Field?  Yes  No   |
| ntractor: License# 8509 (6.30.05) me: Evan Energy Development, Inc.   |  |
| me: Evan Energy Development, the.   | Target Formation(s): Squirrel  |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary: 440'   |
| The state of the s                          | Ground Surface Elevation.  |
|   | Water wen within one-quarter rime.   |
| das Cookie  | T done trains supply   |
| OWNO Disposal ✓ Wildcat Cable  Seismic; # of Holes Other  | Depth to bottom of fresh water: 100+   |
|   | Depth to bottom of usable water: 300+  |
| Other   | Surface Pipe by Alternate: 1 2 20'   |
| OWWO: old well information as follows:  | Length of Surface Pipe Planned to be set: 20'  |
| Operator:   | Length of Conductor Pipe required: none 950'   |
| Well Name:  | Projected Total Depth: 950'  Sormation at Total Depth: Squirrel  |
| Original Completion Date:Original Total Depth:  | Formation at lotal Depth.  |
|   | Water Source for Drilling Operations:  Well Farm Pond Other X  |
| rectional, portate of treme   |  |
| Yes, true vertical depth:   | DWR Permit #:  |
| ottom Hole Location:  | (Note: Apply for Permit with DWR ☐)  Will Cores be taken?  ✓ Yes ☐ No  |
| CC DKT #:   | Will Cores be taken?  If Yes, proposed zone: Squirrel RECEIVED   |
|   | If Voc proposed zone, Squilly  |
|   | ANSAS COPPODATION  |
| AFF   | MANSAS CORPORATION COM   |
|   | FIDAVIT  |
| he undersigned hereby affirms that the drilling, completion and eventual p  | FIDAVIT  |
| he undersigned hereby affirms that the drilling, completion and eventual parties is agreed that the following minimum requirements will be met:   | FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. DEC 1 7 2004   |
| the undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;  2. A serve of the appropriate district of intent to drill <b>shall be</b> posted on expressed and expressed are the appropriate of intent to drill <b>shall be</b> posted on expressed and expressed are the appropriate of intent to drill <b>shall be</b> posted on expressed and expressed are the appropriate of intent to drill <b>shall be</b> posted on expressed and the appropriate appropriate and the appropriate approximation and the approxima | Plugging of this well will comply with K.S.A. 55 et. seq. DEC 1 7 2004  ***ONSERVATION DIVISION AND THE RESERVATION DIVISION AND THE |
| the undersigned hereby affirms that the drilling, completion and eventual price is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on example.  3. The minimum amount of surface pipe as specified below <i>shall be</i> seen that the           | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  ONSERVATION DIVISION  ach drilling rig;  with the control of the con |
| he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> an appropriate the surface pipe as specified below <i>shall be</i> an appropriate state of the       | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  ***ONSERVATION DIVISION  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set  the underlying formation.   |
| he undersigned hereby affirms that the drilling, completion and eventual placed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into  | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  "NSERVATION DIVISION ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;  |
| he undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> and through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the plus appropriate district office will be notified before well is become  | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  ***ONSERVATION DIVISION**  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in;  set of from below any usable water to surface within 120 days of soud date.   |
| ne undersigned hereby affirms that the drilling, completion and eventual pis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be cement.   | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  CONSERVATION DIVISION  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  are #133.891-C. which applies to the KCC District 3 area, alternate II cementing   |
| ne undersigned hereby affirms that the drilling, completion and eventual pis agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either plu  6. If an ALTERNATE II COMPLETION, production pipe shall be cement.   | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  CONSERVATION DIVISION  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  are #133.891-C. which applies to the KCC District 3 area, alternate II cementing   |
| The undersigned hereby affirms that the drilling, completion and eventual prices agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the district of surface pipe as specified below <i>shall be</i> an through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the surface propriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall   | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  SERVATION DIVISION  ACCOMPORATION COMPORATION COMPORATION COMPORATION COMPORATION DIVISION  Set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; sugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing il be plugged. In all cases, NOTIFY district office prior to any cementing.   |
| ne undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s           | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  CONSERVATION DIVISION  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; uugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.   |
| ne undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s           | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  CONSERVATION DIVISION  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; uugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.   |
| he undersigned hereby affirms that the drilling, completion and eventual placed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> and through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus that the proposition of the complete the Appendix "B". Executive Kansas surface casing order the Appendix "B".  | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  CONSERVATION DIVISION  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; uugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.   |
| he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each of the second of the properties of the posted on each of the second of the                 | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  CONSERVATION DIVISION  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; neted from below any usable water to surface within 120 days of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cementing il be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Agent   |
| ne undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of the analytic formulation of the spudding order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best plate:    December 17, 2004  | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  Conservation Division  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| ne undersigned hereby affirms that the drilling, completion and eventual place agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the prior of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be cemerated to an experiment of the spuddate or the well shall thereby certify that the statements made herein are true and to the best pate:    December 17, 2004   | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  CONSERVATION DIVISION  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;   |
| ne undersigned hereby affirms that the drilling, completion and eventual prises agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district office will be a minimum of 20 feet into the state of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate of the spud date or the well shall hereby certify that the statements made herein are true and to the best mate:  1. December 17, 2004  2. Signature of Operator or Agent:  1. Signature of Operator or Agent:  | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  Conservation Division  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.  ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Agent  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - Notify appropriate district office 48 hours prior to workover or re-entry;   |
| ne undersigned hereby affirms that the drilling, completion and eventual place agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et al.  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:    December 17, 2004  | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  Conservation Division  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date.  ar #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;   |
| ne undersigned hereby affirms that the drilling, completion and eventual place agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on et.  3. The minimum amount of surface pipe as specified below <i>shall be</i> at through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:    December 17, 2004   | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  Conservation division  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.   |
| he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> an through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the terms of the surface of the surfa      | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  Conservation division  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please  |
| he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on etc.  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemel or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:  7. December 17, 2004 Signature of Operator or Agent:  8. Signature of Operator or Agent:  8. For KCC Use ONLY  API # 15 - 2302 ( .00 - 00 )  Conductor pipe required NONE feet  Minimum surface pipe required feet per Alt. 4. (2)  Approved by: R. SP 12.17.04  This authorization expires: 6-17-05   | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  Conservation division  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.   |
| ne undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill and the statement and the statement between the operator and the statement of the appropriate district office will be notified before well is either plus of an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best state:    December 17, 2004   | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  Conservation division  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please  |
| he undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on etc.  3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best pate:  7. December 17, 2004  Signature of Operator or Agent:  8. For KCC Use ONLY  API # 15 - 2302(.00.00  Conductor pipe required  NONE  Feet Minimum surface pipe required  Approved by: R. SP 12.17.04  This authorization expires: 6-17-05  | plugging of this well will comply with K.S.A. 55 et. seq.  DEC 1 7 2004  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. Ber #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  of my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15                                 | Location of Well: County: Johnson   |
|--|---|
| Operator: D.E. Exploration, Inc.           |   |
| Lease: Hughes                              | 4800 feet from N / ✓ S Line of Section 2200 feet from ✓ E / W Line of Section |
| Well Number: I-3                           | Sec. 1 Twp. 15 S. R. 21 ✓ East Wes  |
| Field:                                     |   |
| Number of Acres attributable to well:      | Is Section: ✓ Regular or ☐ Irregular  |
| QTR / QTR / QTR of acreage: SENW - NW - NE | If Section is irregular, locate well from nearest corner boundary.            |
|  | Section corner used: NE NW SE SW  |

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

|       |         |   | •   |   |                                       |                                       |
|-------|---------|---|-----|---|---------------------------------------|---------------------------------------|
|       | •       |   |     |   |                                       |                                       |
|       |         |   |     |   |                                       | _                                     |
| İ     |         |   |     |   | •                                     |                                       |
|       |         |   |     |   |                                       |                                       |
|       | _       |   |     |   |                                       |                                       |
|       |         |   |     |   | •                                     |                                       |
|       | •       | • | •   |   | •                                     | •                                     |
| 1     | •       |   | •   |   |                                       | •                                     |
| ' ' ' |         |   |     |   |                                       | • • • • • •                           |
|       | •       | • |     |   |                                       |                                       |
|       |         |   |     |   |                                       |                                       |
|       |         | • |     |   |                                       |                                       |
|       |         |   |     |   |                                       |                                       |
| 1     |         |   |     |   |                                       | • • • • • •                           |
|       |         |   |     | • | •                                     | •                                     |
|       |         |   | •   |   | •                                     | •                                     |
| 1     |         |   | . ' | • | •                                     | •                                     |
| L     | •       | • | •   | • | •                                     | •                                     |
|       |         |   |     |   | •                                     | •                                     |
|       |         |   |     |   |                                       |                                       |
|       |         |   |     | • | •                                     |                                       |
|       |         |   |     | • | •                                     | •                                     |
|       |         |   |     |   |                                       |                                       |
|       |         |   |     |   |                                       |                                       |
|       |         |   |     |   |                                       |                                       |
|       |         |   | •   |   |                                       | ·                                     |
| •     |         |   |     |   |                                       | :                                     |
|       |         |   |     |   | •                                     | •                                     |
|       |         |   |     |   | · · · · ·                             | ·                                     |
|       | • • • • |   |     |   |                                       |                                       |
|       |         |   |     |   |                                       | · · · · · · · · · · · · · · · · · · · |
|       | •       |   |     |   | · · · · · · · · · · · · · · · · · · · | · . : :                               |
|       | • • • • |   |     |   |                                       | · . : :                               |
|       | •       |   |     |   | · · · · · · · · · · · · · · · · · · · | · . : :                               |
|       |         |   |     |   | · · · · · · · · · · · · · · · · · · · | · . : :                               |
|       |         |   |     |   | · · · · · · · · · · · · · · · · · · · | · . : :                               |
|       |         |   |     |   | · · · · · · · · · · · · · · · · · · · | · . : :                               |



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR

ROBERT E. KREHBIEL, COMMISSIONER

MICHAEL C. MOFFET, COMMISSIONER

#### NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shutin of the well or both.