

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

15-147-19120-0000

NE SE SE

WELL PLUGGING APPLICATION FORM

Well Location 990' N/S
330' W/SE Cor. Sec. 31 Twp. 5 Rge. 20 (E) (W) West

Field Name (if any) Ray Pool County Phillips

Lease (Farm Name) Johnson "B" Well No. 6

Was well log filed with application? Yes If not, explain circumstances and give available data (Use an additional sheet if necessary)

Log attached.

Date and hour plugging is desired to begin Immediately

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desires (Use an additional sheet if necessary)

Name of the person on the lease in charge of well for owner

J. A. Cleverley Address Russell, Kansas

Name of well owner or Acting Agent Cities Service Oil Company

Address Bartlesville, Oklahoma



Invoice covering assessment for plugging this well should be sent to:

Cities Service Oil Company Address Box 751, Great Bend, Kansas

and payment will be guaranteed by applicant.

Operator or Acting Agent

Date Confirming - January 26, 1942



15-147-19120-00-00

Company Cities Service Oil Co. Well No. 6 Farm Johnson "B"

Location 990' north and 330' west of SE Corner Sec. 31 T. 5 R. 20W

Elevation 2145 County Phillips State Kansas

Drig. Comm. January 12, 1942 Contractor Harbar Drilling Company

Drig. Comp. January 25, 1942 Acid None

T. D. 3591' Initial Prod. Dry - P. AND A.

CASING RECORD:


10-3/4" @ 152' cas. 125 sz cement and
2 sz C. C.

FORMATION RECORD:

surface clay	0-20
shale & sand	160
shale	166
shale & sand shells	840
shale & shells	1670
anhydrite	1715
shale & shells	1960
shale & lime	2235
shale & lime shells	2365
shale & shells	2608
lime broken	2640
lime	2660
shale & lime	3230
lime	3270
lime & chert	3400
lime	3530
shale	3557
cored sand & shale (rec. 5')	3563
sand	3566
Granite Wash	3590
Granite	3591 T. D.

Top Granite Wash	3566'
Top Granite	3590'
Penetration	1'
Total Depth	3591'

Byfo: 250' 99
500' 88
1000' 00
1500' 00
2000' 00
2500' 00
3000' 00
3500' 00





STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

January 28, 1942

IN REPLY PLEASE
REFER TO THIS
SUBJECT

15-147-19120-00-00

Well No. 6
Farm Johnson "B"
Description C NE SE SE 31-5-20W
County Phillips
File 22-45

Cities Service Oil Co.
Box 751
Great Bend, Kansas

Dear Sirs:

This letter is your permit to plug
the above subject well, in accordance
with the Rules and Regulations of the
STATE CORPORATION COMMISSION.

Yours very truly,

STATE CORPORATION COMMISSION

T. A. MORGAN, DIRECTOR
CONSERVATION DIVISION

HA

BY: J. P. Roberts
J. P. ROBERTS

NOTICE: C. T. Alexander
Great Bend, Kansas