

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
500 INSURANCE BUILDING
212 NORTH MARKET
WICHITA 2, KANSAS

RECEIVED
STATE CORPORATION COMMISSION

MAY 9 1963

WELL PLUGGING APPLICATION FORM
File One Copy

C O P Y

5-9-63
CONSERVATION DIVISION
Wichita, Kansas

Lease Owner Cities Service Oil Company 15-147-00002-00-00
(Applicant)
Address Bartlesville, Oklahoma

Lease (Farm Name) Wiltrout B Well No. 1

Well Location C-NE-NE-SW Sec. 36 Twp. 5S Rge. 20W (E) (W)

County Phillips Field Name (If any) -

Total Depth 3629' Oil Well Gas Well Input Well SWD Well D & A Dry Hole

Has well log filed with application? yes If not, explain: _____

Date and hour plugging is desired to begin as soon as possible

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission.

Name of the person on the lease in charge of well owner W. E. Anderson
Box 277-Cities Service Oil Co. Address Logan, Kansas

Plugging Contractor Halliburton License No. _____
Address Hays, Kansas

Invoice covering assessment for plugging this well should be sent to M. M. Hardin
Cities Service Oil Co. Address Box 553, Russell, Kansas

and payment will be guaranteed by applicant.

Signed: *M. M. Hardin*
Applicant or Acting Agent

Date: 2-12-62

WELL RECORD

15-147-00002-00-00

WILDCAT

DISCOVERY

POOL

COMPANY Cities Service Petroleum Co. WELL # 1 FARM Wiltrout "B"

LOCATION 330' South and 330' West of Center
Section 36, Township 5, Range 20 West.

ELEV. 2064 K.B., 2063 D.F. CO. Phillips STATE Kansas

IP. Dry hole. P. and A. February 13, 1962

PERFS.

FRAC. ACID None

T.D. 3629' P.B.T.D. GRAV/GOR.

DRLG. COMM. January 30, 1962 COMP. February 12, 1962 CONTRACTOR Peel Bros., Inc.

CASING RECORD:

8-5/8" at 239' with 225 sacks cement.

FORMATION RECORD:

Surface soil and clay	0-25
sand	100
shale	239
shale and shells	1270
sand	1350
red bed and shale	1630
Anhydrite	1665
shale and shells	1985
shale and lime	2230
lime	2783
lime and shale	2978
shale and lime	3040
lime and shale	3140
lime	3550
Cored lime & shale (rec. 8')	3558
Cored shale, lime & sand (rec. 15')	3573
sand and quartz	3629 T.D.

Slope Tests (Syfo):

500'	- 1 1/2"
1000'	- 1 3/4"
1500'	- 1 1/2"
2000'	- 1 1/2"
2500'	- 1 1/2"

7-7/8" rotary hole.

RECEIVED
 STATE COMMISSION
 MAY 10 1962
 CONSERVATION DIVISION
 Wichita, Kansas

3-2-62



State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)

500 Insurance Bldg. 212 N. Market
WICHITA, KANSAS

JOHN ANDERSON, Jr. Governor
RICHARD C. BYRD Chairman
ALVIN F. GRAUERHOLZ Commissioner
HARRY G. WILES Commissioner
RAYMOND B. HARVEY Secretary
CHARLES C. McCARTER Gen. Counsel

RECEIVED
STATE CORPORATION COMMISSION
FEB 15 1962
2-16-62
CONSERVATION DIVISION
Wichita, Kansas

WELL PLUGGING AUTHORITY

Cities Service Co

Box 751

Great Bend, Kansas

Well No. 1-B
Lease Wilttrout
Description NE NE SW 36-5-20
County Phillips

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,

J.P. Roberts
J. P. ROBERTS
Assistant Petroleum Conservation
Director

Mr. Eldon Petty
is hereby assigned to supervise the plugging of the above named well.

In the event you need any further information regarding this well, feel free to write or call me at any time.

Harold J. Hollis
Kansas Field Supervisor
P. O. Box 85
Great Bend, Kansas
Phone: GL 3-2126