

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
500 INSURANCE BUILDING  
212 NORTH MARKET  
WICHITA, KANSAS 67202

FORM CP-1

WELL PLUGGING APPLICATION FORM  
File One Copy

15-147-00519-00-00

6-21-71  
RECEIVED  
STATE CORPORATION COMMISSION  
JUN 21 1971  
CONSERVATION DIVISION  
Wichita, Kansas

Lease Owner Cities Service Oil Company

Address Box 553 Russell, Kansas 67665

Lease (Farm Name) States "B" Well No. 7

Well Location 1650' FNL & 990' FWL <sup>NE SW NW</sup> Sec. 30 Twp. 5S Rge. 20 (E)        (W) X

County Phillips Field Name (If Any) Ray Pool

Total Depth 3654' Oil Well X Gas Well        Input Well        SWD Well        D & A       

Well Log filed with application Yes or Well Log filed with Plugging Supervisor       

Date and hour plugging is desired to begin 6-22-71 10:00 A.M.

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission.

Name of company representative in charge of plugging operations W. E. Anderson

Address Box 277 Logan, Kansas 67646

Plugging Contractor Knight Casing Pulling, Co., Inc. License No.       

Address P. O. Box 405 Chase, Kansas 67524

Invoice covering assessment for plugging this well should be sent to E. W. Peterman

Address Box 553 Russell, Kansas 67665

and payment will be guaranteed by applicant.

Signed: D. W. Severe D. W. Severe  
Applicant or Acting Agent

Date: June 18, 1971

15-147-00519-00-00

# WELL RECORD

Company Cities Service Oil Company Well No. 7 Farm States "D"  
 Location 990' East and 990' North of W/4 Corner Sec. 30 T. 5 R. 20W  
 Elevation 2211 (2209 Gr.) County Phillips State Kansas  
 Drlg. Comm. October 4, 1950 Contractor R. W. Rine Drilling Company  
 Drlg. Comp. October 23, 1950 Acid None  
 T. D. 3654' Initial Prod. Physical Potential: 290 Oil, 5% Water, 24 hrs. (11-16-50)  
 P.B.T.D. 3651'

CASING RECORD:

8-5/8" @ 198' cem. 250 sz cem. & 200# C.C.  
 5-1/2" @ 3648' cem. 150 sz cem.

FORMATION RECORD:

clay & sand	0-100
sand	135
shale & shells	198
shale	650
sand, shale & shells	875
sand	950
shale & shells	1100
sand & shells	1500
shale & shells	1685
red bed & shale	1750
anhydrite	1790
shale	2085
shale & shells	2190
lime & shale	2285
shells & shale	2535
shale & lime	2730
lime & shale	2865
shale	2985
shale & broken lime	3105
lime & shale	3182
shale & lime	3255
lime & shale	3340
lime	3390
cherty lime	3440
lime & chert	3485
lime	3630
lime & shale	3636
lime	3642
Cored: dolomite & shale, rec. 2 1/2'	3647
Cored: sand, rec. 4 1/2' 3652 RTD = 3652 SLM	3652
sand	3654 T. D.

Top Lansing	3405'
Top Arbuckle	3636'
Top Reagan	3647'
Penetration	7'
Total Depth	3654'
P. B. T. D.	3651'

Fillup:

1300' fluid in 45 mins.  
 1900' fluid in 1 1/2 hrs.  
 2280' fluid in 2-3/4 hrs.  
 2370' fluid in 3-3/4 hrs.  
 2430' fluid in 4-3/4 hrs.  
 2475' fluid (1255' oil and 1220' water) in 8-5/4 hrs.

Plugged back 3654-3651 with plastic.

10-27-50 Pumped 224 oil, 68 water, 24 hrs.

SYFO:	500'	0°
	1000'	0°
	1500'	1°
	2000'	1°
	2500'	1°
	3000'	1°

7-7/8" rotary hole.

RECEIVED  
 STATE CORPORATION COMMISSION  
 JUN 21 1971  
 CONSERVATION DIVISION  
 Wichita, Kansas

15-147-00519-00-00



INTER-OFFICE LETTER

March 23, 1971

RECEIVED  
STATE CORPORATION COMMISSION  
JUN 21 1971  
CONSERVATION DIVISION  
Wichita, Kansas

To: Mr. Don Severe  
From: Mr. Morris Belcher

Need Geological recommendation for remedial work  
States B #7 - 990'E, 990'N of W/4 Corner Sec. 30-5S-20W; Phillips  
County, Kansas.

Elevation: 2211' (2209 Gr.)

Casing: 8 5/8" @ 198' W/250 Sx. Cement  
5 1/2" @ 3648' W/150 Sx. Cement

Formation Tops: Lansing 3405'  
Arbuckle 3636'  
Reagan 3647'  
Penetration 7'

Producing Interval: 3648-51' open hole

T.D.: 3654'  
PBED: 3651'

Initial Production: 290-14-24 hr. (11-16-50)

Completed: 10-23-50

Cumulative Prod: 57084 to Aug. 1970

Current Prod: 5-235-24 hr. (7-29-70) T.A. 9-23-70

Completion Data: Fill up 1300' fluid in 45 min.  
1900' fluid in 1 1/2 hr.  
2280' fluid in 2 3/4 hr.  
2370' fluid in 3 3/4 hr.  
2430 fluid in 4 3/4 hour  
2475' fluid in 8 3/4 hr.

Plugged back 3654-3651 with plastic  
10-27-50 Pumped 224-68-24 hr.

Remedial Work: None

MB/kb

cc: V. J. Oudejans



State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)

500 Insurance Bldg.

212 N. Market

WICHITA, KANSAS 67202

June 22, 1971

RECEIVED  
STATE CORPORATION COMMISSION  
JUL 12 1971  
CONSERVATION DIVISION  
Wichita, Kansas

WELL PLUGGING AUTHORITY

Well No.	7
Lease	States "B"
Description	NE SW NW 3C-5-20W
County	Phillips
Total Depth	3654
Plugging Contractor	Knight Casing Pulling

Cities Service Oil Company  
Box 553  
Russell, Kansas 67665

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,

*J. Lewis Brock*  
J. Lewis Brock, Administrator

Mr. W. L. Nichols, P. O. Box 157, Morland, Kansas 67650  
is hereby assigned to supervise the plugging of the above  
named well.

*For  
Leo Massey  
Σ*