


15-147-00709-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS



WELL PLUGGING APPLICATION FORM

Well Location SW $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 22 Twp. 5 Rge. (E) 20 (W) est

Field Name (if any) Hanson, Arb County Phillips

Lease (Farm Name) Demuth Well No. 2

Was well log filed with application? yes If not, explain circumstances and give available data (Use an additional sheet if necessary)

Date and hour plugging is desired to begin Have Notified Agent

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired (Use an additional sheet if necessary)

Name of the person on the lease in charge of well for owner

Geo. Joynson Address Holyrood, Kansas

Name of well owner or Acting Agent The Derby Oil Company

Address Wichita, Kansas

Invoice covering assessment for plugging this well should be sent to:

Derby Oil Co. Address Wichita, Kansas

and payment will be guaranteed by applicant.

PLUGGING
FILE SEC 22 5 R 20 by:
BOOK PAGE 71 LINE 33

THE DERBY OIL COMPANY
SE Banks
Operator or Acting Agent

Date September 20, 1946

15-147-00709-00-00

THE DERBY OIL COMPANY

Record of Well No. 2

Farm: Demuth

Location SW NE

Sec. 22 Twp. 5S Rge. 20W

Contractor G. W. Peel


County Phillips

Drilling Commenced 8-17-46

State Kansas

Elevation 2173

Drilling Completed: 8-25-46



CASING RECORD:

8 5/8" cem. @ 254'

DRILLERS LOG:

Formation	Bottom	Formation	Bottom
Shale	0- 255	<u>GEOLOGICAL DATA</u>	
Shale & Shells	1660	<u>Tops:</u>	
Sand	1700	Lans.	3277' (-1104)
Shale & Shells	1975	BKC	3502' (-1329)
Shale	2155	Congl.	3553' (-1380)
Shale & Shells	2344	Arb.	3590' (-1417)
Shale	2585	T. D.	3636' (-1463)
Shale & Lime	2700	No odor very light stain - D&A	
Shale & Shells	2860	<u>PLUGGING RECORD</u>	
Shale	3013	Wooden plug @ 250. Bridged with rock	
Shale & Lime	3168	& dumped 15 sax cement. Set Wooden	
Lime	3330	plug @ 25' and plugged back to 5' w/10	
Shale & Lime	3359	sax cement.	
Lime	3527		
Lime & Shale	3600		
Lime	3638		

PLUGGING
 FILE 22 5 R 20W
 BOOK PAGE 71 LINE 33



15-147-00709-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

IN REPLY PLEASE
REFER TO THIS
SUBJECT

September 15, 1946

Well No. 2
Lease Demuth
Description SW SW NE 22-5-20W
County Phillips
File: 71-33

Derby Oil Company
358 N. Broadway
Wichita, Kansas

Gentlemen:

This letter is your permit to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission.

Very truly yours,

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

HA

BY: J. P. Roberts
J. P. ROBERTS

NOTICE:

H. W. Kerr
Great Bend, Kansas