


STATE OF KANSAS
 STATE CORPORATION COMMISSION
 Give All Information Completely
 Make Required Affidavit
 Mail or Deliver Report to:
 Conservation Division
 State Corporation Commission
 800 Biting Building
 Wichita, Kansas

OR
FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging off formations.

Phillips County. Sec. 23 Twp. 5 S Rge. (E) 20 (W)
 Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines. NW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$
 Lease Owner. Stanolind Oil & Gas Company
 Lease Name. J. T. Hill Well No. 1
 Office Address. Box 591, Tulsa, Oklahoma
 Character of Well (completed as Oil, Gas or Dry Hole). Dry Hole
 Date well completed. July 25, 1945
 Application for plugging filed. July 25, 1945
 Application for plugging approved. July 26, 1945
 Plugging commenced. July 26, 1945
 Plugging completed. July 26, 1945
 Reason for abandonment of well or producing formation.
New Well - Non-Commercial Production
 If a producing well is abandoned, date of last production. 19____
 Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes



Locate well correctly on above Section Plat

Name of Conservation Agent who supervised plugging of this well. H. W. Kerr
 Producing formation. _____ Depth to top. _____ Bottom. _____ Total Depth of Well. 3727 Feet
 Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from _____ feet to _____ feet for each plug set.

Pumped mud in hole under 200# pressure from 3727' to 38'. Cemented with 30 sacks of cement from 38' to top of surface casing.

PLUGGING
 FILE SEC 23 TWP 5 S RGE 20 W
 BOOK 21 LINE 25

STATE CORPORATION COMMISSION
 AUG 2 - 1945
 08-22-1945
 CONSERVATION DIVISION

(If additional description is necessary, use BACK of this sheet)
 Correspondence regarding this well should be addressed to. Stanolind Oil & Gas Company
 Address. Box 591, Tulsa, Oklahoma

STATE OF Kansas, COUNTY OF Russell, ss.
I, W. M. Warren (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) W. M. Warren Field Supt.
Box 35, Gorham, Kansas
 (Address)


SUBSCRIBED AND SWORN TO before me this 31 day of July, 1945

My commission expires September 15, 1948
[Signature] Notary Public.

640 Acres
N

5-147-00711-00-00
STANOLIND OIL AND GAS COMPANY

WELL RECORD



Locate Well Correctly

COUNTY Phillips, SEC. 25, TWP. 5 S, RGE. 20 W
 COMPANY OPERATING Stanolind Oil & Gas Company
 OFFICE ADDRESS Box 591, Tulsa, Oklahoma
 FARM NAME J. T. Hill WELL NO. 1
 DRILLING STARTED 7-6 1945, DRILLING FINISHED 7-25 1945
 WELL LOCATED NW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ 2510 ft. North of South
 Line and 330 ft. East of West Line of Quarter Section.
 ELEVATION (Relative to sea level) DERRICK FLR. 2172 GROUND 2170
 CHARACTER OF WELL (Oil, gas or dry hole) Dry Hole

OIL OR GAS SANDS OR ZONES

Name	From	To	Name	From	To
1			4		
2			5		
3			6		

WATER SANDS

Name	From	To	Water Level	Name	From	To	Water Level
1				4			
2				5			
3				6			

CASING RECORD

Size	Wt.	Thds.	Make	Amount Set		Amount Pulled		Packer Record					
				Ft.	In.	Ft.	In.	Size	Length	Depth Set	Make		
13 3/8"	36#	Slip Joint	Spiral Weld	155									

Liner Record: Amount _____ Kind _____ Top _____ Bottom _____

CEMENTING AND MUDDING RECORD

Size	Amount Set		Sacks Cement	Chemical		Method Cementing	Amount	Mudding Method	Results (See Note)
	Feet	In.		Gal.	Make				

NOTE: What method was used to protect sands when outer strings were pulled?

FILE 23 57 20W
 BOOK 21 35

NOTE Were bottom hole plugs used? _____ If so, state kind, depth set and results obtained _____

TOOLS USED

Rotary tools were used from 0 feet to 3727 feet, and from _____ feet to _____

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____

Type Rig Contractor

PRODUCTION DATA

Completed as Dry Hole
 Production first 24 hours _____ bbls. Gravity _____, Emulsion _____ per cent., Water _____ per cent

Production second 24 hours _____ bbls. Gravity _____, Emulsion _____ per cent., Water _____ per cent

If gas well, cubic feet per 24 hours _____ Rock Pressure, lbs. per square inch _____

I, the undersigned, being first duly sworn upon oath, state that this well record is true, correct and complete according to the records of this office and to the best of my knowledge and belief.

 Name and Title Field Supt.

Subscribed and sworn to before me this the 1 day of August, 19 45

My commission expires My commission expires September 15, 1948

 Notary Public.

FORMATION RECORD

Give detailed description and thickness of all formations drilled through and contents of sand, whether dry, water, oil or gas.

Formation	Top	Bottom	Formation	Top	Bottom
Surface Clay	0	30			
Sand	30	40			
Shale & Shells	40	100			
Sand	100	120			
Shale & Shells	120	200			
Shale & Sandy Shale	200	335			
Shale & Shells	335	690			
Shale	690	750			
Sandy Shale	750	815			
Shale & Shells	815	930			
Sand	930	980			
Shale & Sand Streaks	980	1192			
Sand	1192	1220			
Shale & Shells	1220	1290			
Sand	1290	1500			
Lime & Shale	1500	1515			
Shale	1515	1560			
Red Beds	1560	1760			
Top of Anhydrite 1765'					
Lime	1760	1840			
Lime & Shale	1840	1995			
Shale & Shells	1995	2130			
Lime & Shale	2130	2273			
Shale & Shells	2273	2400			
Shale & Lime	2400	3210			
Lime & Cherty Lime	3210	3250			
Lime	3250	3310			
Cherty Lime	3310	3317			
Lime	3317	3352			
Lime & Shale	3352	3370			
Lime	3370	3415			
Shale & Lime	3415	3419			
Top of Kansas City 3419'					
Lime	3419	3640			
Conglomerate	3640	3653			
Lime & Shale	3653	3689			
Top of Arbuckle 3689'					
Lime	3689	3727			
TD		3727			

STANOLIND OIL AND GAS COMPANY

Gorham, Kansas
July 31, 1945

15-147-00711-00-00

File: M-439-26.1
Subject: Well Plugging Record

State Corporation Commission
Wichita, Kansas

Gentlemen:

We are attaching the Well Plugging Record on our J. T. Hill No. 1, located in the NW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 23-5S-20W, Phillips County, Kansas, which has been plugged and abandoned.

Yours very truly,


W. M. Warren

cc L. K. Worth
T. L. Regan

W. M. Warren

CK

PLUGGING	
FILE	SEC. 23-5-R-20W
BOOK	PAGE 21 LINE 25



STANOLIND OIL AND GAS COMPANY

Gorham, Kansas
August 2, 1945

15-147-00711-00-00

File: M-442-23.1
Re: Well Log - J. T. Hill No. 1
Phillips County, Kansas

State Corporation Commission
800 Bitting Building
Wichita, Kansas

Dear Sirs:

Please find enclosed herewith a well log of our J. T. Hill Well No. 1, located in Section 23, Township 5-S, Range 20-W, Phillips County, Kansas. The subject well was completed as a dry hole, and has been plugged and abandoned.

Upon receipt of the well log, your files should be complete in regard to our obligations.

Very truly yours,

W M Warren

W. M. Warren
Field Superintendent

RET

cc: Mr. T. L. Regan
Mr. L. K. Worth

