Effective Date: District # \_\_ SGA? X Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date December 16 2004	Spot	East
month day year	SW - SE - SE Sec. 19 Twp. 19 S. R. 14	v West
OPERATOR: License# 6039 Name: IL.D.DRILLING, INC. Address: 7 SW 26TH AVENUE City/State/Zip: GREAT BEND, KANSAS 67530 Content Page 2014  December 16 2004  Many year  OPERATOR: License# 6039  Content Page 2014  December 16 2004  December 16 2	section feet from N / V S Line feet from V E / W Line Is SECTION Regular Irregular?	
City/State/Zip: GREAT BEND, KANSAS 67530	(Note: Locate well on the Section Plat on reverse side,	)
Contact Person: L.D. DAVIS Phone: 620 793-3051	Lease Name: CALCARA Well #:	1
CONTRACTOR: License# 5822 (6.30.05) Name: VAL ENERGY INC.	Field Name: HEIZER SW Is this a Prorated / Spaced Field?	Yes No
Name.	Target Formation(s): ARBUCKLE	
Well Drilled For: Well Class. Type Equipment:	Nearest Lease or unit boundary: 330' Ground Surface Elevation: 1896 ESTIMATE	feet MSL
✓ Oil Enh Rec infield ✓ Mud Rotary	around ouridoc Elevation.	Yes Wo
Gas Storage X Pool Ext. Air Rotary	Public water supply well within one mile:	Yes No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150'	
Seismic; # of Holes Other	Depth to bottom of usable water: 240	
Other	Surface Pipe by Alternate: 1 2	_
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 825	
Operator:	Length of Conductor Pipe required: NONE	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Well Name:	Projected Total Depth: 3625'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: ARBUCKLE	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:  Well Farm Pond Other  HAUL	
	have most	
If Yes, true vertical depth:  Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR ])	
KCC DKT #:	Will Cores be taken?	Yes No
	If Yes, proposed zone:	
	DAVIT	
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	DAVIT	
The undersigned hereby affirms that the drilling, completion and eventual plu	paying of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe share e underlying formation.  In strict office on plug length and placement is necessary prior to ged or production casing is cemented in;  In set from below any usable water to surface within 120 days of set 133,891-C, which applies to the KCC District 3 area, alternate	p plugging; spud date. It cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente  Or pursuant to Appendix "B" - Eastern Kansas surface casing order is	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shape underlying formation.  In strict office on plug length and placement is necessary prior to ged or production casing is cemented in; In set from below any usable water to surface within 120 days of set 133,891-C, which applies to the KCC District 3 area, alternated the plugged. In all cases, NOTIFY district office prior to any contents.	p plugging; spud date. It cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shape underlying formation.  In strict office on plug length and placement is necessary prior to ged or production casing is cemented in; In set from below any usable water to surface within 120 days of set 133,891-C, which applies to the KCC District 3 area, alternated the plugged. In all cases, NOTIFY district office prior to any contents.	p plugging; spud date. It cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the difference of the surface district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the spud case.	paying of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe share underlying formation.  Strict office on plug length and placement is necessary prior to ged or production casing is cemented in;  and from below any usable water to surface within 120 days of set 133,891-C, which applies to the KCC District 3 area, alternate the plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief.	p plugging; spud date. It cementing
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  12-02-04  Signature of Operator of Agent:  For KCC Use ONLY  API # 15 - OO 9 - 24811 - OO - OO  Conductor pipe required  Noue feet  Minimum surface pipe required  feet per Alt	DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be underlying formation.  In strict office on plug length and placement is necessary prior to ged or production casing is cemented in;  In set from below any usable water to surface within 120 days of set 133,891-C, which applies to the KCC District 3 area, alternated the plugged. In all cases, NOTIFY district office prior to any computer within 120 days.  In all cases, NOTIFY district office prior to any computer within 120 days.  Title: SEC/TREAS	p plugging;  ppud date.  Il cementing ementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  12-02-04  Signature of Operator of Agent:  For KCC Use ONLY  API # 15 - OO 9 - 24811 - OO - OO  Conductor pipe required  Minimum surface pipe required  Approved by:  This authorization expires:  6-6-05	paying of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall e underlying formation.  It is strict office on plug length and placement is necessary prior to ged or production casing is cemented in;  It is defined below any usable water to surface within 120 days of set 133,891-C, which applies to the KCC District 3 area, alternate the plugged. In all cases, NOTIFY district office prior to any complete and belief.  Title: SEC/TREAS  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order.  Notify appropriate district office 48 hours prior to workover or Submit plugging report (CP-4) after plugging is completed;	p plugging; spud date. all cementing ementing.  rs; re-entry;
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the di  5. The appropriate district office will be notified before well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 12-02-04  Signature of Operator of Agent:  For KCC Use ONLY  API # 15 - OO 9 - 24811 - OO - OO  Conductor pipe required	paying of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be underlying formation.  It is strict office on plug length and placement is necessary prior to ged or production casing is cemented in;  It is deform below any usable water to surface within 120 days of set 133,891-C, which applies to the KCC District 3 area, alternate to plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order.  Notify appropriate district office 48 hours prior to workover or Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt wat If this permit has expired (See: authorized expiration date) please.	p plugging;  pud date. Il cementing ementing.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the difference of the well is either plug.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date:  12-02-04  Signature of Operator of Agent:  For KCC Use ONLY  API # 15 - OO 9 - 24811 - OO - OO  Conductor pipe required  Minimum surface pipe required  Approved by:  This authorization expires:  6-6-05	paying of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be underlying formation.  In strict office on plug length and placement is necessary prior to ged or production casing is cemented in; It is defined below any usable water to surface within 120 days of set 133,891-C, which applies to the KCC District 3 area, alternate to plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief.  Title: SEC/TREAS  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration order. Notify appropriate district office 48 hours prior to workover or. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt wat.  If this permit has expired (See: authorized expiration date) ple check the box below and return to the address below.  Well Not Drilled - Permit Expired Signature of Operator or Agent:	p plugging;  pud date. Il cementing ementing.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the di 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: 12-02-04  Signature of Operator of Agent:  For KCC Use ONLY  API # 15	paying of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be underlying formation.  In strict office on plug length and placement is necessary prior to ged or production casing is cemented in; and from below any usable water to surface within 120 days of set 133,891-C, which applies to the KCC District 3 area, alternate the plugged. In all cases, NOTIFY district office prior to any comy knowledge and belief.  Title: SEC/TREAS  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order. Notify appropriate district office 48 hours prior to workover or. Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt watter.  If this permit has expired (See: authorized expiration date) ple check the box below and return to the address below.  Well Not Drilled - Permit Expired	p plugging;  pud date. Il cementing ementing.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -	Location of Well: County: BARTON		
Operator: IL.D.DRILLING, INC.			
Lease: CALCARA			
Well Number: 1 Field: HEIZER SW	Sec. 19 Twp. 19 S. R. 14 East Wes		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
QTR / QTR / QTR of acreage: SW - SE - SE	If Section is Irregular, locate well from nearest corner boundary.		
	Section corner used: NE NW SE SW		

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

							RECEIVE DEC 0 3 2004 CC WICHIT
 	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		WICHIT
			i	,			EXAMPLE
 							1980
	•				•		
 							3390' ·
					•		
 	· · ·	· · · · ·				990	
					. <u>2</u>		SEWARD CO.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

December 6, 2004

Mr. L.D. Davis L.D. Drilling, Inc. 7 SW 26<sup>th</sup> Ave Great Bend, KS 67530

RE: Drilling Pit Application Calcara Lease Well No. 1 SE/4 Sec. 19-19S-14W Barton County, Kansas

Dear Mr. Davis:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. Please keep all pits away from any draws.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Also please file the enclosed CDP-5 form, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely.

Kathy Haynes

Environmental Protection and Remediation Department

cc: H Deines