

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
500 INSURANCE BUILDING
212 NORTH MARKET
WICHITA, KANSAS 67202

FORM CP-1

WELL PLUGGING APPLICATION FORM
File One Copy

RECEIVED
STATE CORPORATION COMMISSION
OCT 7 1971
CONSERVATION DIVISION
Wichita, Kansas

10-7-71

Lease Owner Okmar Oil Company 15-137-20031-00-~~00~~⁰¹
Address 1130 Vickers-KSB&T Building, Wichita, Kansas 67202
Lease (Farm Name) Voss Well No. 1
Well Location SW NE SE Sec. 9 Twp. 5 Rge. 22 (E) (W) X
County Norton Field Name (If Any) wildcat
Total Depth 3566 Oil Well X Gas Well Input Well SWD Well X D & A
Well Log filed with application X or Well Log filed with Plugging Supervisor

Date and hour plugging is desired to begin October 30, 1971

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission.

Name of company representative in charge of plugging operations Harold Chambers
Address P. O. Box 723
Hays, Kansas 67601

Plugging Contractor Southwest Casing Pulling Co., Inc. License No.
Address Box 364
Great Bend, Kansas

Invoice covering assessment for plugging this well should be sent to Okmar Oil Company
Address 1130 Vickers-KSB&T Building
Wichita, Kansas 67202

and payment will be guaranteed by applicant.

Signed: Jim Thatcher
Applicant or Acting Agent
Jim Thatcher, Engineer

Date: October 6, 1971

L. J. DREILING AND SONS, L.C.

Victoria, Kansas 67671

WELL LOG

15-137-20031-00-~~80~~⁰¹

Company	Okmar Oil Company 1130 Wichita Plaza Wichita, Kansas 67202	Sec. 9	Twp. 5	Rng. 22
Farm	Voss No. 1	Location	SW NE SE	
Total Depth	3566'	County	Norton	
Comm.	7-25-69	Comp.	8-3-69	Elevation: 2131' K. B. 2128' D. F. 2126' G. R.
Contractor	L. J. Dreiling & Sons, Inc. Victoria, Kansas 67671	Production:		
	Casing Record	Cement Record		
	263' - 8 5/8"	175 sacks cement		
	3563' - 5 1/2"	600 gals. salt saturated, water ahead 25 sacks common cement with 100 sacks pozmix 18% salt displaced with 87 bbls. water		

Figures Indicate Bottom of Formations

0'	241'	Sand & Rock
241'	263'	Shale
263'	1669'	Sand & Shale
1669'	1700'	Anhy.
1700'	2570'	Shale & Sand
2570'	2840'	Shale & Lime
2840'	3031'	Lime
3031'	3260'	Shale & Lime
3260'	3566'	Lime
3566'	T.D.	

RECEIVED
STATE CORPORATION COMMISSION
OCT 7 1971
CONSERVATION DIVISION
Wichita, Kansas
10-7-71

STATE OF KANSAS)
)ss
COUNTY OF ELLIS)

I, Leo F. Dreiling, of the L. J. Dreiling & Sons, Inc., upon oath states that the above and foregoing is a true and correct copy from the Daily Drilling Report from your Voss #1.

Leo F. Dreiling

LEO F. DREILING

Subscribed and sworn to before me this 4th day of August 1969.



Joseph A. Hess

JOSEPH A. HESS NOTARY PUBLIC

My commission expires: September 19, 1970

State of Kansas



15-137-20031-00-01

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)

300 Insurance Bldg.

212 N. Market

WICHITA, KANSAS 67202

October 7, 1971

WELL PLUGGING AUTHORITY

Well No.	1
Lease	Voss
Description	SW NE SE 9-5-22W
County	Norton
Total Depth	3566
Plugging Contractor	Southwest Casing Pulling Co.

Okmar Oil Company
1130 Vickers KSB & T Bldg.,
Wichita, Kansas 67202

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,

J. Lewis Brock
J. Lewis Brock, Administrator

Mr. W. L. Nichols Box 157 Morland, Kansas
is hereby assigned to supervise the plugging of the above named well.