

RECEIVED

SEP 19 2003
KCC WICHITA

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
Wichita State Office Building
130 South Market, Room 2078
Wichita, Kansas 67202

FORM CP-1
Rev. 03/92

WELL PLUGGING APPLICATION FORM
(PLEASE TYPE FORM and File ONE Copy)

15-137-18172-00-00

API # comp. 8-21-59 (Identifier number of this well). This must be listed for wells drilled since 1967; if no API# was issued, indicate spud or completion date.

WELL OPERATOR R.P. Nixon Oper., Inc. KCC LICENSE # 5252
(owner/company name) (operator's)

ADDRESS 207 West 12th Street CITY Hays

STATE Kansas ZIP CODE 67601-3898 CONTACT PHONE # (785) 628-3834

LEASE Wiltrout WELL# 8 SEC. 27 T. 5S R. 21W (East/West)

C S/2 - NE - SE SPOT LOCATION/QQQQ COUNTY Norton

1650 FEET (in exact footage) FROM S/N (circle one) LINE OF SECTION (NOT Lease Line)

660 FEET (in exact footage) FROM E/W (circle one) LINE OF SECTION (NOT Lease Line)

Check One: OIL WELL GAS WELL D&A SWD/ENHR WELL DOCKET# _____

CONDUCTOR CASING SIZE none SET AT _____ CEMENTED WITH _____ SACKS

SURFACE CASING SIZE 8 5/8 SET AT 192' CEMENTED WITH 150 SACKS

PRODUCTION CASING SIZE 4 1/2" SET AT 3656' CEMENTED WITH 100 SACKS

LIST (ALL) PERFORATIONS and BRIDGEPLUG SETS: retrievable plug left in hole at 3401'
producing zone was from 3656'-71' open hole

ELEVATION 2242' KB T.D. 3671' PBD 3045' ANHYDRITE DEPTH 1848'
(G.L./K.B.) (Stone Corral Formation)

CONDITION OF WELL: GOOD POOR CASING LEAK JUNK IN HOLE

PROPOSED METHOD OF PLUGGING According to KCC rules and regulations.

Note: while drilling out cement from a casing leak squeeze job, got out of casing at 3045' and started making formation
(If additional space is needed attach separate page)

IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? IS ACO-1 FILED? No

If not explain why? well was drilled in 1959 by Jocelyn-Varn

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et. seq. AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

LIST NAME OF COMPANY REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:

Paul Nixon PHONE# (785) 628-3834

ADDRESS 207 West 12th St. City/State Hays, KS 67601

PLUGGING CONTRACTOR Murfin Drilling Company KCC LICENSE # 30606
(company name) (contractor's)

ADDRESS 250 N. Water Ste. 300 Wichita, KS PHONE # (316) 267-3241

PROPOSED DATE AND HOUR OF PLUGGING (If Known?) September 18, 2003 Plugged

PAYMENT OF THE PLUGGING FEE (K.A.R. 82-3-118) WILL BE GUARANTEED BY OPERATOR OR AGENT

DATE: 9-18-03 AUTHORIZED OPERATOR/AGENT: [Signature]
(signature)

6/04

12/03

15.137.18172.00.00

RECEIVED
SEP 19 2003
KCC WICHITA


WELL LOG BUREAU—KANSAS GEOLOGICAL SOCIETY
508 East Murdock, Wichita, Kansas

Company- JOCELYN-VARN OIL CO.
Farm- Wilttrout No. 8

SEC. 27 T. 5 R. 21W
C SL NE SE

Total Depth. 3671'
Comm. 8-10-59 Comp. 8-21-59
Shot or Treated.
Contractor. Trusco Drlg.
Issued. 10-31-59

County Norton
KANSAS



CASING:

8" 192'
4" 3671' - 3656'

Elevation. 2242' RB

Production. 250 BOPD

Figures Indicate Bottom of Formations.

surface	196
sand & shale	1150
shale	1826
Anhydrite	1848
shale	2100
lime & shale	3255
lime	3315
lime & shale	3345
lime	3533
lime & chert	3575
lime	3671
Total Depth	

TOPS: SCOUT	
Heebner	3379
Toronto	3407
Lansing	3422
Arbuckle	3653
Reagan	3668

JOCELYN-VARN OIL CO.

3105 LIBERTY BANK BLDG.
OKLAHOMA CITY 2, OKLAHOMA

September 17, 1959

15-137-18172-00-00

RECEIVED
SEP 19 2003
KCC WICHITA

Kansas Geological Society
Kansas Well Log Bureau
508 East Murdock
Wichita 5, Kansas

Attention: H. E. White

Re: Jocelyn-Varn Oil Company
#8 Wiltout
Sec. 27-5-21W
Norton County, Kansas

The following is a drillers log covering the captioned well as per request:

0- 196	surface
196-1150	sand & shale
1150-1826	shale
1826-1848	anhydrite
1848-2100	shale
2100-3255	lime & shale
3255-3315	lime
3315-3345	lime & shale
3345-3533	lime
3533-3575	lime & chert
3575-3671	lime

Very truly yours,

JOCELYN-VARN OIL COMPANY

Otis E. Anderson, Prod. Supt.
by Marian Bates, Sec.

mb