STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 800 BITTING BUILDING WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM File One Copy

15-137-00184-0000

70-73 7- 00.0 7 000
Lease CwnerJones, Shelburne & Address Russell, Kansas
(Applicant) . Farmer, Inc. Lease (Farm Name) Weogard Well No. 1
Well Location SW SW NW 12-5-22 Sec 12 Twp. 5 Rge. (E) - (W) 22
County Norton Field Name (if any) Wildcat
Total Depth 3551 Oil Gas Dry Hole X
Was well log filed with application? yes frot, explain:
Date and hour plugging is desired to begin 4:00 AM 1-15-55
Plugging of the well will be done in accordance with the Rules and Regula-
tions of the State Corporation Commission.
Name of the person on the lease in charge of well for owner
Dale Buchheister Address Plainville, Kansas
Plugging Contractor Jones, Shelburne & Farmer, Inc.
Plugging Contractor's License No.
Address Russell, Kansas
Invoice covering assessment for plugging this well should be sent to
Jones, Shelburne & Farmer, Indadress Russell, Kansas
and payment will be guaranteed by applicant.
JAN 2 0 3055
Istul turision DIVISION
Applicant or Acting Agent
9/ Date January 15, 1955

3

FARM NAME

Give detailed description and thickness of all formations drilled through, contents of sand, whether dry,

*							water, on or g	jus.							*
640 Acres	COUNTY NO T	ton sec	12 _{TW}	_{rp.} 5	. RGE	22		mation	Top	Bottom	Formatio	'n	Тор	Bottom (- - -
	COMPANY OPER	RATING JON	es, Sh	elbur	ne &	Far	me r, Inc	a	. 1	-	: ,			Ł	i
160 160	OFFICE ADDRES					***********	Post ro	ck &			- 1		=	-	
	FARM NAME WE	eogurd		WELL 1	vo1			on a	0	164					
	DRILLING STARTE	$z_{D} \perp -3 = 1$	955 DRILLIN	G FINISHEE) <i>L-L</i>	4 ₁₉ 55	Shale &	eand	164	400			7.4		
	DATE OF FIRST WELL LOCATED	PRODUCTION		COMPLETE	D		ice in the common co	shells	400	990		,			
								shells	. 1	1240		,		*	
160 160	Line and						Sand	SIFCTTO		0 144) - ·				
	Elevation (Relative				ROUND)	Shale s	he170	1.20	J. L.TT	,				
Locate well correctly	CHARACTER OF	WELL (Oil, ga	s or dryhole)	ary			& redbe		721	0 162	.	٠.			
	OIL OR GAS	SANDS OR ZO	ONES					& redbed	~~ .	5 169		1.5	1		
Name	From To		Name	· · · · · · · · · · · · · · · · · · ·	From	То	Anhydri			5 172			`		
Name		· ·			110111			shells		7 200				- 4	
		. <u> </u>				- [1] - -		lime		255			`		
Y Sant I		<u> </u>				11 - 1 ,	Lime &			276			,		
Perforating Reco	rd II Any	:	Shot	Record	<u> </u>			lime		5 314		7		-	
Formation From	To No. of Shots	s For	mation	From To	o Size	of Shot	Lime &			0 319		,		* "	
	1 1 1 1 1 1 1 1						Shale &			0 344.		,		•	_
19		- 			, - 		Lime &			5 343				-	(
		a I de la colo					Shale &			5 354.				-	
8	CASIN	IG RECORD				-	Granite	and the second s		355					(
Amount Se	t	rai ,	Amount	Pulled P	acker Rec	cord	41611110		,00 32	. 000	-			,	~
	ake Ft. In.	Ft. li	n. Size	Length De	pth Set	Make					TOPS:				
5/8	166	- / :-			~		British of L	de la companya della companya della companya de la companya della		'``	20104		-		(
											Elevation	n 3225			(
<u>`` </u>											Toronto		· · · .		•
ter Record: Amount Kind Top Bottom										Lansing			A.	,	
		AND MUDDI	NG 1		3	e 3			, -		$B \cdot K \cdot C \cdot 3$,		
ize Amount Set Sacks		Method of Cementing	Amount	Mudding :	Resu (See 1				-		Regan 35				
	Gal. Make	Jennemann	- 1	· · · · · · · · · · · · · · · · · · ·	1,000 .				ľ		Granite		-		
5/8 166 100				 	<u> </u>						T.D. 355				
													. ,		
te What method was used	to protect sands if	outer strings	were pulled?	- ;- ;-					1			,		٠, ١	
The Were bottom hole plug		so, state kind,		d nonvier ob		-	**			· · · · · ·					
The were bottom note plug	· · · · · · · · · · · · · · · · · · ·		depin ser an	d results of				- 1			- ,		-		
tary Tools were used from		OLS USED	n wara nead	from	feet to				1						٠
leet, and from	leet to	feet,													
pe Rig			414 144		Year Jen									_	
	INITIAT DR	ODUCTION TE	ŚŢ.	5375							1.0.	:111	· · · · · · ·		_
scribe initial test: whether				oing	, · · ·		l, the und	dersigned, being fir ording to the record	st duly s	worn upon office and	to the best of my	knowledge an	l belief.	orrect din	2
					/ .	<u> </u>						truest			
ount of Oil Production	bbls. Size of	choke, if any_	Len	gth of test		_Water			. :	THE STATE OF THE S		of representat			•
oduction bbls. Gro		_Type of Pump	o ir pump is i	used, descri	be		8 -1	d and sworn to bef	1	H.9+:	h day of Jani	laru /	$\overline{}$, 195.	5
	·	· · · · · ·		· · · · · · · · ·	<u> </u>	,	Subscribed	on expires Jul	71 7A	. 195	8 Dann	11/	NH	,	ممد
·							My Commissi	on expires	St eps eps	z	ver		Votary Pu	blic.	



15-137-00184-00-00

STATE OF KANSAS

STATE CORPORATION COMMISSION

CONSERVATION DIVISION

EEE-SIPING-BUILDING

WICHITA 2, KANSAS

January 10, 1955

211 N. Broadway

Well No. Lease

i. Vergarê

Description County

517 SN NN 12-5-22N

County File No.

Horton 91-30

Jones, Shelburne, Farmer Russell Kannan

Contlement

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. 120.

STATE CORPORATION COMMISSION CONSERVATION DIVISION

cc: District Plugging Supervisor