

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

15-039-00061-00-00

Lease Owner Harry Gore Address 400 Brown Building
(Applicant) Wichita, Kansas
Lease (Farm Name) Welter Well No. 1
Well Location NE NE SW Sec. 22 Twp. 5 Rge. 27(E)-(W)
County Decatur Field Name (if any) Wildcat
Total Depth 4313 Oil Gas Dry Hole X
Was well log filed with application? Yes If not, explain:

Date and hour plugging is desired to begin 2/6/52

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.

(Use an additional sheet if necessary)

Name of the person on the lease in charge of well for owner

Marion Helberg Address Lindsborg, Kansas

Name of Plugging Contractor Empire Drilling Company

Address 1121 Union Nat'l Bank Bldg., Wichita, Kansas

Invoice covering assessment for plugging this well should be sent to


Harry Gore Address 400 Brown Building
Wichita, Kansas

and payment will be guaranteed by applicant.

EMPIRE DRILLING COMPANY

By:
Applicant or Acting Agent

Date 2/6/52



2-16-52

COMPANY: HARRY CORE
 CONTRACTOR: EMPIRE DRILLING COMPANY
 FARM: WELTER NO. 1
 LOCATION: NE NE SW Sec. 22-5-27W
 Decatur County
 COMMENCED: 1/23/52
 COMPLETED: 2/6/52

0	to	70	surface & shale
70	to	90	sand
90	to	120	shale & shells
120	to	170	sand
170	to	225	shells
225	to	250	shells & shale
250	to	1240	shale, sand & shells
1240	to	1420	shale & shells
1420	to	1640	shale, sand & lime
1640	to	1780	shale & shells
1780	to	1900	shale & lime
1900	to	2120	red bed & shale
2120	to	2300	shale, lime shells
2300	to	2360	shale & lime
2360	to	2505	shells & shale
2505	to	2640	shale, lime shells
2640	to	3280	shale & lime
3280	to	3340	shale
3340	to	3460	shale & lime
3460	to	3760	lime
3760	to	3790	lime & shale
3790	to	3940	lime
3940	to	4120	shale & lime
4120	to	4195	shale
4195	to	4246	Conglomerate
4246	to	4277	Arbuckle
4277	to	4313	Arbuckle

T.D.

Set 251' of 8-5/8" surface casing. Cemented with 225 sacks cement.
 D.S.T. 3790'
 D.S.T. 3820'
 Schlumberger Electric Log at 4280'
 Topeka 3575', Keebner 3737', Dodge 3758', Lansing-K.C. 3775',
 Base-K.C. 3977', Shaly Conglomerate 4161', Solid Arbuckle 4279.

All measurements taken from derrick floor.
 Elevation 2680' D.F.
 DRY

I, Dan J. Kornfeld, do hereby certify that the above and foregoing is true and correct copy of the log of the Welter No. 1 in Section 22, Township 5, Range 27W, Decatur, County, Kansas, as reflected by files of the Empire Drilling Company.

Dan J. Kornfeld
 Dan J. Kornfeld

Subscribed and sworn to before me a Notary Public, within and for Sedgwick County, Kansas, this 13th day of February, 1952.

Judy L. Rose
 Notary Public

My commission expires Jan 30-56

PLUGGING
 FILE SEC 22 T 5 R 27W
 PAGE 143 LINE 20

REC
 FEB 16 1952
 2-16-52



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

15-039-00061-00-00

February 11, 1952

Well No.	1
Lease	Walter
Description	NE NE SW 22-5-27N
County	Decatur
File No.	113-20

Harry Gore,
400 Brown Bldg.,
Wichita, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr.

Eldon Petty, Box 386, Hays, Kansas.

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

BY: J. P. Roberts
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR