

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

15-039-00055-00-00

Lease Owner Harry Gore Address 400 Brown Bldg. Wichita, Kansas  
(Applicant)

Lease (Farm Name) Muirhead Well No. #1

Well Location NE-NE-SW Sec. 15 Twp. 5 Rge. 27 (E)-(W) W

County Decatur Field Name (if any) Wildcat

Total Depth 4160 Oil Gas Dry Hole Dryhole

Was well log filed with application? Yes. If not, explain: \_\_\_\_\_

Date and hour plugging is desired to begin 4-4-52 4 (four) P.M.

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.

(Use an additional sheet if necessary) \_\_\_\_\_

Name of the person on the lease in charge of well for owner \_\_\_\_\_

T. C. Strain Address 117 1/2 East 8th Street

Name of Plugging Contractor Strain Drilling Company

Address 117 1/2 East 8th Street

Invoice covering assessment for plugging this well should be sent to

Harry Gore Address 400 Brown Bldg. Wichita, Kansas

and payment will be guaranteed by applicant.

**PLUGGING**  
FILE SEC 15 T 5 R 27  
BOOK PAGE 7 LINE 20

APR 9 1952  
WICHITA, KANSAS  
4-9-52

T. C. Strain  
T. C. Strain  
Applicant or Acting Agent  
Date April 8, 1952

*F*

15-039-00055-00-00

WELL LOG

COMPANY: HARRY GORE

NE-NE-SW Sec. 15  
Twp. 5 Rge. 27W  
Decatur County, Kansas

LEASE: MUIRHEAD

ELEVATION: 2699 D. F.

NOTE: All measl rotary bushings

0	40 Post Rock & Clay	3607	3710 Shale & Lime
40	220 Shale & Shells	3710	3775 Shale & Lime
220	247 Blue Shale	3775	3814 Lime & Shale
<del>247</del>	830 Shale	3814	3860 Lime
830	1375 Shale	3860	3885 Lime
1375	1420 Shale & Shells	3885	3895 Lime
1420	1570 Shale	3913	3973 Lime
1570	1620 Sand & Shale & Pyrite	3973	4025 Lime
1620	1630 Lime	4025	4075 Lime & Shale
1630	1830 Shale & Pyrite	4075	4160 Shale & Lime
1830	1875 Shale	4160	(Total Depth) R. B.
1875	1915 Anhydrite		
1915	1960 Shale & Shells		
1960	2275 Shale & Shells		
2275	2325 Shale & Redbed	Commenced: 3-21-52	
2325	2360 Anhydrite	Completed: 4-3-52	
2360	2385 Shale & Redbed		
2385	2500 Shale & Redbed & Lime		
2500	2630 Shale & Shells		
2630	2785 Shale & Shells		
2785	2900 Shale & Lime		
2900	3080 Shale & Lime		
3080	3140 Shale & Lime		
3140	3215 Lime & Shale		
3215	3270 Lime & Shale		
3270	3340 Lime & Shale		
3340	3450 Shale & Shells		
3450	3540 Shale & Lime		
3540	3607 Lime & Shale		

Casing Record

8 5/8 Surface Casing Set at 270' w/150 sacks of cement by Globe Cementing Co.

No Drill Stem Test

No Electric Log Run

TOPS: Geologist Tops

Anhydrite	2325	T. D. 4160	Lansing	3749
Heebner	3711		Marmaton	3950
Toronto	3733			

STATE OF KANSAS) ss  
COUNTY OF ELLIS)


I hereby affirm that the above and foregoing is a true and correct copy of the log of the Muirhead, located NE-NE-SW, Sec. 15, Twp 5, Range 27W Decatur County, Kansas

CONTRACTOR: Strain Drilling Co.

BY: T. C. Strain  
T. C. Strain

Subscribed and sworn to before me this 8th day of April, 1952

My commission expires March, 26, 1956



Notary Public  
Mildred Schneider

4-9-52



STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

15-039-00055-00-00

April 9, 1952

Well No. 1  
Lease Hairhead  
Description NE 1/4 SW 15-5-27W  
County Decatur  
File No. 7-20

Mr. Harry Gore  
100 Brown Bldg.  
Wichita, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION

BY: J. P. Roberts  
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR