# STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 211 NORTH BROADWAY WIGHITA, KANSAS

# WELL PLUGGING APPLICATION FORM

File One Copy

Lease Cwner			
(Applicant)	Jones, Shelb	urne & Farmer A	ddress Russell, Kansas
		DODSON	Well No. 1
			Sec. 3 Twp. 5 Rge. (E) - (W)
County	Decatur		Field Name (if any) Feely Poo
Total Depth	<sup>1</sup> 3785	OilGa	sDry Hole_X
Was well lo	og filed with	application?	Yes If not, explain:
Date and ho	our plugging i	is desired to be	egin 8-18-56 9:00 PM
Plugging of	the well wil	ll be done in a	ccordance with the Rules and Regulat
of the Stat	e Corporation	n Commission.	
			rge of well for owner
			TEC OT METT LOL OMIGI.
Dale Buch	heister		Address plainville, Kansas
Dale Buch	heister ontractor	Jones, Shelbu	Address <u>Plainville, Kansas</u>
Dale Buch Plugging Co Plugging Co	heister ontractor ontractor's Li	Jones, Shelbu	Address plainville, Kansas
Dale Buch Plugging Co Plugging Co	heister ontractor ontractor's Li	Jones, Shelbu	Address <u>Plainville, Kansas</u>
Dale Buch Plugging Co Plugging Co Address	heister ontractor ontractor's Li	Jones, Shelbu icense No. Russell, Kans	Address plainville, Kansas
Dale Buch Plugging Co Plugging Co Address Invoice cov	heister ontractor ontractor's Li	Jones, Shelbu icense No. Russell, Kans nent for pluggin	Address plainville, Kansas  The & Farmer, Inc.  Tas  Tas  The this well should be sent to
Dale Buch Plugging Co Plugging Co Address Invoice cov	heister ontractor ontractor's Li	Jones, Shelbu icense No.  Russell, Kans ment for pluggin	Address plainville, Kansas  The & Farmer, Inc.  Tas  Tas  The Management of the Mana
Dale Buch Plugging Co Plugging Co Address Invoice cov	heister ontractor's Li vering assessm	Jones, Shelbu icense No.  Russell, Kans ment for pluggin r, Inc. canteed by appli	Address <u>plainville, Kansas</u> rne & Farmer, Inc.
Dale Buch Plugging Co Plugging Co Address Invoice cov	heister ontractor ontractor's Livering assessment & Farmer of will be guar	Jones, Shelhu icense No.  Russell, Kans ment for pluggin r, Inc. ranteed by appl:	Address plainville, Kansas  True & Farmer, Inc.  Tas  Ing this well should be sent to  Address Russell, Kansas  icant Mohulo Zaranel
Dale Buch Plugging Co Plugging Co Address Invoice cov	heister ontractor ontractor's Livering assessment & Farmer of will be guar	Jones, Shelhu icense No.  Russell, Kans ment for pluggin r, Inc. ranteed by appl:	Address plainville, Kansas  True & Farmer, Inc.  Tas  Ing this well should be sent to  Address Russell, Kansas  icant.
Dale Buch Plugging Co Plugging Co Address Invoice cov	heister ontractor ontractor's Livering assessment & Farmer of will be guar	Jones, Shelhu icense No.  Russell, Kans ment for pluggin r, Inc. ranteed by appl:	Address plainville, Kansas  True & Farmer, Inc.  Tas  Ing this well should be sent to  Address Russell, Kansas  icant Mohulo Zaranel

#### FORMATION RECORD

		= 0			3 % C			1	-		يان ويحيق ويحيق	1			. 22. . 22.	nde <sub>le</sub> i Seesi	) - 1 - 3 1 - 1 - 1	Č	live	detail	ed de	scriptio	on on	d thi	cknes	of	all lo	rmati	ons o	drille	d thre	oùgh;	conte	nts of	sand	whe	ether
10	νĸ	ES:	1,2	17	use	<u>:ет</u>	<u> </u>	<u> </u>	ац	<u>sa:</u>	****	-				4.5			vater	oil o	r gas				E.			rein (					1 To 1 To 1	불우기	14 F.	可能に	-178
1	ું કેલ્લું જોવાના જોવાના	35	12 - 18 - 3		100	P .					21 E		osie				M (			1.623	ريدر ت	(10) S	(%)		74	4	<u> </u>	17.1	1,119	280 1450	5	75.00.37	300	de la la	15.53	53.	- 12 ( 12 m)

PARM NAME DODSON WELL NO. 1 DRILLING STARTES—7 19 5 G DRILLING FINISHED 8—13 1 DATE OF FIRST PRODUCTION COMPLETED WELL LOCATED SE 1/4 SE 1/4 KB 1/4 SE North oil S Line and It Egat of West Line oil Quarter Set Elevation (Relative to sea level) DERRICK FLOOR 258 9 ROUND Locate well correctly CHARACTER OF WELL (Oil, gas or dryhole) D1-y  CIL OR GAS SANDS OR ZONES  Name From To Name From To Name From To  4  5  Perforating Record If Any She't Record  Formation From To No. of Shots Formation From To Size of S  CASING RECORD  Amount Set Amount Pulled Packer Record  Wt. Thds: Make Ft. In Ft. In Size Length Depth Set Ma  1.71  Record: Amount Extra Top Bottom  CEMENTING AND MUDDING  Results	COMPANY OPERATING JONES, Shelburne & Farm OFFICE ADDRESS RUSSELL, Kansas. FARM NAME DODSON WELL NO. 1 DRILLING STARTES—7 19 56 DRILLING FINSHED 8—13. DATE OF FIRST PRODUCTION COMPLETED WELL LOCATED SEV. SEV. KB. V. SE North old. Line and the East of West Line of Ourier Section (Relative to sea level) DERRICK FLOOR 258@ROUND CHARACTER OF WELL (Oil, gas or divisible) Dry.  CIL OR GAS SANDS OR ZONES  Name From To Name From Name From 1  Perforating Record, 11 Any Shot Record  Formation From To No. of Shots Formation From To Size of  CASING RECORD  Amount Set Amount Pulled Packer Record Size Wt. Thds. Make Ft. In Ft. In Size. Length Depth Set Make 55/8 171 1 135  Liner Record: Amount CEMENTING AND MUDDING  Size Amount Set Sacks Chemical Method of Amount Mudding Results Size Amount Set Gal, Make Cementing Amount Method (See No.		640 A	cres			TIMEV T		-1-1-4 CE	, 'n		wo 5	Den	07
OFFICE ADDRESS RUSSELL KANSAS  FARM NAME DODSON WELL NO. 1.  DRILLING STARTES—7 19 56 DRILLING FINISHED 8—15.  DATE OF FIRST PRODUCTION COMPLETED  WELL LOCATED SE 1/4 SE 1/4 SE North of Se 160 150 Line and the East of West Line of Quarter Se Elevation (Relative to sea level) DERRICK FLOOR 258 9ROUND  Locate well correctly CHARACTER OF WELL (Oil, gas or dryhole) Dry.  CIL OR GAS SANDS OR ZONES  Name From To No. of Shots Formation From To Size of Second From To No. of Shots Formation From To Size of Second From To No. of Shots Formation From To Size of Second From To No. of Shots Formation From To Size of Second From To No. of Shots Formation From To Size of Second From To No. of Shots Formation From To Size of Second From To No. of Shots Formation From To Size of Second From To No. of Shots Formation From To Size of Second From To No. of Shots Formation From To Size of Second From To No. of Shots Formation From To Size of Second From To No. of Shots Formation From To Size of Second From To No. of Shots Formation From To Size of Second From To No. of Shots Formation From To Size Length Depth Set Mo. 171 Second From To No. of Shots Formation From To Size Length Depth Set Mo. 171 Second From To No. of Shots Formation From To Size Length Depth Set Mo. 171 Second From To No. of Shots Formation From To No. of Shots For	OFFICE ADDRESS RUSSELL, KATISAS  FARM NAME DODSON WELL NO. 1 DRILLING STARTES—7 19 56 DRILLING FINISHED 8—13.  DATE OF FIRST PRODUCTION COMPLETED WELL LOCATED SEV, SEV, SEV, SE North of Size Incomplete Several Control of S		10 A 15 A	1000	See Book									
PARM NAME DODSON WELL NO. 1 DRILLING STARTES 7 19 5 G DRILLING FINISHED 8 15. DATE OF FIRST PRODUCTION COMPLETED WELL LOCATED SE 1/4 SE 1/4 NS 1/4 SE North of S Line and ft. East of West Line of Quarter Se Elevation (Relative to sea level) DERRICK FLOOR 258 GROUND Locate well correctly CHARACTER OF WELL (Oil, gas or dryhole) Dry  CIL OR GAS SANDS OR ZONES  Name From To No. of Shots Formation From To Size of S Sands Record  CASING RECORD  Amount Set Amount Pulled Packer Record  WI. That Make Ft. In Ft. In Size Length Depth Set Mo S 171 Standard Top Bottom  CEMENTING AND MUDDING  Record: Amount Set Sacks Chemical Method of Amount Mudding Results	PARM NAME DODSON WELL NO. 1 DRILLING STARTES—7 19 5 G DRILLING FINISHED: 8—15. DATE OF FIRST PRODUCTION COMPLETED WELL LOCATED SE'4 SE 4 SE 4 SE North of SE 160 1 150 1			3 ( )	18.14	- OC	MPANI	DDECC	Drice	ທີ່ ທີ່ໄດ້ໄດ້	W.		10	CA-AUL
DRILLING STARTES—7 19 5 © DRILLING FINISHED 8 125.  DATE OF FIRST PRODUCTION COMPLETED  WELL LOCATED SE'	DRILLING STARTES 7 19 5 6 DRILLING FINISHED 8 18 DATE OF FIRST PRODUCTION COMPLETED  WELL LOCATED SE 4 SE 4 SE 4 SE North of 8 Line and 1 Least of Quarter Se Elevation (Relative to sea level) DERRICK FLOOR 258 GROUND  Locate well correctly CHARACTER OF WELL (Oil, gas or dryhole) Dry  OIL OR GAS SANDS OR ZONES  Name From To Name From To Name From To Size of Perforation From To No. of Shots Formation From To Size of Size Wt That, Make Ft In Ft In Size Length Depth Set Mt S-5/8 171 135 Make Cementing Amount Mulding Results (See No. 8-5/8 171 135 Make Cementing Amount Make Ft In Cement Gal Make Cementing Amount Mudding Results (See No. 8-5/8 171 135 Make Cementing Amount Make Cementing Amount Method of Cementing Amount Mudding Results (See No. 8-5/8 171 135 Make Cementing Amount Method of Cementing Amount Method (See No. 8-5/8 171 135 Make Ce	160			160	1000	and the second of the second	5 - 2000	State of the state	277 200	45	10		
DATE OF FIRST PRODUCTION  WELL LOCATED SE 1/4 SE 1/4 SE 1/5 SE 1/5 North of SE 1/5 SE	DATE OF FIRST PRODUCTION COMPLETED  WELL LOCATED SE 1/4 SE 1/4 LOCATED SE 1/4 SE North of 6  Line and the East of West Line of Quarter Se Elevation (Relative to sea level) DERRICK FLOOR 258@ROUND  Locate well correctly CHARACTER OF WELL (Oil, gas or dryhole) Dry  OIL OR GAS SANDS OR ZONES  Name From To Name From To Name From To Second 11 Any Shet Record  Formation From To No. of Shots Formation From To Size of Size Wt. That Make Ft. In Ft. In Size Length Depth Set Make Second 11 Any CEMENTING AND MUDDING  Liner Record: Amount Kind Top Battom CEMENTING AND MUDDING  Size Amount Set Sacks Chemical Method of Amount Mudding Results Ft. In Cement Gal Make Cementing Amount Mudding Results Size Not 135 1 135 Not 186	\$ 2	****				and a read	- St 51 -	180	1 75 100	- 7 1 To	2.7	- de - 6 - 7 -	1000
WELL LOCATED SE 1/4 SE 1/4 SE North of S    Second   Seco	WELL LOCATED   SE 1/4   KB   1/4   SB   North of 6   160		++C	)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									10.
Line and	150		HI		1 440	DA	JE OF F	HST P	CODUCTIC CODUCTIC	ON .		COMPL	LIEU	
Elevation (Relative to sea level) DERRICK FLOOR 258@ROUND.  Locate well correctly CHARACTER OF WELL (Oil, gas or dryhole). Dry.  CIL OR GAS SANDS OR ZONES  Name From To Name From To Shot Record  From To No. of Shots Formation From To Size of Size	Locate well correctly		7 3 5 P		12 E.		5.75		2 M & 132 A	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100	1.00	350 000 000	35 63 5
CHARACTER OF WELL (Oit gas or dryhole).    Coll OR GAS SANDS OR ZONES	CHARACTER OF WELL (Oil, gas or dryhole)   Dry	150		34 (34)	100	6	E 20 N N N N N N		200	" . E. 5 - 5"	35 PM	COMMISSION OF	and the second second	
Name   From   To   Name   From   To   Name   From   To   Shot Record      Perforating Record   I Any   Shot Record	Name	1 1 2	rate well	correc	Mly		Supreme 2 1 /4-	1 6-		1 1800	100000000000000000000000000000000000000	FARL STATE	7127612	ילאוף.
Name From To Name From To Same From To Shot Record  Perforating Record If Any Shot Record  Formation From To No. of Shots Formation From To Size of Size of Samount Pulled Packer Record Make Ft. In Size Length Depth Set Mos Size Length Size Length Depth Set Mos Size Length Depth Set Mos Size Length S	Name			100	200 - 120 -	Сп	ANACIEN	Or W	ELL (OII.	gas or	arynoi	e) <b></b>	<b>Y</b>	
Perforating Record If Any  CASING RECORD  CASING RECORD  Amount Set  With This Make Fills In Fills In Size Length Depth Set Make Second			1				OIL OR	GAS S	ANDS OR	ZONE			A State of the sta	Maria Maria
Perforating Record II Any  Formation From To No. of Shots Formation From To Size of  CASING RECORD  Amount Set Amount Pulled Packet Record  Wt. Thds. Make Fi. In. Fi. In. Size Length Depth Set Mo.  1.71  Record: Amount Kind Top Bottom  CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	Perforating Record   I Any   Shot Record	- 1	Nam			F	rom	Го			Vame		From	/ Gi
Perforating Record II Any  Shot Record  From To No. of Shots Formation From To Size of State	Perforating Record   I Any   Shot Record	1	riki yaki Lilikabari	1	3 3 3 3 3 3	4.			4					
Perforating Record II Any  Formation From To No. of Shots Formation From To Size of  CASING RECORD  Amount Set Amount Pulled Packer Record  Wit That Make Fi In Fi In Size Length Depth Set Make Top  Record: Amount Kind Top Bottom  CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	Perforation   From   To   No. of Shots   Formation   From   To   Size of	2		- B.	J 1	7 15			3		513.1 % 4- 38-0			Shi.
Formation From To No. of Shots Formation From To Size of  CASING RECORD  Amount Set Amount Pulled Packer Record Mr. That Make Fi. In Fi In Size Length Depth Set Mr.  Record: Amount Kind Top Bottom  CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	CASING RECORD  Amount Set  Amount Pulled Packer Record  Size Wt. That Make Pt. In Pt. In Size Length Depth Set May  1.71  Liner Record: Amount Kind Top Bottom  CEMENTING AND MUDDING  Size Amount Set Sacks Chemical Method of Amount Mudding Results (See Not 8+5/8 1.71 1.35	3		- 10 us - 10 A.M	5 47 5 16 S 7 3 8 1				6	18 m 18 m				
CASING RECORD  Amount Set  Wt. Thds Make Ft. In Ft In Size Length Depth Set Mc  8	CASING RECORD   Amount Set   Amount Pulled   Packer Record   Size   Wt.   Thds   Make   Ft.   In   Ft.   In   Size   Length   Depth Set   Make   Size   Make   Size   Amount   Kind   Top   Bottom   CEMENTING AND MUDDING	A 36	3.6 P	riorat	ing Rec	ord If	Any				SI	ot Record		More E
Amount Set Amount Pulled Packer Record Wt. That Make Ft. In Ft. In Size Length Depth Set Make Ft. In Top Bottom  Record: Amount Kind Top Bottom  CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	Amount Set	∴ <del>(* </del> <b>€</b> F	ormation		From	To	No. o	f Shots		Formati	on	From	To S	ize of
Amount Set Amount Pulled Packer Record Wt. That Make Ft. In Ft. In Size Length Depth Set Make Ft. In Top Bottom  Record: Amount Kind Top Bottom  CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	Amount Set			× 2.					day.					(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
Amount Set Amount Pulled Packer Record Wt. That Make Ft. In Ft In Size Length Depth Set Mo 1.71	Amount Set		10-2	3 (3.4)	v-15. 3			***************************************	(4.38E)			1300		
Amount Set Amount Pulled Packer Record Wt. That Make Ft. In Ft. In Size Length Depth Set Make Ft. In Top Bottom  Record: Amount Kind Top Bottom  CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	Amount Set	7. <del></del>		-1-1-2	3 . 3			ایم کام <del>بعد</del> در نو راڅ				200		
e Wt. Inds Make Ft. In. Ft. In Size Length Depth Set Mc  8 -1.71  Record: Amount Kind Top Bottom  CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	Size   Wt   Thds   Make   Ft   In   Ft   In   Size   Length   Depth   Set   Make   Size   Length   Depth   Set   Make   Size   Length   Depth   Set   Make   Length   Len		3 · M, -		19.13	- Sept. 1.		CASING	RECORE	)				
e Wt. Inds Make Ft. In. Ft. In Size Length Depth Set Mc  8 -1.71  Record: Amount Kind Top Bottom  CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	Size   Wt   Thds   Make   Ft   In   Ft   In   Size   Length   Depth   Set   Make   Size   Length   Depth   Set   Make   Size   Length   Depth   Set   Make   Length   Len	18 18 18 18 18 18 18 18 18 18 18 18 18 1		An	nount S	Set	A. William				Amou	nt Pulled	Packer	Recor
Record: Amount Kind Top Bottom CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	Liner Record: Amount Kind Top Bottom  CEMENTING AND MUDDING  Size Amount Set Sacks Chemical Method of Amount Mudding Results (See Not 8-5/8 171 135	Size	Wt.	Th	ids.	Make	Tt.	ln 🗎	Ft.	ln.	Size	Length	Depth S	et Mo
Record: Amount Kind Top Bottom  CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	Liner Record: Amount Kind Top Bottom  CEMENTING AND MUDDING  Size Ft. In Cement Gal Make Cementing Amount Mudding Results (See No.)	8-5/8	第50字。				171				36. 14			
CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	Size Amount Set Sacks Chemical Method of Amount Mudding Results Ft In Cement Gal Make Cementing Amount Method (See No. 8-5/8 171 135			9				15.5			1000		<b>第1</b> 章	
CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	Size Amount Set Sacks Chemical Method of Amount Mudding Results Ft In Cement Gal Make Cementing Amount Method (See No. 8-5/8 171 135						14 m			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
CEMENTING AND MUDDING  Amount Set Sacks Chemical Method of Amount Mudding Results	Size Amount Set Sacks Chemical Method of Amount Mudding Results Ft In Cement Gal Make Cementing Amount Method (See No. 8-5/8 171 135	Liner	Secord:	Amoun		ېرتلان د الايل	Kinc			_Top		В	ottom	
Amount	Size         Ft         In.         Cement         Gal         Make         Cementing         Amount         Method         (See Not           8→5/8         1.71         1.35   <			500 1500 / 1	X	98 - (F)								
The state of the s	Ft. In Cement Gal Make Cementing Method See No. 8+5/8 171 135		Amount	Set	Sacks		Chemical	М	ethod of	i Tandi				
Ft. In Cement Gal Make Cementing Method (See Not		Size	Ft.	ln.	Cement	Ga	ıl. Mak	e Ce	menting			Metho	d (S	ee' Not
<b>6 1971</b>		8-5/8	171	334	135		되고 않는다.	1 714			. F			
<b>91 再 4.4</b> 1年,根据 <b>中域是"生</b> "的。 【中国主义,体展工工资,该会的国际,从企业工厂管理的工厂等于产品,这一			120	1.5	SP.A		n 100	w.		4.				
Ft. In Cement Gal Make Cementing Method (See		Size	Amount	Set	Sacks Cement	Ga	CEME Chemical	NTING M	AND MUI	DDING		Muddi	ig	
		070/8	17,1		TOO						20.00 A	- National State of the Control of t		198 S
9 E ( 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			- T		2000 m		MARINE -	<del>- 1</del> -			4.5	s <del>men son se te de</del> Se transporter	A San A	143 july 14.
What method was used to protect sands if outer strings were pulled?		Santa Transac	(1 <sub>2</sub> )		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			365 F		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<u> </u>	14 mm 1 mm	AND	1000
What method was used to protect sands if outer strings were pulled?		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Were bo	ttom 1	iole plu	igs us	ed?	If s	o, state ki	ind, der	oth set	and result	s obtained	وأعوار أوا
What method was used to protect sands if outer strings were pulled?	NOTE: Were bottom hole plugs used? If so, state kind, depth set and results obtained	NOTE:	1983			31(1)		TOOI	S USED	رياد و المساولات المارين الجرياد المساولات				Marie P
What method was used to protect sands if outer strings were pulled?  E. Were bottom hole plugs used?  If so, state kind, depth set and results obtained.  TOOLS USED	TOOLS USED		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	436	sed from	m	feet t	0	Cable 1	loois w	ere use	d from	feet	to
What method was used to protect sands if outer strings were pulled?  E. Were bottom hole plugs used?  If so, state kind, depth set and results obtained  TOOLS USED	TOOLS USED		Tools w	ere us			1 1 mg 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		RECEOUT.	et and	trom_		_leet to_	
What method was used to protect sands if outer strings were pulled?  E. Were bottom hole plugs used?  If so, state kind, depth set and results obtained  TOOLS USED  y Tools were used from teet to Cable tools were used from feet to	TOOLS USED  Rotary Tools were used from test to Cable tools were used from feet to	Rotary					teet	10	te					
What method was used to protect sands if outer strings were pulled?  E. Were bottom hole plugs used? If so, state kind, depth set and results obtained  TOOLS USED  y Tools were used from feet to Cable tools were used from feet to feet, and from feet to feet, and from feet to feet, and from feet to feet.	Rotary Tools were used from feet to Cable tools were used from feet to teet, and from feet to feet, and from feet to	Rotary	lee				teet	10.	te	1		Salak (ji)	The state of the state of	
What method was used to protect sands if outer strings were pulled?  E Were bottom hole pluga used?  If so, state kind, depth set and results obtained  TOOLS USED  y Tools were used from feet to Cable tools were used from feet to leet, and from leet to feet, and from leet to feet.	Rotary Tools were used from test to Cable tools were used from feet to test, and from lest to test, and from lest to test, and from lest to test.	Rotary	lee											
What method was used to protect sands if outer strings were pulled?  E Were bottom hole pluga used?  If so, state kind, depth set and results obtained  TOOLS USED  y Tools were used from feet to Cable tools were used from feet to leet, and from leet to leet.  Rig  INITIAL PRODUCTION TEST	Rotary Tools were used from test to Cable tools were used from feet to test, and from lest to test, and from lest to test, and from lest to test.	Rotary	lee	t, and	l from		INITI	AL PRO	DUCTION	TEST				

bbls. Gravity of oil

Type of Pump 11 pump is used, describe

Formation	Top	Bottom	Formation	Top	Bottom
nc.			2		
			$\delta$	U CO	
			7	10	
Surface	0	171	5		
<b>S</b> hale/	171	820	R	13/1	λŜm
Shale & sand				4	, m 100
streaks	820	1150			<u> </u>
Shale & sand	1150	1495			≥ م ک
Shale	1495	1680			
RedBed & sand	1680	2160	8		Ont
<b>A</b> nhydrite	2160	2200			the state of the s
Shale & shells	2200	2500			
Shale & lime	2500	2895			
Lime & shale	2895	3785			HE L
T.D.		3785	TOPS:		laka fili
			Elevation RB		2582
					2002
			Anhydri te		2160
			Heebner		3537
			Toronto		3562
			Tex Lansing		3579
			B/Kansas City		3778
			T.D.		3785
			D & A		13/09
		<b>表</b> 持足			
					Table 1

I, the undersigned, being lirst duly sworn upon with, state that this well record is true, correct and complete according to the records of this office and to the past of my knowledge and belief.

Name and title of representable Coron page .

Subscribed and sworn to before me this

y of August 19.56

Notary Bablic



15-039-00514-00-00

#### STATE OF KANSAS

### STATE CORPORATION COMMISSION

CONSERVATION DIVISION 211 NORTH BROADWAY WICHITA, KANSAS

August 23, 1956

Well No.

1

Lease

Podson

Description S M

County

Decatar

File No.

Jones, Shelburne & Farmer, Inc. Russell, Kenses

## Gentioren:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr.

STATE CORPORATION COMMISSION CONSERVATION DIVISION

OCCUPATION DIVIDION

S. S. Greider

WELL PLUGGING SUPERVISOR

cc:

District Plugging Supervisor