

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

15-039-00053-00-00

Lease Owner Empire Drilling Co. Address 1121 Union Nat'l. Bank Bldg.  
(Applicant)

Lease (Farm Name) Feely Well No. 1

Well Location SW SW SE Sec. 11 Twp. 5 Rge. 27(E)-(W) W

County Decatur Field Name (if any) Wildcat

Total Depth 4115' Oil      Gas      Dry Hole X

Was well log filed with application? yes. If not, explain: \_\_\_\_\_

Date and hour plugging is desired to begin 4-12-52

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.  
(Use an additional sheet if necessary) \_\_\_\_\_

Name of the person on the lease in charge of well for owner \_\_\_\_\_

Marion Helberg Address Lindsborg, Kansas

Name of Plugging Contractor Empire Drilling Company

Address 1121 Union National Bank Building, Wichita, Kansas

Invoice covering assessment for plugging this well should be sent to

Empire Drilling Company Address 1121 Union Nat'l. Bank Bldg.

and payment will be guaranteed by applicant.

EMPIRE DRILLING COMPANY

BY: DAN J. KORNFIELD  
Applicant or Acting Agent

Date 4-12-52

RECEIVED  
STATE CORPORATION COMMISSION  
PLUGGING  
APR 19 1952  
FILE SEC 11T 5 R 27L  
BOOK PAGE 9 LINE 29  
WICHITA, KANSAS  
4-19-52

COMPANY: EMPIRE DRILLING COMPANY  
 CONTRACTOR: EMPIRE DRILLING COMPANY  
 FARM: FEELY NO. 1  
 LOCATION: SW SW SE Sec. 11-5-27W  
 Decatur County, Kansas  
 COMMENCED: 4-1-52  
 COMPLETED: 4-12-52

0	to	282	Shale, shells and sand
282	to	1480	Shale and shells
1480	to	15-5	Sand
1505	to	1725	Shale and Lime
1725	to	2238	Shale and Shells
2238	to	2265	Anhydrite
2265	to	3650	Shale and Lime
3650	to	3695	Lime
3695	to	3775	Lime
3775	to	3794	Shale and Lime
3794	to	3840	Lime
3840	to	3900	Lime
3900	to	3960	Lime and Shale
3960	to	4015	Shale and Lime
4015	to	4069	Shale and Lime
4069	to	4115	Lime (Arbuckle)

T. D.

Set 254' 8-5/8" surface pipe, cemented with 175 sacks of cement.

Drill Stem Test 3668' to 3695'  
3788' to 3840'

TOPS: Topeka 3445', Heebner 3615', Toronto 3639', Lansing K.C. 3653', Base K.C. 3845', Shaley Conglomerate 4020', Arbuckle 4064', T. D. 4115'.

All tops from Kelly bushing 5' above ground level.

ELEVATION: 2662' K. B.

DRY

RECEIVED  
APR 19 1952 4-19-52

C E R T I F I C A T I O N

I, Dan J. Kornfeld, do hereby certify that the above and foregoing is a true and correct copy of the log of the Feely No. 1 in Section 11, Township 5, Range 27W, Decatur County, Kansas as reflected by files of the Empire Drilling Company.

*Dan J. Kornfeld*  
DAN J. KORNFELD

Subscribed and sworn to before me a Notary Public, within and for Sedgwick County, Kansas, this 18th day of April, 1952.

*Lillian H. Thurman*  
NOTARY PUBLIC

My Commission expires June 22-1952

PLUGGING  
FILE SEC 11 T 5 R 27 W  
BOOK PAGE 9 LINE 24



STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

April 18, 1952

15-039-00053-00-00

Well No. 1  
Lease ~~Ecley~~  
Description SW SW SE Sec. 11-5-27W  
County Decatur  
File No. 9-2h

Empire Drilling Company,  
1121 Union National Bank Bldg.,  
Wichita, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION

BY: J. P. Roberts  
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR