

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five	
expected Spud Date 3/30/2005	Spot
month year	W/2 - SE - Sec. 22 Twp. 27 S. R. 17 West
	1320 feet from N / V S Line of Section
ame: CMX, Inc.	leet from VE / W Line of Section
ddress: 150 N. Main, Suite 1026	Is SECTION RegularIrregular?
city/State/Zip: Wichita, KS 67202 Sontact Person: Douglas H. McGinness II Shone: 316-269-9052	(Note: Locate well on the Section Plat on reverse side)
ontact Person: Douglas H. McGinness II hone: 316-269-9052	County: Kiowa Lease Name: Fatzer Well #:1
	Field Name: VOD Well #: '
	ls this a Prorated / Spaced Field? Yes ✓ No
ame: Pickrell Drilling Co., Inc.	Target Formation(s): Mississippi
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
✓Oil Enh Rec ✓Infield ✓Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Depth to bottom of fresh water:
Seismic;# of Holes Other	200
Other	Depth to bottom of usable water:
CWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 400
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 4850
Original Completion Date:Original Total Depth:	Formation at Total Depth: Kinderhook
rectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	Well Farm Pond Other X
·	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
ottom Hole Location:	*
Yes, true vertical depth:	- (Note: Apply for Permit with DWR ☐) - Will Cores be taken? ☐ Yes ☑ No If Yes, proposed zone:
Ottom Hole Location: CC DKT #: AF	- (Note: Apply for Permit with DWR ☐) - Will Cores be taken? ☐ Yes ☑ No If Yes, proposed zone: ☐ FFIDAVIT
Ottom Hole Location: CC DKT #: AF the undersigned hereby affirms that the drilling, completion and eventual	- (Note: Apply for Permit with DWR ☐) - Will Cores be taken? ☐ Yes ☑ No If Yes, proposed zone: ☐ FFIDAVIT
Ottom Hole Location: CC DKT #: AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:	- (Note: Apply for Permit with DWR) - Will Cores be taken? Yes No If Yes, proposed zone:
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on the specific of	Will Cores be taken? If Yes, proposed zone: FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq.
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i>	Will Cores be taken? If Yes, proposed zone: FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Peach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a completion of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the first properties of the street of the street will be notified before well is either place.	Will Cores be taken? If Yes, proposed zone: FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in;
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a completion of the strong hall unconsolidated materials plus a minimum of 20 feet into the strong hall unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the strong hall be completed in the strong hall be completed. If an ALTERNATE II COMPLETION, production pipe shall be come.	Will Cores be taken? If Yes, proposed zone: FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a composition of the approved notice of intent to drill <i>shall be</i> posted on a composition of the minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the surface of the s	Will Cores be taken? If Yes, proposed zone: FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #138,891-C, which applies to the KCC District 3 area, alternate II cementing
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pi 6. If an ALTERNATE II COMPLETION, production pipe shall be cere Or pursuant to Appendix "B" - Eastern Kansas surface casing ord	Will Cores be taken? If Yes, proposed zone: FIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Peach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. If Yes No
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be cerne Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. er #138,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief.
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet inte 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pi 6. If an ALTERNATE II COMPLETION, production pipe shall be cerne Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well sha	Will Cores be taken? If Yes, proposed zone: FIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Peach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. If Yes No
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pl 6. If an ALTERNATE II COMPLETION, production pipe shall be cerne Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	Will Cores be taken? If Yes, proposed zone: FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. er #138,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belies.
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the approved notice of intent to drill <i>shall be</i> posted on a copy of the spud all unconsolidated materials plus a minimum of 20 feet into the service of the spud is either place. The appropriate district office will be notified before well is either place. If an ALTERNATE II COMPLETION, production pipe shall be cerned or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be certified to the spud date or the well shall be certified before the completed within 30 days of the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the complete of the spud date or the well shall be certified before the complete of the spud date or the well shall be certified before the complete of the spud date or the well shall be certified before the complete of the spud date or the well shall be certified before the complete of the spud date or the well shall be certified before the complete of the spud date or the well shall be certified before the complete of the spud date or the spud dat	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Peach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. The district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. Title: President Title: President
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pi 6. If an ALTERNATE II COMPLETION, production pipe shall be cerne Or pursuant to Appendix "B" - Eastern Kansas surface caping ord must be completed within 30 days of the spud date or the well sha hereby certify that the statements made herein are true and to the best ate: 1/10/05 Signature of Operator or Agent: For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Be district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Be district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the top; in all cases surface pipe shall be set to the top; in all cases surface pipe shall be set to the top; in all cases surface pipe shall be set to the top; in all cases surface pipe shall be set to the top; in all cases surface pipe shall be set to the top; in all cases, prior to plugging; lugged or production casing is cemented in; lugged or production to plugging; lugged or prior to plugging; lugged or pr
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a complete of the intent of the posted on the stronghall unconsolidated materials plus a minimum of 20 feet into a complete of the well is dry hole, an agreement between the operator and the complete of the posted on the stronghall be cerned or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be certeful that the statements made herein are true and to the best case: 1/10/05 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O 7 - 215 61 - 00 · 000 Conductor pipe required feet	Will Cores be taken? If Yes, proposed zone: FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #138,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged In all cases, NOTIFY district office prior to any cementing. It of my knowledge to the light of the light of the completion form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of which is a complete of the well shall be complete or intent to drill shall be posted on the complete or intent to drill shall be posted on the complete or intent to drill shall be posted on the complete or intent to drill shall be posted on the complete or intent to drill shall be posted on the complete or intent to drill shall be posted on the complete or intent to drill shall be posted on the complete or intent to drill shall be posted or intent to drill shall be post	Will Cores be taken? If Yes, proposed zone: FFIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Be district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Be district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the top; in all cases surface pipe shall be set to the top; in all cases surface pipe shall be set to the top; in all cases surface pipe shall be set to the top; in all cases surface pipe shall be set to the top; in all cases surface pipe shall be set to the top; in all cases, prior to plugging; lugged or production casing is cemented in; lugged or production to plugging; lugged or prior to plugging; lugged or pr
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on a 3. The minimum amount of surface pipe as specified below <i>shall</i> be through all unconsolidated materials plus a minimum of 20 feet inte 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pi 6. If an ALTERNATE II COMPLETION, production pipe shall be cerne Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best hereby certify that the statements made herein are true and to the best For KCC Use ONLY API # 15 - O9 7 - 215 01 - 00 Conductor pipe required feet	Will Cores be taken? If Yes, proposed zone: FFIDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. er #138,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged in all cases, NOTIFY district office prior to any cementing. It of my knowledge and belies File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a completion and unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the formula of the well is dry hole, an agreement between the operator and the formula of the well is dry hole, an agreement between the operator and the formula of the well is either properties. The appropriate district office will be notified before well is either properties of the spund to the properties of the spund date or the well shall be completed within 30 days of the spund date or the well shall be certified by the statements made herein are true and to the best properties of the spund to the best properties. For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: PEDAVIT I plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Be district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. Ber #138.891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged in all cases, NOTIFY district office prior to any cementing. It of my knowledge is belies Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
AF The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent to drill shall be posted on a complete of intent post of the well is dry hole, an agreement between the operator and the complete of the well is either place. 5. The appropriate district office will be notified before well is either place. Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. For KCC Use ONLY API # 15 - O	Will Cores be taken? If Yes, proposed zone: PEIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Beach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. Be district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 days of spud date. Bert #138_891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged in all cases, NOTIFY district office prior to any cementing. It of my prowleton and relief. File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
AF the undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be cerne Or pursuant to Appendix "B" - Eastern Kansas surface caping ord must be completed within 30 days of the spud date or the well sha hereby certify that the statements made herein are true and to the best ate: 1/10/05 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O 7 - 2/5 6/-00 · OO Conductor pipe required feet Minimum surface pipe required feet per Alt Approved by This authorization expires: 7 · 1 4 - 2 × 0.5	Will Cores be taken? If Yes, proposed zone: PEIDAVIT If plugging of this well will comply with K.S.A. 55 et. seq. Peach drilling rig; Set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. If district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 days of spud date. If it may be proposed in all cases, NOTIFY district office prior to any cementing. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a profated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -	Location of Well: County: Kiowa
Operator: CMX, Inc.	•
Lease: Fatzer	
Well Number: 1	Sec. 22 Twp. 27 S. R. 17 ☐ East ✓ West
Field:	
Number of Acres attributable to well:	ls Section: 🔽 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: W/2 - SE -	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	• •	
	· · ·	
l ·		
' ' ' ' ' ' ' '		
. <i></i>		
	• •	
	· · · · · · · · · · · · · · · · · · ·	
	•	
	:	
· · ·	•	
	•	1320:
		. 0
		08 51
		∞
		<u>(C.)</u>
		-
		1

JAN 11 1000 KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

January 13, 2005

Mr. Douglas H. McGinness II CMX, Inc. 150 N. Main Ste 1026 Wichita, KS 67202

RE: Drilling Pit Application Fatzer Lease Well No. 1 SE/4 Sec. 22-27S-17W Kiowa County, Kansas

Dear Mr. McGinness:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Also please file the enclosed CDP-5 form, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: S Durrant