For KCC Use:

Effective Date:

District #

COMMON TO No.

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

COAK: PO 103 110	CCC five (5) days prior to commencing well All blanks must be Filled
Expected Spud Date 12 27 0	4 Spot East
month day year	Spot East E/2 - NW SW Sec1.5_ Twp. 2.3 S. R. 1.0 X West
OPERATOR: License# 33488 (10-39.05)	1980 feet from N / XS Line of Section
Sungroct Frorgy \	990 feet from E / X W Line of Section
	Is SECTION X Regular Irregular?
Address: 6209 N. K/61 City/State/Zip: Hutchinson, Kansas 6750	
- / •	Peno
Contact Person: Ron Brooks Phone: (620) 663-3333	County: Kerro
	Field Name: Zenith - Peace Creek
CONTRACTOR: License# 33436 (7-30-65)	Is this a Prorated / Spaced Field? Yes X No
Name: Forrest Energy	Target Information(s): Viola
Mad Orillad Care Mall Olanas Tuna Fassingsonts	Nearest Lease or unit boundary: 990
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1778 feet MSL
XOil Enh Rec X Infield X Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic; # of Holes Other	Depth to bottom of usable water: 200
Other	Surface Pipe by Alternate: X 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:300
Operator:	Length of Conductor Pipe required: none
Well Name:	Projected Total Depth: 3800 Viola
Original Completion Date:Original Total Depth:	Pormation at Total Depth.
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
	- Citer
If Yes, true vertical depth:	
Bottom Hole Location:KCC DKT #:	(Note: Apply for 1 entire with 5411)
ROUDKI #	Will color be taken:
	If Yes, proposed zone:
	AFFIDAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and ev	entual plugging of this well will comply with K.S.A. 55 et. seg
It is agreed that the following minimum requirements will be met:	TEC 2 3 2004
1. Notify the appropriate district office prior to spudding of well	
2. A copy of the approved notice of intent to drill shall be poste	ed on each drilling rig;
	all be set by circulating cement to the top; in all cases surface pipe strail be set
through all unconsolidated materials plus a minimum of 20 fe	et into the underlying formation. .nd the district office on plug length and placement is necessary <i>prior to plugging;</i>
5. The appropriate district office will be notified before well is either the appropriate district office will be notified before well is either the appropriate district office will be notified before well is either the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well appropriate will be notified be notified before well appropriate will be notified be notified	
6. If an ALTERNATE II COMPLETION, production pipe shall be	cemented from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casir	ng order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
	ell shall be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the	e best of my knowledge and belief.
Date: 12/23/04 Signature of Operator or Agent:	Pon Brooks Title
Date: 1272 379 / Signature of Operator or Agent:	Title:
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 21482-00-00	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required NONE feet	- File acreage attribution plat according to field proration orders;
Minimum surface pipe required 220 feet per Alt. (1	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
Approved by: 25012,30-04	- Obtain written approval before disposing or injecting salt water
This authorization expires: 6-30-05	- If this permit has expired (See: authorized expiration date) please
(This authorization expires: (This authorization void if drilling not started within 6 months of effective of	check the box below and return to the address below
Comment of the control of the contro	Well Not Drilled - Permit Expired
Spud date: Agent:	Signature of Operator or Agent:
I The state of the	Date:
	, I S

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15	Location of Well: County:			
Lease:	feet from N / S Line of Section feet from E / W Line of Section			
Well Number:	Sec Twp S. R East West			
Field:				
Number of Acres attributable to well:	Is Section: Regular or Irregular			
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.			
	Section corner used: NE NW SE SW			

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	٠ .						•
	٠ .		•		•		
	٠ .		•		•	•	•
1	• • • •			l			
1							
	•		•		•	•	•
			•		•	•	•
			·				·
}							
İ					•	•	•
			•				
	· .					•	
1							
1 .							
			. ,	ہے			
<u> </u>				フ			
1 .							
١.				ι .			
-990	0						
			. 1				
	. .						
		-					
	/98	•					
	. 8	•		•	•	-	
1 ,	\sim .			•	•	•	
	·						
]		•		
		•		•	•	•	
1 .	1 :				•	•	
			1				



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KATHLEEN SEBELIUS, GOVERNOR

BRIAN J. MOLINE, CHAIR

ROBERT E. KREHBIEL, COMMISSIONER

MICHAEL C. MOFFET, COMMISSIONER

December 30, 2004

Mr. Ron Brooks Suncrest Energy 6209 N. K/61 Hutchinson, KS 67502

Re[.]

Drilling Pit Application Yust Lease Well No. 1 SW/4 Sec. 15-23S-10W Reno County, Kansas

Dear Mr. Brooks:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and <u>all pits must be lined with bentonite</u>. The free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Also, please file the enclosed CDP-5, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: Doug Louis