#### FORM CP-1

## STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 500 INSURANCE BUILDING 212 NORTH MARKET WICHITA, KANSAS 67202

## STATE CORPORATION COMMISSION NOV 2 0 1969 CONSERVATION DIVISION Wichita, Kansas

## WELL PLUGGING APPLICATION FORM File One Copy

15-039-30102-00-00

Lease Owner	Zenith Drill	ing Corporation	i, Inc.		
Address	300 West Dou	glas Wichita,	Kansas		
Lease (Farm Name)	Noone	Field a cept drich of Missian I michigan containings y an institution contains a		Wel:	1 No. 1
Well Location SW NE N	N Sec	c. 27 Twp. 5	Rge. 26	(E)(W)X	• • • • • • • • • • • • • • • • • • •
County Decatur		Fi	eld Name (If An	y)	Politica de l'Albania de l'Albania de Calabrina any fire agrico de l'archive anno anno anno anno anno anno anno
Total Depth 3876	Oil We:	llGas Wel	lInput We	11SWD Well	LD & A
Well Log filed with app	olication Y	<u>es</u> or	Well Log filed	with Plugging S	Supervisor
				· ·	
Date and hour plugging	is desired to be	egin <u>Immedi</u>	ately		
Plugging of the well wi	.11 be done in ac	cordance with	the Rules and R	egulations of th	ne State
Corporation Commission.	,				
Name of company represe	entative in charg	ge of plugging	operationsC	Robert Buford	
300 West Dou	glas	A	ddress <u>Wic</u>	hita, Kansas	
Plugging Contractor	•	^			
Address					
Invoice covering assess	ment for pluggir	ng this well sho	ould be sent to	Zenith Drillin	g Corporation,Inc
300 West I	)ouglas	Addre	ss <u>Wichita</u>	Kansas	
and payment will be gua		cant.	: alid	1	tary
		Date:	November	19, 1969	

15-039-30102-00-00

## CONTRACTOR'S WELL LOG

COMPANY: CONTRACTOR: WELL: LOCATION:

COMMENCED: COMPLETED: Zenith Drilling Corporation, Inc. Paine Drilling Co., Inc. Noone # 1 SW NE NW Section 27-58-26W Decatur County, Kansas December 19, 1966 December 31, 1966

0	578	Surface Sand & Shale STATE COR	ECEIVED
248 1045	1045 1701	Shale & Sand w/pyrite streaks	TV 2 0
1701 2204	2204 2238	A . A	VATIO.
2238 2735	2735 3035	Shale w/Lime streaks	hita, Kansas
3035 3706	3706 3876	Lime & Shale Lime	1/20-69
3876		Rotary Total Depth	

Set 7 inch surface casing @ 248 ft. with 135 sx cement.

Set 4-1/2" production casing @ 3875 ft. with 100 sx cement.

We hereby certify that the above is a correct and accurate log of the above mentioned well, as shown on the daily drilling reports.

PAINE DRILLING CO., INC.

Y: 1 Treasurer Wearthy

Subscribed and sworn to before me this \_\_\_\_\_\_day of January, 1967.

the Commission begins because it, Land

Notary Public



# State Corporation Commission

### CONSERVATION DIVISION

(Oil, Gas and Water)

500 Insurance Bldg.

212 N. Market

WICHITA, KANSAS 67202

November 20, 1969

## WELL PLUGGING AUTHORITY

Well No. Lease Description County Total Depth Plugging Contractor

1 Noone SW NE NW 27-5-26W Decatur

3876

Forbes Casing Pulling Co.

Zenith Drilling Corporation, Inc. 300 W. Douglas Wichita, Kansas 67202

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,

W. L. Nichols Box 157 Morland, Kansas is hereby assigned to supervise the plugging of the above named well.