

15-137-00101-00-00

~~15-00101-00-00~~

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

File One Copy

Lease Owner Saturn Drilling, Inc. Address 102 Insurance Bldg., Wichita, Ks.
(Applicant)

Lease (Farm Name) Sullivan Well No. 1

Well Location SE SE SW Sec. 34 Twp. 5 Rge. (E)-(W) 21

County Norton Field Name (if any) _____

Total Depth 3697 Oil Gas Dry Hole x

Was well log filed with application? . If not, explain: _____

Date and hour plugging is desired to begin _____

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.
(Use an additional sheet if necessary) _____

Name of the person on the lease in charge of well for owner _____

James Shackelford Address 2525 19th, Great Bend, Kansas

Name of Plugging Contractor _____

Address _____

Invoice covering assessment for plugging this well should be sent to

Address _____

and payment will be guaranteed by applicant.

RECEIVED
STATE CORPORATION COMMISSION

JUN 14 1952
PLUGGING
CONSERVATION DIVISION
FILE SEC-Wichita, Kansas
BOOK PAGE 19 LINE 17

06-14-1952

John W. McFaul
Applicant or Acting Agent

Date June 13, 1952

15-137-00101-00-00

COMPANY - Saturn Drilling, Inc.
 FARM - Sullivan

No. 1

SEC. 35 T. 5 N. 21 W
 SE SE SW

TOTAL DEPTH - 3697'

COUNTY - Norton, Kansas

COMM. - 5-13-52

COMP. - 5-23-52

CASING - 8-5/8"

220' Cen. w/125' ext

ELEVATION - 2261 d.f.

Surface soil	40
Sand	85
Sand & lime	195
Shale & shells	395
Shale & sand	450
Shale & shells	945
Shale & shells & sand	1325
Shale & red bed	1380
Sandy lime	1415
Sand	1580
Shale	1615
Shale & shells	1846
Anhydrite	1885
Shale	1895
Shale & shells	2360
Shale & lime	2525
Lime & shale breaks	2550
Lime & shale	2765
Lime	2825
Lime & shale	3060
Lime	3089
Lime & shale	3295
Shale	3320
Lime	3375
Lime & shale	3432
Lime	3640
Shale	3676
Lime & shale	3686
Lime, shale & Pre-Gambrian	3697

DRILL STEM TESTS

DST 3467' to 3494' - Tool open 1 hour - weak blow - recovered 610' salt water

DST 3501' to 3524' - Tool open 1 hour - fair blow - recovered 50' watery mud, 605' oily, muddy salt water

DST 3664' to 3697' - Tool open 30 minutes - weak blow for 3 minutes, none for balance of test - recovered 10' mud

DST 3488' to 3502' - Tool open 45 minutes - strong blow - recovered 851' salt water

PLUGGING
 WELL SEC 34 T 5 R 21 W
 BOOK PAGE 19 LINE 7

RECEIVED
 CORPORATION COMMISSION
 JUN 14 1952
 CONSERVATION DIVISION
 Wichita, Kansas



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

May 28, 1952

15-127-00100-00-00

Well No.	1
Lease	Sullivan
Description	SE SE SW 34-5-21W
County	Horton
File No.	19-17

Saturn Drilling, Inc.
102 Insurance Bldg.
Wichita, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

BY: J. P. Roberts
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR