

4-031891

2-22

15-023-20172-00-00

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API number: 15-023-20,173

C NW NW /4 SEC. 35 , 05 S, 37 W
4620 feet from S section line
4620 feet from E section line

Operator license# 5393

Lease Fisher well # 5

Operator: A.L. Abercrombie, Inc.

County Cheyenne

Address: Rt. 1 - Box 56
Great Bend, Kansas 67530

Well total depth 5025 feet
Conductor Pipe: 0 inch @ 0 feet
Surface pipe 8 5/8 Inch @ 367 feet

163.31

Aband. oil well , Gas well , Input well , SWD , D & A

Plugging contractor: Kelso Casing Pulling, Inc. License# 6050

Address: Chase, Kansas 67524

Company to plug at: Hour: P.M. Day: 22 Month: February Year: 94

Plugging proposal received from: Richard

Company: Kelso Casing Pulling, Inc. Phone: _____

Were: Order sand and common cement. Pull pipe.
Order 230 sxs. 65/35 pozmix - 10% gel - 500# hulls.
Allied Cement Company.

Plugging Proposal Received by: Carl Goodrow
Plugging operations attended by agent? All[], Part[], None[]

Completed: Hour: 5:30P.M., Day: 22, Month: February, Year: 94

Actual plugging report: Sand back to 4550' w/4 sxs. common cement on
sand with bailer. 8 5/8" set at 367' w/325 sxs. cwc. 4 1/2" set at
4747'. PBDT 4687'. Perf. 4600' - 4608'. Shots at 2913' - 2100' -
Pipe tight. Shot and recovered 1817' of 4 1/2" casing. Laid down rack
and skid. Mixed and pumped 125 sxs. cement blend with 200# hulls.
Displaced from 1850' to 2913'. Shot off at 1817'. Mix and pump 105 sxs.
cement blend with 300# hulls mixed in to circulate cement with 200#
P.S.I. Laid down 4 1/2" casing.

Remarks:

Condition of casing(in hole): GOOD BAD Any plug: YES NO
Bottom plug(in place): YES , CALC , NO Dakota plug: YES , NO
Plugged through TUBING , CASING . Elevation: _____

I did / did not observe the plugging.

Carl Goodrow

(agent)

Form CP-2/3

RECEIVED

STATE CORPORATION COMMISSION

MAR 07 1994

CONSERVATION DIVISION

Wichita, Kansas

INVOICED

DATE 3-7-94

INV. NO. 40059