

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

15-163-00218-00-00

WELL PLUGGING APPLICATION FORM

Well Location SW of NW of SW Sec. 1 Twp. 6 Rge. \_\_\_\_\_ (E) \_\_\_\_\_ (W) 20

Field Name (if any) \_\_\_\_\_ County Rooks

Lease (Farm Name) Cole Well No. 1

Was well log filed with application? Yes If not, explain circumstances and give available data (Use an additional sheet if necessary) \_\_\_\_\_

Will be filed with application

Date and hour plugging is desired to begin 4 PM, July 13, 1949

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired (Use an additional sheet if necessary) \_\_\_\_\_

Name of the person on the lease in charge of well for owner \_\_\_\_\_

W. Stephens Address P. O. Box 229, McPherson, Kansas

Name of well owner or Acting Agent Veeder Supply & Development Company

Address P. O. Box 201, Cherryvale, Kansas


Invoice covering assessment for plugging this well should be sent to:

Veeder Supply & Devl. Co. Address Cherryvale, Kansas

and payment will be guaranteed by applicant.

Samuel C. Veeder  
Operator or Acting Agent

Date July 19, 1949



15-163-00218-00-00

Company Louis R. Travis

Sec. 1 T. 6S R. 20W

Farm A. H. Cole

No. #1

Loc. SW NW SW

County Rocks County, Kansas

Total Depth 3573'

Comm. 6-30-49

Comp. 7-12-49

Shot or Treated

Contractor Veeder Supply Company

Drilled with Rig D

Issued

No. of Days 13

No. of Bits


Casing  
 20 in. 10 in.  
 15 1/2 8 1/4  
 12 1/2 6 5/8  
 13 3/8 5 3/16

250' of 8 5/8" Surface Pipe cemented with 150 sacks.

Elevation

Production

Figures Indicate Bottom of Formation

				<u>TOPS</u>	
Sandy Shale Shells	0	224	224		
Soft Chalky Lime	224	260	36		
Shale	260	575	315	Topeka	- 3038
Shale Lime Shells	575	749	174	Melbner	- 3238
Sand Chalky Lime	749	990	241	Dodge	- 3254
Shale	990	1630	640	Lans.	- 3265
Anhydrite Broken	1630	1690	60	Base K. C.	- 3432
Shale Anhydrite	1690	1900	210	Regan	- 3536
Shale Some Red Bed	1900	2090	190	G. Wash.	- 3555
Shale Rough Sand Streaks	2090	2345	255	T.D.	- 3573'
Shale Sancy Lime	2345	2610	265		
Lime Shells Shale	2610	2760	150		
Sandy Lime Shale	2760	2850	90		
Lime Shale	2850	2910	60		
Shale Shells	2910	3045	135		
Lime Shale	3045	3135	90		
Shale Lime Shells	3135	3220	85		
Lime	3220	3480	260		
Sandy Lime	3480	3525	45		
Sandy Shale	3525	3536	11		
Regan Sand	3536	3560	24		
Granite	3560	3573	13		
Total Depth	3573'				

RECEIVED

Conservation Div.

JUL 20 1949

STATE CORPORATION

COMMISSION

KANSAS

7-20-49

LOGGING  
 FILE SEC-T-R



15-163-00218-00-00

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

July 18, 1949

IN REPLY PLEASE  
REFER TO THIS  
SUBJECT

Well No. 1  
Lease Cole  
Description SW NW SW 1-6-20W  
County Rooks  
File No. 105-35

**Veeder Supply & Development Co.,  
Cherryvale, Kansas**

**Gentlemen:**

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, **Mr. C. D. Stough, Box 207, Great Bend, Kansas**

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION

BY: J. P. Roberts  
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR