

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

15-163-02474-00-00

WELL PLUGGING APPLICATION FORM

Lease Owner Honaker Drlg. Co., Inc et al
(Applicant) Address Great Bend, Kansas

Lease (Farm Name) Faubion Well No. 1

Well Location NWcNW NE Sec. 12 Twp. 6S Rge. 18 (E)-(W)

County Rooks Field Name (if any) Wildcat

Total Depth 3155 Oil Gas Dry Hole Dry

Was well log filed with application? No. If not, explain:

will be forwarded - ran 5 1/2 casing, tested K. C.

zone and Topeka zone. Lane Wells Bridging plug set at 2880'.
Perforated at 2812 to 2824. Open now.

Date and hour plugging is desired to begin at once

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.
(Use an additional sheet if necessary)

Name of the person on the lease in charge of well for owner

E. O. Squires Address Great Bend, Kansas

Name of Plugging Contractor Honaker Drilling Co., Inc.

Address Great Bend, Kansas

Invoice covering assessment for plugging this well should be sent to

Honaker Drilling Co., Inc Address Great Bend, Kansas

and payment will be guaranteed by applicant.

RECEIVED
STATE CORPORATION COMMISSION

MAR - 7 1951 3-7-51

E. O. Squires
Applicant or Retaining Agent

Date 3-2-51

PLUGGING
FILE SEC 12-6-R186
PAGE 65 LINE 34

13-163-02474-00-00

DRILLERS LOG

Operator: Honaker Drilling Co., Inc.

Contractor: Honaker Drilling Co., Inc.

Lessee: Paubian #1

	FROM	TO
Surface Soil	0	40
Granite & Shale	40	70
Shale & Sand	70	200
Shale	200	262

Run 200: 54" 8-5/8" new surface casing, set at 262', with 160 sacks cement & 300' C. S.

Shale & Shells	262	642
Sand	642	700
Shale & Shells	700	796
Sand	796	1000
Red Red & Shale	1000	1000
Shale & Shells	1000	1665
Anhydrite	1665	1705
Shale & Shells	1705	2020
Line & Shale	2020	2240
Shale & Shells	2240	2390
Shale & Line	2390	2795
Line	2795	2825
Line & Shale	2825	3050
Line	3050	3155

7. D. (loss 4' Rotary bushing measurement to ground level)

Company Time With Drill Pipe:

1-10-51	Circulated	2 hrs.
1-11-51	Circulated	3 hrs.
1-12-51	Circulated	1 hr. 30 min.
1-15-51	Circulated	2 hr. 30 min.

Run 102 jts. 5 1/2" C. S. new casing 2157.62', cemented with 175 sacks cement.

The foregoing is correct to the best of my knowledge.

HONAKER DRILLING CO., INC.

RECEIVED
STATE CORPORATION COMMISSION

APR 26 1951

CONSERVATION DIVISION
Wichita, Kansas

By _____
President

PLUGGING
FILE SEC 14 T 6 R 18 W
BOOK PAGE 65 LINE 34

COPY



15-163-02474-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

March 7, 1951

Well No. 1
Lease Fashion NE
Description 1/4 Sec NW 20 12-6-18W
County Rocks
File No. 65-2h

Honaker Drilling Company, Inc.
1518 Broadway
Great Bend, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

BY: J. P. Roberts
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR