

FOR KCC USE:

FORM CB-1 12/93

EFFECTIVE DATE: 2-27-05
DISTRICT # 1
SGA? ... Yes... No

State of Kansas
CATHODIC PROTECTION BOREHOLE INTENT

FORM MUST BE SIGNED
ALL BLANKS MUST BE FILLED IN

Expected Spud (Starting) Date 3-1-05

Spot (Location) Q/Q/O
NW - NW - NW. Sec 30.. Twp 28. S, Rg 33... East

OPERATOR: License # 33242 Regency Mid. Con. Gas LLC

..... 23 feet from South / North line of Section
..... 21 feet from East / West line of Section
(Circle directions from nearest outside corner boundaries)

Name: Regency Gas Services
Address: Box U
City/State/Zip: Lakin, KS 67860

IS SECTION REGULAR IRREGULAR?
(Spot well on the Section Plat on Reverse Side)
County: Haskell

Contact Person: David M. Miller

Lease Name: Sublette Well #: 4192

Phone: 620-355-7905 or 4408

Facility Name: Rectifier 4192

CONTRACTOR: License #: 33131

Ground Surface Elevation: MSL.
Cathodic Borehole Total Depth 300 ft.
Depth to Bedrock 300 ft.

Name: CP Masters, Inc.

WATER INFORMATION:

Type Drilling Equipment: Mud Rotary Cable
..... Air Rotary Other

Aquifer Penetration: None Single Multiple
Depth to bottom of fresh water: 300 300 top est
Depth to bottom of usable water: 750
Water well within one-quarter mile: yes no
Public water supply well within one mile: yes no
Water Source for Drilling Operations:
..... well farm pond stream other
Water Well Location:

CONSTRUCTION FEATURES

Length of Cathodic Surface (Non-Metallic) Casing
Planned to be set: 20 ft.
Length of Conductor pipe (if any?): NONE ft.

DWR Permit #: 26 or less
Standard Dimension Ratio (SDR) is =
(cathodic surface OD csg. in inches / MWT in inches = SDR)

Size of the borehole (I.D.): 4" MIN inches
Cathodic surface casing size: 8 inches
Cathodic surface casing centralizers set at depths of:

Must be 6" greater than casing
Cathodic surface casing will terminate at:
... Above surface ... Surface Vault Below Surface Vault

Annular space between borehole and casing will be grouted
with: Concrete Bentonite Cement
..... Neat cement Bentonite clay

Pitless casing adaptor will be used: ... Yes No at Depth ft.

Anode vent pipe will be set at: ft. above surface

Anode installation depths are: 345, 339, 333, 327,
321, 315, 309, 303, 297, 291, 285, 279, 273;
267, 261, AND ABOVE
MAX TD = 280'

Anode conductor (backfill) material TYPE: SWS Loresco
Depth to BASE of Backfill installation material: 300 + 280
Depth to TOP of Backfill installation material: 120

DO NOT PENETRATE GROUNDWATER AFFIDAVIT

GW EST @ 300' BGS.

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101, et. seq. It is agreed that the following minimum requirements will be met:

1. Notify the appropriate district office prior to spudding of and again before plugging well;
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
3. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top.
4. An agreement between the operator and the district office on plugs and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plugged or casing is grouted in;
6. IN ALL CASES, NOTIFY DISTRICT OFFICE PRIOR TO ANY CEMENTING.

I hereby certify that the statements made herein are true and to the best of my knowledge and belief.

Date: 2-8-05 Signature of Operator or Agent: [Signature] Title: Operations Manager

ADJUST T.D.
IF GROUNDWATER
IS ENCOUNTERED
ABOVE 280'

FOR KCC USE
 API # 15- 081-21574-00-00 A11-3
 Conductor pipe required NONE feet
 Minimum cathodic surface casing required 20 feet
 Approved by: DJP 2-22-05
 This authorization expires: 8-22-05
 (This authorization void if drilling not started within 6 months of effective date.)
 Spud date: _____ Agent: _____

RECEIVED
FEB 11 2005
KCC WICHITA

REMEMBER TO:

- File Drill Pit Application (form CDP-1) with Intent to Install;
- File Completion Form CB-2 within 30 days of spud date;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CB-4) within 30 days after plugging is completed.

Mail to: KCC - Conservation Division, 130 S. Market - Room 207B, Wichita, Kansas 67202-1286.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Show the relationship to other wells or facilities proposed to be serviced by the intended cathodic borehole. Please show all the wells, existing cathodic boreholes, pipelines or facilities within 1/2 mile of the proposed borehole.



API NO. 15- _____
 OPERATOR Regency Gas LLC LOCATION OF WELL: COUNTY Haskell
 LEASE Sublette 23 feet from south/north line of section
 WELL NUMBER 4192 21 feet from east/west line of section
 FACILITY NAME Rectifier 4192 SECTION 30 TWP 28 RG 33

SPOT: QTR/QTR/QTR/QTR OF ACREAGE NW - NW - Nw - NW
 IS SECTION X REGULAR or _____ IRREGULAR
IF SECTION IS IRREGULAR, LOCATE WELL FROM NEAREST CORNER BOUNDARY.
 Section corner used: _____ NE _____ NW _____ SE _____ SW

PLAT

(Show location of intended cathodic borehole.)

(Show footage from nearest lease, unit or outside section boundary line.)



SEWARD CO.

In plotting the proposed location of the well, you must show:

- 1) The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2) the distance of the proposed drilling location from the section's south/north and east/west; and
- 3) the distance to the nearest lease, unit or outside section boundary line.

RECEIVED
 FEB 11 2005
 KCC WICHITA

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

February 11, 2005

Mr. David M. Miller
Regency Gas Services
Box U
Lakin, KS 67860


RE: Drilling Pit Application
Rectifier 4192
NW/4 Sec. 30-28S-33W
Haskell County, Kansas

Dear Mr. Miller:

This office has been informed that steel pits are to be used at this location. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid which will be disposed.

Should a haul-off pit be necessary, please complete the enclosed CDP-1. This location will have to be inspected prior to approval of the haul-off pit application.

Sincerely,



Kathy Haynes
Environmental Protection and Remediation Department

cc: S Durrant