

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

15-163-00036-00-00

WELL PLUGGING APPLICATION FORM

Well Location 330' S)  
330' E) N $\frac{1}{4}$  Cor. Sec. 5 Twp. 6 Rge. 20 (E) \_\_\_\_\_ (W) West

Field Name (if any) \_\_\_\_\_ County \_\_\_\_\_ Rooks \_\_\_\_\_

Lease (Farm Name) \_\_\_\_\_ Nichol "B" Well No. 1

Was well log filed with application? Yes If not, explain circumstances and give available data (Use an additional sheet if necessary) \_\_\_\_\_

Log attached.

Date and hour plugging is desired to begin Immediately

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired (Use an additional sheet if necessary) \_\_\_\_\_

Name of the person on the lease in charge of well for owner \_\_\_\_\_

James Porter Address Box 553, Russell, Kansas

Name of well owner or Acting Agent Cities Service Oil Company

Address Bartlesville, Oklahoma

Invoice covering assessment for plugging this well should be sent to:

Cities Service Oil Co. Address Box 751, Great Bend, Kansas

and payment will be guaranteed by applicant.

PLUGGING  
FILE 5 6 200  
BOOK PAGE 53 LINE 25

[Signature]  
Operator or Acting Agent

Date CONFIRMING - May 2, 1946.

6-3-46

Company Cities Service Oil Co. Well No. 1 Farm Nichol "B"  
 Location 330' South and 330' East of N/4 Corner Sec. 5 T. 6 R. 20W  
 Elevation 2099 (Gr. 2096) County Rooks State Kansas  
 Drig. Comm. April 22, 1946 Contractor R. W. Rine Drilling Company  
 Drig. Comp. May 2, 1946 Acid None  
 T. D. 3665' Initial Prod. Dry - Plugged and Abandoned

CASING RECORD:

8-5/8" @ 196' cen. 150 sx bulk cen. and 3 sx C. C.

FORMATION RECORD:

surface clay & sand 0-40  
 shale & shells 700  
 sand & shale 1510  
 shale 1730  
 anhydrite 1775  
 shale 2075  
 shale & shells 2175  
 shale 2510  
 shale & lime 2880  
 lime & shale 2988  
 shale & shells 3125  
 shale & lime 3210  
 lime & shale 3350  
 lime 3419  
 lime & shale 3511  
 cored shale & lime (rec. 6') 3517  
 shale 3533  
 cored lime & shale (rec. 6') 3543  
 shale & lime 3588  
 granite wash & shale 3640  
 granite wash 3665 T. D.

Top Lansing 3336'  
 Top Reagan 3602'  
 Top Granite Wash 3623'  
 Top Granite 3664'  
 Penetration 1'  
 Total Depth 3665'

BYFO: 500' 0  
 1000' 00  
 1500' 000  
 2000' 0000  
 2500' 00000  
 3000' 000000

7-7/8" hole.

516 20W  
 53 25

63-46



15-163-00056-00-00

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA 2, KANSAS

May 13, 1948

IN REPLY PLEASE  
REFER TO THIS  
SUBJECT

Well No. 1  
Lease **Nichol "B"**  
Description **0 NE 5-4-20W**  
County **Reeks**  
File: **58-35**

**Cities Service Oil Co.,  
Box 751  
Great Bend, Kansas**

Gentlemen:

This letter is your permit to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission.

Very truly yours,

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION

HA

BY:

*J. P. Roberts*  
J. P. ROBERTS

NOTICE:

**H. V. Kerr  
Great Bend, Kansas**