

15-163-02566-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Well Location 330* fr EL,
330* fr NL, NE/4 Sec. 8 Twp. 6S Rge. 20W (H) (W) x

Field Name (if any) Southeast Ray County Rooks

Lease (Farm Name) Steele Well No. One

Was well log filed with application? Yes If not, explain circumstances and give available date (Use an additional sheet if necessary) _____

Date and hour plugging is desired to begin On approval of plugging application

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired (Use an additional sheet if necessary) No exceptions

Name of the person on the lease in charge of well for owner _____

Mr. F.W. Shelton Address Box 779, Great Bend, Kansas

Name of well owner or Acting Agent PHILLIPS PETROLEUM COMPANY

Address Box 779, Great Bend, Kansas

Invoice covering assessment for plugging this well should be sent to:

Mr. F.W. Shelton Address Box 779, Great Bend, Kansas


and payment will be guaranteed by applicant.

F.W. Shelton

Operator or Acting Agent

Date October 28, 1942

PLUGGING
FILE SEC 8 T 6 R 20W
BOOK PAGE 54 OF 33



10-29-42

15-163-02566-00-00

PHILLIPS PETROLEUM COMPANY

Form No. 873

Formation Record

Lease Steele

Well No. One

330' from NL, 330' from NL, NE/4 Sec. 8-T68-R20N, Rooks County, Kansas

FROM	TO	Formation	REMARKS
0	152	Shale and sand	SPUNDED 3:00 PM 10-9-42
152	181	Sand	
181	423	Shale	
423	749	Shale and sand	
749	1405	Shale and shells	
1405	1500	Sand and shale	5-5/8" cas. @ 1495' w/700 sax cement.
1500	1765	Red bed & shale	
1765	1796	ANHYDRITE	
1796	2025	Shale and shells	
2025	2325	Sandy Red shale	
2325	2399	Red shale	
2399	2682	Red shale and shells	
2682	2872	Lime and shale	
2872	3065	Shale and lime shells	
3065	3100	Shale and lime	
3100	3148	Lime	
3148	3258	Lime and shale	Topota @ 3165'
3258	3340	Lime	
3340	3352	Soft lime	
3352	3385	Lime and shale	
3385	3403	Shale and shells	LOG @ 3387'
3403	3443	Lime	
3443	3539	Lime	
3539	3640	Lime and shale	Basal Sand 3638'
3640	3645	Cored	7000 in top 2-1/2' of 4' recovery, Lower 1-1/2' hard, no show.
3645 =	3641	Derrick floor correction. (Correct all tops 4' up hole)	5-1/2" casing set @ 3634' w/ 60 sax cement.
3641	3643	Fine crys. hard. granite	
3643	3646	" " " "	Shot w/ 10 qts. S&S from 3636 to 3641' 150' sand temp. No shows B & A.
3646		Total Depth.	DRILLING COMPLETED @ Noon 10-27-42.

PLUGGING
 FILE SEC 8-T-6-R 20W
 BOOK PAGE 54-LINE 33

OCT 27 1942
 1029-42



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

November 3, 1942

15-163-02560-06-00

IN REPLY, PLEASE
REFER TO THIS
SUBJECT

CORRECTED COPY

Well No. 1
Farm Steele
Description **NRA 8-8-20W**
County Books
File 54-58

**Phillips Petroleum Company
Box 779
Great Bend, Kansas**

This letter is your permit to plug
the above subject well, in accordance
with the Rules and Regulations of the
STATE CORPORATION COMMISSION.

Yours very truly,

STATE CORPORATION COMMISSION

T. A. MORGAN, DIRECTOR
CONSERVATION DIVISION

HA

BY: J. P. Roberts
J. P. ROBERTS

NOTICE: **C. T. Alexander
Box 445
Great Bend, Kansas**