

RELEASED

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

JAN 9 4 2005

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM FROM CONFIDENTIAL
WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONFIDENTIAL

ORIGINAL

Operator: License # 32309
Name: Presco Western, LLC
Address: 1775 Sherman Street, Suite 2950
City/State/Zip: Denver, CO 80203
Purchaser: Plains
Operator Contact Person: Richard J. Gray
Phone: (303) 864-1881 x.103
Contractor: Name: Val Energy, inc.
License: 5822
Wellsite Geologist: Jon Christensen

API No. 15 - 055-21799-0000
County: Finney
SW NW Sec. 31 Twp. 23 S. R. 33 East West
2020 feet from S (circle one) Line of Section
660 feet from E (circle one) Line of Section
Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE SW
Lease Name: Petz Well #: 1-531

RECEIVED
MAR 2 8 2003
3-28-2003
KCC WICHITA

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
If Workover/Re-entry: Old Well Info as follows:
Operator: _____

Field Name: Unnamed
Producing Formation: Morrow
Elevation: Ground: 2918.8' Kelly Bushing: 2924'
Total Depth: 4856' Plug Back Total Depth: 4850'
Amount of Surface Pipe Set and Cemented at 1697 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 2888 Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

KCC
MAR 2 5 2003

Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____
1/28/03 2/5/03 2/21/03
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

Drilling Fluid Management Plan See 1 En 4-1-03
(Data must be collected from the Reserve Pit)
Chloride content 7500 ppm Fluid volume 1800 bbls
Dewatering method used Evaporation, dried and filled.
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

CONFIDENTIAL

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____
Title: President Date: 3-25-03
Subscribed and sworn to before me this 25th day of March, 2003.
Notary Public: James R. Roth
Date Commission Expires: 11-9-04

KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied, Yes Date: _____
yes Wireline Log Received
yes Geologist Report Received
____ UIC Distribution

CONFIDENTIAL

RELEASED ORIGINAL
RIGHT

Side Two

JAN 04 2005

Operator Name: Presco Western, LLC Lease Name: Pettz Well #: 1-531
Sec. 31 Twp. 23 S. R. 33 East West County: Finney

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
(Attach Additional Sheets)
Samples Sent to Geological Survey Yes No
Cores Taken Yes No
Electric Log Run Yes No
(Submit Copy)

List All E. Logs Run:

Dula Induction, Compensated SSD/Neutron

RECEIVED
MAR 2 2003
KCC
KCC WICHITA

Log Name	Formation (Top), Depth and Datum	Sample Datum
Heebner Shale	3765'	-843'
Lansing A	3815'	-892'
Kansas City A	4155'	-1236'
Kansas City B	4204'	-1285'
Base KC	4295'	-1374'

CONFIDENTIAL

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	23	1697'	Lite	500	3%CC+Floseal
					Common	150	3%CC
Production	7 7/8"	4 1/2"	10.5	4852'	ASC	175	2% Gel, 10% Sal

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input checked="" type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone	2nd stage 2888'	Lite	500	1/4# Floseal

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	4714-4730'	Acidize w/1000 gals. 7 1/2% NEFE HCl	4714-
		w/15 BBLs 2% KCl flush	4730'

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2 3/8"	4777'		Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.		Producing Method		
First Production 2/14/03		Flowing	<input checked="" type="checkbox"/> Pumping	Gas Lift Other (Explain)
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity
	30 BOPD		10 BWPD	

Disposition of Gas METHOD OF COMPLETION Production Interval
 Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled Other (Specify) 4714-4730'

CONFIDENTIAL

RELEASED

JAN 14 2005

TIGHT

ORIGINAL
FROM CONFIDENTIAL

Operator: Presco Western, LLC
Sec. 31 Twp 23S R. 33W

Lease Name: Pettz
County: Finney

Well#: 1-531

Formations

Name	Top	Datum
Marmaton	4313'	-1390'
Pawnee	4398'	-1480'
Fort Scott	4426'	-1507'
Cherokee Shale	4438'	-1519'
Morrow Shale	4638'	-1716'
Morrow SS	4710'	-1790'
St. Genevieve	4734'	-1806'
St. Louis A	4745'	-1826'

KCC

MAR 25 2003

CONFIDENTIAL

RECEIVED
RECEIVED
MAR 28 2003
MAR 27 2003
KCC WICHITA
KCC WICHITA

CONFIDENTIAL

ORIGINAL

ALLIED CEMENTING CO., INC.

09538

RELEASED

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

JAN 04 2005

KCC

SERVICE POINT:

Oakley

MAR 25 2003

DATE <u>1-29-03</u>	SEC. <u>31</u>	TWP. <u>23s</u>	RANGE <u>33W</u>	CALLS OUT <u>CONFIDENTIAL</u>	ON LOCATION <u>11:30 AM</u>	JOB START <u>6:20 AM</u>	JOB FINISH <u>7:30 AM</u>
LEASE <u>Pe772</u>	WELL# <u>1-531</u>	LOCATION <u>Holcomb + 50 1/2 N 1/2 E 1/4 N</u>		COUNTY <u>Finney</u>	STATE <u>KS</u>		
OLD OR <u>(NEW)</u> (Circle one)				<u>1/2 W 1/4 N</u>			

CONTRACTOR Val Drlg

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 1700'

CASING SIZE 8 1/8 DEPTH 1697'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 800# MINIMUM _____

MEAS. LINE _____ SHOE JOINT 4590

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 108 1/2

EQUIPMENT _____

OWNER Same

CEMENT

AMOUNT ORDERED

500 sks Lite 3% CC 1/4" Plo Seal

150 sks com 3% CC

COMMON	<u>150 sks</u>	@	<u>7.85</u>	<u>1177.50</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>20 sk</u>	@	<u>30.00</u>	<u>600.00</u>
	<u>Lite 500 sks</u>	@	<u>6.95</u>	<u>3475.00</u>
	<u>Plo Seal 125#</u>	@	<u>1.40</u>	<u>175.00</u>
		@		
		@		
HANDLING	<u>650 sks</u>	@	<u>1.10</u>	<u>715.00</u>
MILEAGE	<u>49 /sk/mile</u>			<u>1560.00</u>

PUMP TRUCK CEMENTER Dean

191 HELPER Andrew

BULK TRUCK

361 DRIVER Lonnice

BULK TRUCK

347 DRIVER Jarrold

RECEIVED

TOTAL 7702.50

MAR 28 2003

REMARKS:

SERVICE

KCC WICHITA

Cement did circulate

Plug Landed

Float Held

Thank you

DEPTH OF JOB 1697'

PUMP TRUCK CHARGE 850.00

EXTRA FOOTAGE @ _____

MILEAGE 60 mile @ 3.00 180.00

PLUG @ 100.00

@ _____

@ _____

TOTAL 1130.00

CHARGE TO: Presco Western LLC

STREET _____

CITY _____ STATE _____ ZIP _____

8 5/8 FLOAT EQUIPMENT

Guide Shoe @ 190.00

AFU Insert @ 242.00

4 Centralizers @ 33.00 132.00

@ _____

@ _____

TOTAL 564.00

To Allied Cementing Co., Inc.

You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE 9396.50

DISCOUNT 939.65 IF PAID IN 30 DAYS

8456.85

SIGNATURE Rodney Gonzales

Rodney Gonzales
PRINTED NAME

CONFIDENTIAL

ORIGINAL

ALLIED CEMENTING CO., INC. 11961

RELEASED

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

JAN 14 2005

KCC

SERVICE POINT:

Jackley

MAR 25 2003

FROM CONFIDENTIAL

DATE <u>2/6/07</u>	SEC <u>31</u>	TWP. <u>23S</u>	RANGE <u>33W</u>	ON LOCATION <u>4:45AM</u>	JOB START <u>8:00AM</u>	JOB FINISH <u>8:45AM</u>
LEASE <u>Petz</u>	WELL# <u>1-531</u>	LOCATION <u>Holcomb 1/2 W E/S</u>	CALLED OUT <u>CONFIDENTIAL</u>	COUNTY <u>Finney</u>	STATE <u>Ks</u>	
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (Circle one)						

CONTRACTOR Val Energy Rig #1
 TYPE OF JOB Cmt 4 1/2 Prod. csg
 HOLE SIZE 7 7/8 T.D. 4850
 CASING SIZE 4 1/2 105# DEPTH 4852
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL Port Collar DEPTH 2962
 PRES. MAX 900 MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 40
 CEMENT LEFT IN CSG. 40
 PERFS. _____
 DISPLACEMENT 76.5

OWNER Same

CEMENT
 AMOUNT ORDERED
175 sks A.S.C. + 270 gal 10% salt

COMMON	_____	@	_____	_____
POZMIX	_____	@	_____	_____
GEL	<u>4 sks</u>	@	<u>10.00</u>	<u>40.00</u>
CHLORIDE	_____	@	_____	_____
A.S.C	<u>175 sks</u>	@	<u>9.35</u>	<u>1636.25</u>
SALT	<u>16 sks</u>	@	<u>7.50</u>	<u>120.00</u>
WFR-2	<u>500 gal</u>	@	<u>1.00</u>	<u>500.00</u>
_____	_____	@	_____	_____
_____	_____	@	_____	_____
HANDLING	<u>175</u>	@	<u>1.10</u>	<u>192.50</u>
MILEAGE	<u>4¢/sk/mi</u>			<u>420.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Max
 # 191 HELPER Andrew
 BULK TRUCK
 # 319 DRIVER Lennie
 BULK TRUCK
 # _____ DRIVER _____

RECEIVED

TOTAL 2908.75

REMARKS:

MAR 28 2003

KCC WICHITA

SERVICE

Pump 500 gal Mud Flush Plug Rattler
with 19 sks am cmt 4 1/2 csg with
160 sks cmt washer Pump Lines
Prop Plug Displace 77 BBL Land
Plug Float Held

DEPTH OF JOB 4852
 PUMP TRUCK CHARGE _____ 1130.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 60 mi @ 3.00 180.00
 PLUG 4 1/2 Rubber @ _____ 40.00
 _____ @ _____
 _____ @ _____

TOTAL 1350.00

CHARGE TO: Presco Western
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

1-4 1/2 Guide Shoe @ _____ 100.00
1-4 1/2 AF4 Insert @ _____ 190.00
7-4 1/2 Centralizers @ 35.00 245.00
1-4 1/2 Cement Basket @ _____ 116.00
1-4 1/2 Port Collar @ _____ 140.00

TOTAL 2041.00

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE 6299.75
 DISCOUNT 629.99 IF PAID IN 30 DAYS
5669.77

SIGNATURE Rodney Loyals

PRINTED NAME

160
15 (175)

CONFIDENTIAL

ORIGINAL

ALLIED CEMENTING CO., INC.

10919

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

IAN 04 2005

KCC

SERVICE POINT:

OAKLEY

DATE <u>2-11-03</u>	SEC. <u>31</u>	TWP. <u>235</u>	RANGE <u>33W</u>	CALLLED OUT <u>CONFIDENTIAL</u>	ON LOCATION <u>7:15 AM</u>	JOB START <u>9:30 AM</u>	JOB FINISH <u>10:45 AM</u>
LEASE <u>PETZ</u>	WELL # <u>1-531</u>		LOCATION <u>Holcomb 1/2 N - 1/2 E - 1/4 NW 1/2</u>		COUNTY <u>FINNEY</u>	STATE <u>KS</u>	
OLD OR <u>(NEW)</u> (Circle one)							

CONTRACTOR MEDWESTERN WELL SERVICE

TYPE OF JOB PORT COLLAR

HOLE SIZE _____ T.D. _____

CASING SIZE 4 1/2" DEPTH _____

TUBING SIZE 2" DEPTH 2888'

DRILL PIPE _____ DEPTH _____

TOOL PORT COLLAR DEPTH 2888'

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER SAME

CEMENT AMOUNT ORDERED 500 SKS LITE 1/4" # F16-SEAL

COMMON	_____	@	_____
POZMIX	_____	@	_____
GEL	_____	@	_____
CHLORIDE	_____	@	_____
<u>LITE 500 SKS</u>	_____	@	<u>6.95 3475.00</u>
<u>F16-SEAL 125#</u>	_____	@	<u>1.40 175.00</u>
HANDLING <u>500 SKS</u>	_____	@	<u>1.10 550.00</u>
MILEAGE <u>0.44 PER SK / MILE</u>	_____	@	<u>1200.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER TERRY

300 HELPER WAYNE

BULK TRUCK DRIVER LONNIE

361

BULK TRUCK DRIVER _____

RECEIVED

MAR 28 2003

TOTAL 5400.00

REMARKS:

KCC WICHITA

SERVICE

PRESSURE SYSTEM TO 1500 PSI. HELD
OPEN PORT COLLAR PUMP 500L H2O
BLOW MIX 500 SKS LITE 1/4" F16-SEAL
DISPLACE 10 GAL. CLOSE PORT COLLAR
REPRESSURE SYSTEM TO 1500 PSI. HELD
REVERSE OUT

DEPTH OF JOB	<u>2888'</u>		
PUMP TRUCK CHARGE			<u>630.00</u>
EXTRA FOOTAGE	_____	@	_____
MILEAGE	<u>60 MI</u>	@	<u>3.00 180.00</u>
PLUG	_____	@	_____
_____	_____	@	_____
_____	_____	@	_____

THANK YOU

TOTAL 810.00

CHARGE TO: PRESCO WESTERN

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____

TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Rodney Gonzales

PRINTED NAME _____