| For KCC | | 3. | 16.05 |
|------------|-------|----|-------|
| Effective | Date: | | , , |
| District # | | | |
| SGA? | Yes | No | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

| Expected Spud Date | 3 11 | 2005 | Spot |
|--|--|--|--|
| Expected Opud Date | month | day year | NE NE Sec. 36 Twp. 34 S. R. 29 West |
| OPERATOR: License#_306 | 604 <i>u</i> | | feet from N / S Line of Section |
| Name: Raydon Exploration | n. Inc. | | 530feet from F E / W Line of Section |
| ddrass. 9400 N. Broadwa | ay, Ste. 400 | , , , , , , , , , , , , , , , , , , , | Is SECTIONRegularIrregular? |
| city/State/Zip: Oklahoma C | City, OK 73114 | | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person: David Rice | е | | County: Meade |
| hone: 620-624-0156 | / | | Lease Name: Barragree Well #: 1-36 |
| | 31572 | | Field Name: Wildcat CIMMARON BEND |
| CONTRACTOR: License# 2 Name: Big A Drilling | 01012 | | Is this a Prorated / Spaced Field? Target Information(s): Mississippian-St. Louis |
| Well Drilled For: | Well Class: | Type Equipment:/ | Nearest Lease or unit boundary: 330' |
| Cil Enh Re | | Mud Rotary | Ground Surface Elevation: 2488 feet MSL |
| Gas Storage | | Air Rotary | Water well within one-quarter mile: |
| OWWO Dispose | \equiv | Cable | Public water supply well within one mile: |
| Seismic;# of F | | Cable | Depth to bottom of fresh water: 420 |
| Other# of t | Tibles Ciriei | | Depth to bottom of usable water: |
| Other | | | Surface Pipe by Alternate: X 1 2 |
| f OWWO: old well informat | tion as follows: | | Length of Surface Pipe Planned to be set: 1650' Length of Conductor Pipe required: NONE |
| Operator: | | | |
| Well Name: | | | Projected Total Depth: 6550' |
| Original Completion Date | ite:Or | iginal Total Depth: | Formation at Total Depth: Mississippian-St. Louis |
| Directional, Deviated or Hor | rizontal wellbore? | Yes 🗶 No | Water Source for Drilling Operations: Well Farm Pond Other |
| f Yes, true vertical depth: | | - | |
| Bottom Hole Location: | | (| DWR Permit #:(Note: Apply for Permit with DWR X) |
| KCC DKT #: | | | Will Cores be taken? |
| | | | If Yes, proposed zone: |
| | | | 11 100, 110, 110, 110, 110, 110, 110, 1 |
| | | | IDAVIT |
| | | | |
| - | | | lugging of this well will comply with K.S.A. 55 et. seq. |
| It is agreed that the followi | ing minimum require | ements will be met: | lugging of this well will comply with K.S.A. 55 et. seq. |
| It is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amout through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appenust be completed to | ing minimum required the district office print ved notice of intent of surface pipe a didated materials place, an agreement be strict office will be not COMPLETION, prendix "B" - Eastern within 30 days of the ved of the district of the completion of the completion of the district of the completion of the comple | ements will be met: or to spudding of well; to drill shall be posted on ea as specified below shall be su us a minimum of 20 feet into the tween the operator and the countries of the plus oduction pipe shall be cement Kansas surface casing order the spud date or the well shall | ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. |
| It is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amout through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Apper must be completed to | ing minimum required the district office print ved notice of intent of surface pipe a didated materials place, an agreement be strict office will be not COMPLETION, prendix "B" - Eastern within 30 days of the ved of the district of the completion of the completion of the district of the completion of the comple | ements will be met: or to spudding of well; to drill shall be posted on ea as specified below shall be so us a minimum of 20 feet into to between the operator and the obtified before well is either plus oduction pipe shall be cemen Kansas surface casing order | ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. |
| It is agreed that the followi 1. Notify the appropriat 2. A copy of the approx 3. The minimum amounthrough all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appermust be completed to | ing minimum required the district office print ved notice of intent of surface pipe a didated materials place, an agreement be strict office will be not COMPLETION, prendix "B" - Eastern within 30 days of the ved of the district of the completion of the completion of the district of the completion of the comple | ements will be met: or to spudding of well; to drill shall be posted on ea as specified below shall be su us a minimum of 20 feet into the tween the operator and the colorified before well is either plus oduction pipe shall be cemen Kansas surface casing order the spud date or the well shall there is not specified to the best of | ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. |
| It is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amout through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Apperuist be completed to the property of the state of | ing minimum required te district office printed to district office printed to district office will be not completed to district office within 30 days of the district office printed to district office printed | ements will be met: or to spudding of well; to drill shall be posted on ea as specified below shall be su us a minimum of 20 feet into the tween the operator and the colorified before well is either plus oduction pipe shall be cemen Kansas surface casing order the spud date or the well shall there is not specified to the best of | ch drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. |
| t is agreed that the followi 1. Notify the appropriat 2. A copy of the approx 3. The minimum amout through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed to the completed to the complete dist Date: 3-07-05 For KCC Use ONLY API # 15 - 119 - Conductor pipe required | ing minimum require te district office print ved notice of intent of surface pipe a lidated materials plus an agreement betrict office will be not COMPLETION, prendix "B" - Eastern within 30 days of the atements made her | ements will be met: or to spudding of well; to drill shall be posted on ea as specified below shall be su us a minimum of 20 feet into the tween the operator and the contified before well is either plutoduction pipe shall be cement Kansas surface casing order the spud date or the well shall trein are true and to the best of the present or Agent: Shall be continued to the cont | ch drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ded from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent for Raydon Expl. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| t is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amout through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed to thereby certify that the sta Date: 3-07-05 For KCC Use ONLY API # 15 - 119 - | ing minimum require te district office print ved notice of intent ved notice of intent int of surface pipe a lidated materials plus e, an agreement betrict office will be not COMPLETION, prendix "B" - Eastern within 30 days of the atements made here. Signature of Operation of | ements will be met: or to spudding of well; to drill shall be posted on ea as specified below shall be su us a minimum of 20 feet into the tween the operator and the contified before well is either plutoduction pipe shall be cement Kansas surface casing order the spud date or the well shall trein are true and to the best of the present or Agent: Shall be continued to the cont | ch drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent for Raydon Expl. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; |
| t is agreed that the followi 1. Notify the appropriat 2. A copy of the approv 3. The minimum amout through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Apper must be completed to 1 hereby certify that the state Date: 3-07-05 For KCC Use ONLY API # 15 | ing minimum require te district office print ved notice of intent of surface pipe a lidated materials place, an agreement betrict office will be not COMPLETION, prendix "B" - Eastern within 30 days of the atements made here. Signature of Opposition of Completing | ements will be met: or to spudding of well; to drill shall be posted on ea as specified below shall be su us a minimum of 20 feet into the tween the operator and the contified before well is either plutoduction pipe shall be cement Kansas surface casing order the spud date or the well shall trein are true and to the best of the present or Agent: Shall be continued to the cont | ch drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent for Raydon Expl. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |
| t is agreed that the following agreed that the following agreed that the following agreed to the appropriate agreed the appropriate agreed to the appropriate agreed agreed agreed agreed to the appropriate agreed agree | ing minimum require te district office printed on the printed of t | ements will be met: or to spudding of well; to drill shall be posted on ea as specified below shall be su us a minimum of 20 feet into the tween the operator and the contified before well is either plutoduction pipe shall be cement Kansas surface casing order the spud date or the well shall trein are true and to the best of the present or Agent: Shall be continued to the cont | ch drilling rig; In the process of the control of t |
| It is agreed that the following the sagreed that the following in the sagreed that the following in the sagreed that the sagree is a sagree in the sagree in the sagree is a sagree in the sagree is a sagree in the sagree in the sagree is a sagree in the sagree in the sagree is a | ing minimum requirite district office printed ved notice of intention of surface pipe a lidated materials place, an agreement betrict office will be not COMPLETION, prendix "B" - Eastern within 30 days of the atements made here. Signature of Opposite of Complete of Opposite of Opp | ements will be met: or to spudding of well; to drill shall be posted on ea as specified below shall be su us a minimum of 20 feet into the tween the operator and the contified before well is either plutoduction pipe shall be cement Kansas surface casing order the spud date or the well shall the spud date or the well shall the spud date or the well shall the spud date or the spud date. So the spud date or the spud date. So the spud date or the spud date or the spud date or the spud date or the spud date. So the spud date or the spud date or the spud date or the spud date. So the spud date or the spud date or the spud date or the spud date. So the spud date or the spud date or the spud date or the spud date or the spud date. | ch drilling rig; but by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent for Raydon Expl. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 | Location of Well: County: Meade |
|---|--|
| Operator: Raydon Exploration, Inc. | |
| Lease: Barragree | feet from VN/ S Line of Section 530 feet from VE/ W Line of Section |
| Well Number: 1-36 Field: Wildcat | Sec. 36 Twp. 34 S. R. 29 East Wes |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| QTR / QTR / QTR of acreage: NE - NE - NE - NE | If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PI AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| | | | | | | • | | | | | | | | | | | |
|---|--|---|--|---|------|---|------|------|----|--|---|--|---|--|----|--|--|
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | ١. | | | | | | | | |
| ĺ | | | | | | | | | | | | | | | | | |
| Ì | | | | | | | | | | | | | | | | | |
| ļ | | • | | | | | | | ١. | | - | | | | ٠. | | |
| - | | | | | | | | | | | | | | | | | |
| 1 | | • | | | | | | | | | ٠ | | • | | • | | |
| | | • | | • | | • | | | | | • | | • | | ٠, | | |
| Ì | | ٠ | | - | | | | | | | | | | | - | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | • | | ٠ | | ٠ | | |
| | | • | | | | • | | | | | • | | | | • | | |
| | | | | | | : | | | 1 | | • | | • | | : | | |
| İ | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 1 | | • | | | | • | | | ١. | | • | | | | ٠. | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | : | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 4 | | • | | | | | | | | | • | | • | | | | |
| | | | | | | | | | | | | | | | | | |
| | | : | | | | | | | | | : | | : | | | | |



£

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR
BRIAN J. MOLINE, CHAIR
ROBERT E. KREHBIEL, COMMISSIONER
MICHAEL C. MOFFET, COMMISSIONER

March 11, 2005

Mr. David Rice Raydon Exploration, Inc. 9400 N. Broadway Ste 400 Oklahoma City, OK 73114

RE: Drilling Pit Application

Barragree Lease Well No. 1-36

NE/4 Sec. 36-34S-29W Meade County, Kansas

Dear Mr. Rice:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Also, please file the enclosed CDP-5 form, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Havnes

Environmental Protection and Remediation Department

cc: S Durrant