

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
245 North Water  
WICHITA, KANSAS 67202

Rev. 6-3-74  
FORM CP-1

WELL PLUGGING APPLICATION FORM  
File One Copy

API Number 15 - 163 - 21,018 - 0000 (of this well)  
Lease Owner Blue Danube Explorations  
Address Box 349 Natoma, Kansas 67651  
Lease (Farm Name) Thomas Well No. 1  
Well Location SW SW NW Sec. 36 Twp. 6 Rge. 16 (E)      (W) X  
County Rooks Total Depth 3470 Field Name       
Oil Well X Gas Well      Input Well      SWD Well      Rotary D & A       
Well Log attached with this application as required Yes  
Date and hour plugging is desired to begin 4:30 A. M. 1/13/80

PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-128 OF THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.

Name of company representative authorized to be in charge of plugging operations:  
R. L. Finnesy Address 207 SW 8th Plainville, Kansas

Plugging Contractor Lawbanco Drilling Inc. License No.       
Address Box 289 Natoma, Kansas 67651

Invoice covering assessment for plugging this well should be sent to STATE CORPORATION COMMISSION  
Name Lawbanco Drilling, Inc.  
Address Box 289 Natoma, Kansas 67651

and payment will be guaranteed by applicant or acting agent.

Signed: R. L. Finnesy  
Applicant or Acting Agent  
Date: Jan 18 - 1980

RECEIVED  
STATE CORPORATION COMMISSION  
JAN 21 1980  
CONSERVATION DIVISION  
Wichita, Kansas  
1-21-80

KANSAS

WELL COMPLETION REPORT AND  
DRILLER'S LOG


API No. 15 — Rooks County — 163-21,018-00-00 Number

S. 36 T. 6 R. 16<sup>X</sup><sub>W</sub>

Loc. SW SW NW

County Rooks

640 Acres  
N



Locate well correctly

Elev.: Gr. 1828

DF 1830 KB 1833

Operator Blue Danube Explorations

Address Box 349 Natoma, Kansas 67651

Well No. 1 Lease Name Thomas

Footage Location  
feet from (N) (S) line \_\_\_\_\_ feet from (E) (W) line \_\_\_\_\_

Principal Contractor Lawbanco Drilling, Inc. Geologist Eric Waddell

Spud Date 1/6/80 Date Completed 1/13/80 Total Depth 3470 P.B.T.D. \_\_\_\_\_

Directional Deviation \_\_\_\_\_ Oil and/or Gas Purchaser \_\_\_\_\_

CASING RECORD

Report of all strings set — surface, intermediate, production, etc.

Purpose of string	Size hole drilled	Size casing set (in O.D.)	Weight lbs/ft.	Setting depth	Type cement	Sacks	Type and percent additives
Surface	12 1/4	8 5/8	28	162'	common	120	Quikset

LINER RECORD

PERFORATION RECORD

Top, ft.	Bottom, ft.	Sacks cement	Shots per ft.	Size & type	Depth interval

TUBING RECORD

Size	Setting depth	Packer set at

ACID, FRACTURE, SHOT, CEMENT SQUEEZE RECORD

Amount and kind of material used	Depth interval treated

INITIAL PRODUCTION

Date of first production \_\_\_\_\_ Producing method (flowing, pumping, gas lift, etc.) \_\_\_\_\_

RATE OF PRODUCTION PER 24 HOURS	Oil	Gas	Water	Gas-oil ratio
	bbls.	MCF	bbls.	CFPB

Disposition of gas (vented, used on lease or sold) \_\_\_\_\_ Producing interval (s) \_\_\_\_\_

INSTRUCTIONS: As provided in KCC Rule 82-2-125, within 90 days after completion of a well, one completed copy of this Drillers Log shall be transmitted to the State Geological Survey of Kansas, 4150 Monroe Street, Wichita, Kansas 67209. Copies of this form are available from the Conservation Division, State Corporation Commission, 245 No. Water, Wichita, Kansas 67202. Phone AC 316-522-2206. If confidential custody is desired, please note Rule 82-2-125. Drillers Logs will be on open file in the Oil and Gas Division, State Geological Survey of Kansas, Lawrence, Kansas 66044.

Operator **Blue Danube Exploration** DESIGNATE TYPE OF COMP.: OIL, GAS, DRY HOLE, SWDW, ETC.: **Dry hole**

Well No. **1** Lease Name **Thomas**

S **36** T **6** R **16** E **4** W **SW SW NW**

**WELL LOG**

Show all important zones of porosity and contents thereof; cored intervals, and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries.

SHOW GEOLOGICAL MARKERS, LOGS RUN, OR OTHER DESCRIPTIVE INFORMATION.

FORMATION DESCRIPTION, CONTENTS, ETC.	TOP	BOTTOM	NAME	DEPTH
0 to 660 Sand and Shale				
660 to 815 Sand and Shale and Pyrite				
815 to 1150 Shale				
1150 to 1179 Anhydrite				
1179 to 1770 Shale				
1770 to 2241 Shale and Lime				
2241 to 2430 Shale and Shells				
2430 to 2565 Shale				
2565 to 2957 Lime and Shale				
2957 to 3164 Shale and Lime				
3164 to 3251 Lime				
3251 to 3390 Shale and Lime				
3390 to 3470 Lime RTD				

RECEIVED  
STATE CORPORATION COMMISSION

USE ADDITIONAL SHEETS, IF NECESSARY, TO COMPLETE WELL RECORD JAN 21 1980

Date Received \_\_\_\_\_

*R. L. James*  
Signature \_\_\_\_\_  
CONSERVATION DIVISION  
Wichita, Kansas

Drilling Superintendent  
Title \_\_\_\_\_

January 16/80  
Date \_\_\_\_\_

State of Kansas



15-163-21018-00-00

JOHN CARLIN  
R. C. LOUX  
JANE T. ROY  
WILLIAM G. GRAY  
Carol J. Larson, Executive Secretary

Governor  
Chairman  
Commissioner  
Commissioner

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)  
245 North Water  
WICHITA, KANSAS 67202

January 17, 1980

WELL PLUGGING AUTHORITY

Well No. 1  
Lease Thomas  
Description SW SW NW  
Section 36-6S-16W  
County Rooks  
Total Depth 3470'  
Plugging Contractor Lawbanco Drlg.


Blue Danuble Exploration  
Box 349  
Natoma, KS 67651

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after ninety (90) days from the above date.

Yours very truly,

  
J. Lewis Brock,  
Administrator

Mr. Marion Schmidt, 2104 Canterbury Rd., Hays, Kansas 67601  
is hereby assigned to supervise the plugging of the above named well.