

15-163-60076-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Well Location 330' N)
330' W) Center Sec. 15 Twp. 6 Rge. 19 (E) (W) West

Field Name (if any) _____ County _____ Rooks

Lease (Farm Name) Hansen Well No. 1


Was well log filed with application? Yes If not, explain circumstances and give available date (Use an additional sheet if necessary) _____

Log attached.

Date and hour plugging is desired to begin Immediately

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired (Use an additional sheet if necessary) _____

PLUGGING
FILE SEC 15-16-19
BOOK PAGE 06 LINE 4



Name of the person on the lease in charge of well for owner _____

J. A. Cleverley Address Russell, Kansas

Name of well owner or Acting Agent Cities Service Oil Company

Address Bartlesville, Oklahoma

Invoice covering assessment for plugging this well should be sent to:

Cities Service Oil Co. Address Hox 751 - Great Bend, Kansas

and payment will be guaranteed by applicant.

R. C. Haubert
Operator or Acting Agent

Date Confirming June 10, 1940.

Company Cities Service Oil Co. Well No. 1 Farm Hansen
 Location 330' north & 330' west of Center Sec. 15 T. 6 R. 19-W
 Elevation 2134 County Hooker State Kansas
 Drlg. Comm. May 30, 1940 Contractor Harbar Drilling Company
 Drlg. Comp. June 9, 1940 Acid None
 T. D. 3700' Initial Prod. Dry - P. & A.

CASING RECORD:

12-1/8" @ 180', con. with 110 ex Oil Max

FORMATION RECORD:

surface clay & rock	0-180
shale	140
sand	165
sand & shale	465
shale	605
shale & shells	770
sand	790
shale & shells	890
shale & sand	1045
shale & shells	1195
sand	1310
shale & lime shells	1360
red bed sand shale	1450
shale & lime	1550
shale & shells	1610
anhydrite	1690
shale & shells	2180
shale & lime	2205
lime	2255
shale sticky	2290
broken lime	2360
lime & chert	2377
lime	2475
lime & shale	2700
broken lime	2725
lime hard	2760
lime	2785
lime & shale	2825
shale & shells	2905
shale	2960
lime	3050
lime broken	3110
lime	3200
shale	3296
lime	3337
lime (caved, rec. 8 1/2')	3642


lime 3655
 lime caved (rec. 8 1/2') 3645
 lime 3700 T. D.

Top Anvicle 3655
 Penetration 65'
 Total Depth 3700

SLAVE TEST:

500'	OK
750'	OK
1250'	1/20
1500'	10
1750'	10
2000'	10
2250'	00
2500'	00
2750'	00
3000'	00
3250'	00

PLUGGING
 FILE SEC 15-16-1940
 BOOK PAGE 106 LINE 4





STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

June 11, 1940

IN REPLY PLEASE
REFER TO THIS
SUBJECT

Well No. 1
Farm Hanson
Description SE SE NW 15-8-19W
County Rooks
File 106-4

15-103-00076-00-00

Cities Service Oil Co.
Box 751
Great Bend, Kansas

Dear Sirs:

This letter is your permit to
plug the above subject well, in accord-
ance with the Rules and Regulations of
the STATE CORPORATION COMMISSION.

Yours very truly,

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

T. A. MORGAN, DIRECTOR

EMH:ha

BY:

E. M. Hager
E. M. Hager

NOTICE: C. T. Alexander
Great Bend, Kansas