

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

15-163-00480-00-00

WELL PLUGGING APPLICATION FORM

Lease Owner Ed Madden Address Hays, Kansas
(Applicant)

Lease (Farm Name) Shaw Well No. #1

Well Location SW-SE-NW Sec. 11 Twp 6S Rge. 19 (E)-(W) W

County Rooks Field Name (if any) Wildcat

Total Depth 3600 Oil Gas Dry Hole Dry hole

Was well log filed with application? Yes. If not, explain:

Date and hour plugging is desired to begin Jan 3, 1951 12.00 P.M.

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.

(Use an additional sheet if necessary)

Name of the person on the lease in charge of well for owner

T.C. Strain Address Box 188, Hays, Kansas

Name of Plugging Contractor Strain Drilling Company

Address Box 188, Hays, Kansas

Invoice covering assessment for plugging this well should be sent to

Strain Drilling Company Address Box 188 Hays, Kansas

and payment will be guaranteed by applicant.

T.C. Strain

T.C. Strain
Applicant or Acting Agent

Date Jan 3, 1951

RECEIVED
PLUGGING
FILE SEC 11 T 6 R 19
NOV 27 1952
BOOK PAGE 156
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
Wichita, Kansas

WELL LOG

COMPANY: Ed Madden and et al. 15-163-00480-00-00 SE-SE- NW, Sec. 11,
Twp. 6S, Rge. 19W,
Rooks County, Kansas.
LEASE: Shaw # 1.

ELEVATION: 2031 Derrick Floor
NOTE ; All meas. rotary bushings.

0 80 Post Rock
80 100 Sand
100 170 Shale & shells
170 615 Shale
615 1100 Shale
1100 1300 Sand
1300 1580 Redbed
1580 1615 Anhydrite
1615 1625 Anhydrite
1625 2000 Shale & shells
2000 2200 Shale & lime
2200 2300 Shale & lime
2300 2450 Shale & shells
2450 2600 Shale & lime
2600 2700 Shale & lime
2700 2800 Shale
2800 2950 Shale & lime
2950 3110 Shale & lime
3110 3205 Shale & lime
3205 3255 Lime
3255 3310 Lime
3310 3331 Lime
3331 3345 Lime
3345 3385 Lime
3385 3430 Lime
3430 3470 Lime
3470 3500 Lime
3500 3555 Lime
3555 3600 Lime (Arb.)

COMMENCED: 12-21-51
COMPLETED: 1-3-52

CASING RECORD:

8 5/8" Surface casing set at 170' w/100 sks
cement. By Globe cementing Co.

D.S.T. By Johnston Testing Co.

3300-3331 Ft. Weak Flow. Tool open 45 min.
Recovered 45 Ft. of Mud. B.H.P. 15 min.
980#.

NO ELECTRIC LOG RUN.

TOPS:

Anhydrite	1580	Arbuckle	3569
Base (K.C.)	3490	Total Depth	3600
Conglomerate	3562		

STATE OF KANSAS) S.S.
COUNTY OF ELLIS)

I hereby affirm that the above and foregoing is a true and correct copy
of the log of the Shaw #1, located SE-SE-NW, Sec. 11, Twp. 6S, Rge. 19W, Rooks County,
Kansas.

CONTRACTOR: Strain Drilling Co.

By) T.C. Strain

T.C. Strain

Subscribed and sworn to before me this 29th Day of December, 1951.

My Commission expires July, 18, 1955

Robert Lee Fair
NOTARY PUBLIC.

PLUGGING
FILE SEC 11 T 6 R 196
BOOK PAGE 156 LINE 21



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

January 8, 1952

15-163-00480-00-00

Well No.	1
Lease	Shaw
Description	SE SE 1/4 11-6-19W
County	Neosho
File No.	136-21

Strain Drilling Company & Madden
Box 188
Hays, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

BY: J. P. Roberts
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR