

15-163-00245-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Well Location NW $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 7 Twp. 6 Rge. 19 W (E) _____ (W) _____


Field Name (if any) B County Rooks

Lease (Farm Name) ~~Brobst~~ Brobst Well No. 1

Was well log filed with application? Yes If not, explain circumstances and give available data (Use an additional sheet if necessary) _____

Date and hour plugging is desired to begin June 1, 1945

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired (Use an additional sheet if necessary) _____



Name of the person on the lease in charge of well for owner _____

W. A. Grant Address 1019 Central Bldg., Wichita, Kansas

Name of well owner or Acting Agent W. A. Grant

Address 1019 Central Bldg., Wichita, Kansas

Invoice covering assessment for plugging this well should be sent to:

Harbar Drilling Co. Address 1019 Central Bldg., Wichita, Kansas

and payment will be guaranteed by applicant.

PLUGGING
FILE SEC. 7 T. 6 R. 19W
BOOK PAGE 15 LINE 38

[Signature]
Operator or Acting Agent


Date 6-24-47

15-163-00245-00-00

HARRAR DRILLING COMPANY
 HRODST #1
 37th NW Sec. 7-6-19W,
 HOOKS COUNTY, KANSAS

Ran 5 Jts. Spiral Weld 10 3/4" Surface Pipe and 1 Jt. 10 3/4" 8 ths. Pipe.
 Cemented with 200 sacks cement and 200 lbs. calcium chloride
 Rigging up 3-14-45
 Tearing down 4-3-45

<u>FORMATION</u>	<u>From</u>	<u>To</u>	<u>REMARKS</u>
Surface dirt	0	40	
Shale & Shells	40	120	
Shale	120	246	
Shale & Sand	246	300	
Shale	300	400	
Sand & Shale	400	470	
Shale & shells	470	500	
Shale & Sand	500	900	
Shale & Shells	900	1170	Slope test @ 1000' - O.K.
Sand	1170	1410	
Shale & Shells	1410	1450	
Sand	1450	1510	Slope test @ 1500' - O.K.
Shale & Shells	1510	1600	
Red Bed	1600	1670	
Anhydrite	1670	1700	
Anhydrite	1700	1720	
Shale & Red Bed	1720	1965	
Lime & Pyrite	1965	2050	
Shale & Shells	2050	2260	Slope test @ 2000' - O.K.
Lime	2260	2315	
Shale & Lime	2315	2355	
Broken Lime & Shale	2355	2550	
Shale & Lime	2550	2635	
Lime	2635	2750	
Lime - Broken	2750	2815	
Lime	2815	2925	
Shale & lime	2925	3105	Slope test @ 3000' - O.K.
Lime - Soft	3105	3195	
Lime	3195	3205	
Lime N.C.	3205	3345	
Lime	3345	3576	
Sand	3576	3580	
Cherty Lime	3580	3585	
Lime	3585	3605	
Cherty Lime	3605	3612	
Lime	3612	3615	
Sand	3615	3645	T.D.



I, W. A. Grant, do solemnly swear that the above log is true and correct to the best of my knowledge.

W. A. Grant

Subscribed and sworn to before me and in my presence this 22nd day of May, 1945.

Margaret O'Reilly
 Notary Public

My commission expires 4-7-47

PLUGGING
 FILE SEC. 7-6-19W
 HOOK PAGE 15 LINE 38



STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA 2, KANSAS

June 8, 1945

IN REPLY PLEASE
REFER TO THIS
SUBJECT

15-163-00245-00-00

Well No. 1
Farm ~~Probst~~ Brobst
Description C NW 7-6-19W
County Rocks
File 15-38

Harbar Drilling Co.
Central Building
Wichita 2, Kansas

Gentlemen:

This letter is your permit to plug the
above subject well, in accordance with the
Rules and Regulations of the STATE CORPORA-
TION COMMISSION.

Very truly yours,

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

BY:

J. P. Roberts
J. P. ROBERTS

HA

NOTICE: H. W. Kerr
Great Bend, Kansas