STATE OF KANSAS STATE CORPORATION CONTINUENT CONSERVATION DIVISION 800 BITTING BUILDING 15-069-02878-00-00 VICHITA, KANSAS

WELL PLUGGING APPLICATION FORM

Lease Owner W. L. HARTMAN	Address P.O. Box 54, Wichita 1, Kansas
(Applicant) Lease (Farm Name) LAPPIN	•
Well Location NW NW NW	
County GRAHAM	· · · · · · · · · · · · · · · · · · ·
	Ges Dry Hole
Was well log filed with application	·
Date and hour plugging is designat	
Plugging of the well will be done	in accordance with the Rules and
Regulations of the State Corporati	on Commission, or with the approval
of the following exceptions: Expl	air fully any exceptions desired.
(Use an additional sheet if necess	1813.2x)
Name of the person on the lease in	
J. T. Phoenix Address_	P.O. Box 174, ELLINWOOD, KANSAS
Name of Plugging Contractor R&	S Pipe Pulling Company
Address Box 508, Great Bend, Kansa	
•	ugging this well should be sent to:
W. L. Hartman Address	P.O. BOX 54, Wichita 1, Kansas
and payment will be guaranteed by	applicant.
166 SEP - 9 1954 -	Applicant or Acting Agent
FACE (221) Ze Wichite, Ke	
0.9.54 I	ate September 8. 195h

15-065-02878-00-00

Company:

W. L. Hartman

Contractor:

H & H Drilling Company

Commenced:

5-16-49

Completed:

8-18-49

Elevation:

2174

Potential:

41 30/day

Lease: L

Leppin #1

Locations

NW NW NW 1-6-21W

Graham Co. Kansas

Casing Record:

180' 8-5/8" cem, W/140 sax.

3584' 5-1/2" cem. W/100 sax.

Formation From To Remarks 0-25 Clar Shale 25-75 Sand & Shale 75-180 180-665 665-1200 Shale & Shell Shale & Sand Anhydrite 1200-1230 Shale 1230-1720 Trip at 1720' Slope Test Ok. SLM-Ok Anhydrite 1720-1752 Shale & Shell 1752-2180 Lime & Shale 2180-2423 Shale 2423-2600 Slope Test @ 2427 - Ok; SLM - Ok Lime & Shale 2600-2933 2955-3047 Shale Slope Test @ 3000 - Ok; SLM - Ok Lime & Shale 3047-3168 Line 3168-3317 Trip @ 3198' Lime & Shale 3317-3330 Line 3330-3467 Cire. 3334 à 3429; Trip e 3405° RTD 3585' R.B. Measurement Lime 3467-3585 Lime 3585-3590 Circ. @ 3545, 3555, 3573 & 3585' Sand 3590-3605 Granite 3605 Total Depth 3605

Tops: (Derrick Floor Data) Corrected 2 feet for retary bushing.

Topeka 3104-930 Heebner shale 3500-1126 Toronto line 3326-1152 Lansing-Kansas City 3340-1166 Marmaton (Base Kansas City) 3555-1361 Conglomerate 3580-1406 Granite Wash 3582-1408

I hereby dertify that the above is a true and correct copy of the driller's log, to the best of my knowledge.

3583-1409

SAL

STATE OF KANSAS

COUNTY OF SEDGWICK)

Rotary Total Depth

Subscribed and sworn to before me this 22nd day of

02

ugust

1949

My Commission expires May 13, 1953

Notary Public

Final Carlos Car

STATE OF KANSAS

STATE CORPORATION COMMISSION

CONSERVATION DIVISION

WICHITA, KANSAS

Sertoskov 9, 1962

211 N. Broadway

Well No. Lease Description County File No.

1 Lappin NV NV NV 1-6-219 Graham

V. L. Bertson Box Sh Wichite. Renses

Done Sirt

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr.

STATE CORPORATION COMMISSION CONSERVATION DIVISION

BY: J. P. ROBERTS

co: District Plugging Supervisor