

Operator Name: Priority Oil & Gas LLC Lease Name: Cook Well #: 1-12
 Sec. 12 Twp. 5 S. R. 42 East West County: Cheyenne

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)

Log Formation (Top), Depth and Datum Sample
 Name Top Datum
 Niobrara 1345 2262
 Beecher Island

List All E. Logs Run:
 CNL-Density
 Induction-SP-GR
 Cement Bond

RECEIVED
 KANSAS CORPORATION COMMISSION

JUL 07 2003

CONSERVATION DIVISION
 WICHITA, KS

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9 7/8 in	7 in	20 #	245 KB	60/40 pozmi	110	3%cc, 2% GEL
Production	6 1/4	4 1/2 in	10.5 #	1553 KB	ASC	75	1/4#sk flocele

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	1344-1382	500 gal 7.5% HCL foam frac	
		w/ 77,080 #20/40	1344
		and 25,000 #12/20	1382

TUBING RECORD Size Set At Packer At Liner Run Yes No
 none

Date of First, Resumed Production, SWD or Enhr. Producing Method Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity
 N/A 20 MCF/day 0 Bbls/day

Disposition of Gas METHOD OF COMPLETION Production Interval
 Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
 (If vented, Sumit ACO-18.) Other (Specify)

ALLIED CEMENTING CO., INC. 11142 ORIGINAL

Federal Tax I.D. # ~~48-2787333~~

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>3-24-03</u>	SEC. <u>12</u>	TWP. <u>5^s</u>	RANGE <u>42^w</u>	CALLED OUT	ON LOCATION <u>4:00 PM</u>	JOB START <u>6:00 PM</u>	JOB FINISH <u>6:15 PM</u>
LEASE <u>Cook</u>		WELL # <u>1-12</u>		LOCATION <u>St Francis 1W-7SW-25-13W</u>		COUNTY <u>Cheyenne</u>	STATE <u>Kan</u>
OLD OR NEW (Circle one) <u>NEW</u>				<u>35-1 1/2 W - 1/2 S</u>			

CONTRACTOR Excell Drlg Co #2 OWNER Priority Oil & Gas

TYPE OF JOB Surface

HOLE SIZE 9 7/8 T.D. 248' CEMENT AMOUNT ORDERED 110 - SKS 69/40 POC

CASING SIZE 7" DEPTH 245' 3% CC - 2% Cal

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 10'

PERFS.

DISPLACEMENT 9.98 BBL

EQUIPMENT

PUMP TRUCK CEMENTER Walt

102 HELPER Walt

BULK TRUCK DRIVER Jarrod

315 DRIVER

BULK TRUCK DRIVER

DRIVER

CEMENT

AMOUNT ORDERED 110 - SKS 69/40 POC

3% CC - 2% Cal

COMMON 66 - SKS @ 7⁸⁵ 518¹⁰

POZMIX 44 - SKS @ 3⁵⁵ 156²⁰

GEL 2 - SKS @ 10⁰⁰ 20⁰⁰

CHLORIDE 4 - SKS @ 30⁰⁰ 120⁰⁰

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

HANDLING 110 - SKS @ 1¹⁰ 121⁰⁰

MILEAGE 44 per SK/mile 220⁰⁰

TOTAL 1,155³⁰

REMARKS:

Cement Did Cure

Walt

**CONSERVATION DIVISION
WICHITA, KS SERVICE**

DEPTH OF JOB _____

PUMP TRUCK CHARGE 520⁰⁰

EXTRA FOOTAGE @ _____

MILEAGE 50 miles @ 3⁰⁰ 150⁰⁰

PLUG @ _____

_____ @ _____

_____ @ _____

TOTAL 670⁰⁰

FLOAT EQUIPMENT

7"

1 - Centralizer @ 54⁰⁰

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL 54⁰⁰

CHARGE TO: Excell Drlg Co.

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE George De la Fuente

TAX _____

TOTAL CHARGE 1,877³⁰

DISCOUNT -187⁹³ IF PAID IN 30 DAYS
1,691³⁷

PRINTED NAME

ALLIED CEMENTING CO., INC. 11143

Federal Tax I.D. # ~~18-8787860~~

ORIGINAL

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley

DATE <u>3-25-03</u>	SEC <u>12</u>	TWP <u>5 S</u>	RANGE <u>42 W</u>	CALLED OUT	ON LOCATION <u>6:00 PM</u>	JOB START <u>9:30 PM</u>	JOB FINISH <u>10:00 PM</u>
LEASE <u>Cook</u>	WELL # <u>1-12</u>	LOCATION <u>St Francis 1W-7SW-25-16W</u>		COUNTY <u>Cherokee</u>	STATE <u>Kan</u>		
OLD OR <input checked="" type="radio"/> NEW (Circle one)		<u>35-16W-14S</u>					

CONTRACTOR Excell Dtg Co #2

TYPE OF JOB Production string

HOLE SIZE 6 1/4" T.D. 1564'

CASING SIZE 4 1/2" DEPTH 155.3'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 1000 MINIMUM 500

MEAS. LINE _____ SHOE JOINT 44.96'

CEMENT LEFT IN CSG. 44.96'

PERFS. _____

DISPLACEMENT 24.02 BBL

EQUIPMENT _____

PUMP TRUCK CEMENTER Walt

102 HELPER Walt

BULK TRUCK _____

315 DRIVER Jerral

BULK TRUCK _____

_____ DRIVER _____

OWNER Same

CEMENT AMOUNT ORDERED 75 SKS ASC, 1 1/4" Flo-Seal

COMMON _____	@ _____	_____
POZMIX _____	@ _____	_____
GEL _____	@ _____	_____
CHLORIDE _____	@ _____	_____
<u>ASC 75 SKS</u>	@ <u>9.35</u>	<u>701.25</u>
<u>Flo-Seal 1 1/4"</u>	@ <u>1.40</u>	<u>26.60</u>
_____	@ _____	_____
_____	@ _____	_____
HANDLING <u>75 SKS</u>	@ <u>1.10</u>	<u>82.50</u>
MILEAGE <u>44 per mile</u>	_____	<u>150.00</u>

RECEIVED KANSAS CORPORATION COMMISSION

TOTAL 960.35

REMARKS:

Pump 10 BBL KCL water chud

mix 75 SKS ASC

Clear Pump + Lines, release Plug

Displace 24 BBL KCL water 2500'

Landed Plug @ 1000', release pressure

Plug Held.

2/14

JUL 07 2003

SERVICE

CONSERVATION DIVISION
WICHITA, KS

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____ 1,130.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 50 miles @ 3.00 150.00

PLUG _____ @ _____

_____ @ _____

_____ @ _____

TOTAL 1,280.00

CHARGE TO: Priority Oil & Gas

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

4 1/2"

<u>1- Guide shoe</u>	@ _____	<u>100.00</u>
<u>1- Patch down Plug</u>	@ _____	<u>300.00</u>
<u>5- Centralizers</u>	@ <u>40.00</u>	<u>200.00</u>
_____	@ _____	_____
_____	@ _____	_____

TOTAL 600.00

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE 2,840.35

DISCOUNT -284.03 IF PAID IN 30 DAYS

2,556.32

SIGNATURE Dave Reust

PRINTED NAME _____