

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
500 INSURANCE BUILDING
212 NORTH MARKET
WICHITA 2, KANSAS

Form CP-1

WELL PLUGGING APPLICATION FORM

File One Copy

15-163-30024-00-00

Lease Owner T. W. Jackson
(Applicant)
Address Phillipsburg, Kansas

Lease (Farm Name) Ostmayer "A" Well No. 1

Well Location NE NE SW Sec. 31 Twp. 6S Rge. 19W (E) (W)

County Rooks Field Name (If any)

Total Depth 3565' Oil Well Gas Well Input Well SWD Well D & A D & A

Was well log filed with application? Yes If not, explain:

Date and hour plugging is desired to begin June 17, 1965 @ 7:30 PM

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission.

Name of the person on the lease in charge of well owner Red Tiger Drilling Company
Address Box 173 -- Russell, Kansas

Plugging Contractor Red Tiger Drilling Company License No. _____
Address Box 173 -- Russell, Kansas

Invoice covering assessment for plugging this well should be sent to T. W. Jackson
Address Phillipsburg, Kansas

and payment will be guaranteed by applicant.

RECEIVED
STATE CORPORATION COMMISSION

JUL 1 1965
07-01-1965
CONSERVATION DIVISION

Signed: _____
Applicant or Acting Agent

Date: June 21, 1965

15-163-30024-00-00

DRILLERS LOG

Ostmayer "A" No. 1

CASING RECORD: 8 5/8" @ 217' w/150 sx cement
 COMPANY: T. W. Jackson
 CONTRACTOR: Red Tiger Drilling Co.
 COMMENCED: June 11, 1965
 COMPLETED: June 17, 1965
 DESCRIPTION: NE NE SW 31-6S-19W Rooks Co., Kansas
 ELEVATION:
 TOTAL DEPTH: 3565'

<u>FORMATION</u>	<u>FROM</u>	<u>TO</u>	<u>REMARKS</u>
Sod	0	40	
Shale & Shells	40	222	
Shale	222	350	
Shale & Shells	350	1630	
Anhydrite	1630	1655	
Shale & Shells	1655	2100	
Shale & Lime	2100	3289	
Lime	3289	3537	
Arbuckle	3537	3565	

I certify that this is a true and correct copy of the above log to the best of my knowledge.

RED TIGER DRILLING COMPANY

Maxine V. Head
Maxine V. Head

Subscribed and sworn to before me this 21st day of June, 1965.

Jean Hollas
Notary Public

My Commission Expires:
5-22-66

RECEIVED
STATE CORPORATION COMMISSION

JUL 1 1965

CONSERVATION DIVISION
Wichita, Kansas

RED TIGER DRILLING COMPANY 15-163-30024-00-00
DAILY DRILLING REPORT

RIG NO. 1 FARM OSTMayer WELL NO. A1 COMPANY T.W. Jackson PUSHER Buffington DATE 6-10-65.

FOR 8 HOURS ENDING AT 7:30 A.M. FOR 8 HOURS ENDING AT 3:30 P.M. FOR 8 HOURS ENDING AT 11:30 P.M.

HOURS RUN: HOURS LOST: HOURS RUN: HOURS LOST: HOURS RUN: HOURS LOST:

CAUSE OF TIME LOST: CAUSE OF TIME LOST: CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET

BIT RUN (KIND) (NO.) BIT RUN (KIND) (NO.) BIT RUN (KIND) (NO.)

NO. OF HOURS RUN ROCK BIT: NO. OF HOURS RUN ROCK BIT: NO. OF HOURS RUN ROCK BIT:

CONE NOS. SIZE SET NO. CONE NOS. SIZE SET NO. CONE NOS. SIZE SET NO.

JOINTS OF PIPE IN HOLE SIZE JOINTS OF PIPE IN HOLE SIZE JOINTS OF PIPE IN HOLE SIZE

MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT):

AQUAGEL AQUAGEL AQUAGEL

HULLS HULLS HULLS

ZEOGEL ZEOGEL ZEOGEL

OTHER OTHER OTHER

DAY WORK (CORING, CIRCULATING, ETC.): DAY WORK (CORING, CIRCULATING, ETC.): DAY WORK (CORING, CIRCULATING, ETC.):

CASING RECORD (SIZE, CEMENT, ETC.): CASING RECORD (SIZE, CEMENT, ETC.): CASING RECORD (SIZE, CEMENT, ETC.):

REMARKS: Rigging up

REMARKS: moving rig rigging up

REMARKS: Rigging up Ready to drill @ 700 waiting on pits

NAME OF EMPLOYEE NAME OF EMPLOYEE NAME OF EMPLOYEE

L.O. Conrad 8 hrs C.W. Pratt 11 hrs T.H. Ragsdale 8 Hrs

J.P. Desch " J.J. Blazek " E.F. Haag "

SIGNED Harold E. Little " DRILLER SIGNED T.J. Buffington " DRILLER SIGNED H.F. Warner " DRILLER

RECEIVED
 STATE OPERATOR COMMISSION
 JUL 1 1965
 CONSERVATION DIVISION
 WICHITA, KANSAS

RED TIGER DRILLING COMPANY
DAILY DRILLING REPORT

15-163-30024-00-00

RIG NO. 1 FARM Ostmayer WELL NO. "A-1" COMPANY T.W. Jackson PUSHER Buffington DATE 6-11-65

FOR 8 HOURS ENDING AT 7:30 A.M. FOR 8 HOURS ENDING AT 3:30 P.M. FOR 8 HOURS ENDING AT 11:30 P.M.

HOURS RUN: HOURS LOST: HOURS RUN: HOURS LOST: HOURS RUN: 1 1/2 HOURS LOST: 6 1/2

CAUSE OF TIME LOST: CAUSE OF TIME LOST: CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
				<u>0</u>	<u>40</u>	<u>sod</u>		<u>222</u>	<u>350</u>	<u>Shale</u>	
				<u>40</u>	<u>222</u>	<u>Shale Shells</u>					

BIT RUN (KIND) (NO.) BIT RUN (KIND) SMITHS - DT 26 (NO.) BIT RUN (KIND) DT (NO.) 1

NO. OF HOURS RUN ROCK BIT: NO. OF HOURS RUN ROCK BIT: NEW RT. NO. OF HOURS RUN ROCK BIT:

CONE NOS. SIZE SET NO. CONE NOS. RT SIZE 12 1/4 SET NO. CONE NOS. 12219 SIZE 7 7/8 SET NO. 1

JOINTS OF PIPE IN HOLE SIZE JOINTS OF PIPE IN HOLE SIZE JOINTS OF PIPE IN HOLE SIZE 4 1/2 FH

MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT):

AQUAGEL AQUAGEL AQUAGEL

HULLS HULLS HULLS

ZEOGEL ZEOGEL ZEOGEL

OTHER OTHER Jetted pits

DAY WORK (CORING, CIRCULATING, ETC.): DAY WORK (CORING, CIRCULATING, ETC.): DAY WORK (CORING, CIRCULATING, ETC.): Nippled up

CASING RECORD (SIZE, CEMENT, ETC.): CASING RECORD (SIZE, CEMENT, ETC.): Rigging up CASING RECORD (SIZE, CEMENT, ETC.): Drbg plug @

REMARKS: W.O. Pitt's. Helped Rig. Up. REMARKS: Waiting on pits Drilled RAT hole. Spudded in @ 11:30 AM REMARKS: 10PM

REMARKS: Run 10 joints of 2 1/2" 51.0F 8 5/8 RT. 28# surface pipe set @ 217' with REMARKS: 25' Cement in pipe (Hard)

REMARKS: Landing joint cemented w/ 150 SRS HAS REMARKS:

REMARKS: poz mix plug down @ 400 PM run pit REMARKS:

NAME OF EMPLOYEE NAME OF EMPLOYEE Rite Cold NAME OF EMPLOYEE

C.R. Clingenpeel 8hrs e.w. pratt 8Hrs TH Ragsdale 8Hrs

L.O. Coonrod 8.Hrs. J.J. Blazek " E.F. Haag "

J.P. Dasch 8.Hrs. Jim Keenwright " Jim Buffington "

SIGNED Harold E. Little 8.Hrs. DRILLER SIGNED T.J. Buffington " DRILLER SIGNED H.F. Warner " DRILLER

RED TIGER DRILLING COMPANY
DAILY DRILLING REPORT

15-163-30024-00-00

RIG NO. 1	FARM Ostmayer	WELL NO. "A-1"	COMPANY T.W. JACKSON	PUSHER Buffington	DATE 6-12-65
-----------	---------------	----------------	----------------------	-------------------	--------------

FOR 8 HOURS ENDING AT 7:30 A.M.	FOR 8 HOURS ENDING AT 3:30 P.M.	FOR 8 HOURS ENDING AT 11:30 P.M.
HOURS RUN: 5 HOURS LOST: 3	HOURS RUN: 5 HOURS LOST: 3	HOURS RUN: 6 HOURS LOST: 2
CAUSE OF TIME LOST:	CAUSE OF TIME LOST: }	CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE																																							
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET																																				
350	1113	Shale & Shells		1113	1630	Shale Shells		1630	1655	Anhydrite										1655	2050	Shale Shells																									
								1655	2050	Shale Shells																																					

BIT RUN (KIND) DT (NO.) 1	BIT RUN (KIND) D.T. (NO.) 1	BIT RUN (KIND) DT (NO.) #2
NO. OF HOURS RUN ROCK BIT: 6 1/2	NO. OF HOURS RUN ROCK BIT:	NO. OF HOURS RUN ROCK BIT: 6
CONE NOS. 12219 SIZE 7 7/8" SET NO. 1	CONE NOS. 12219 SIZE 7 7/8" SET NO.	CONE NOS. 12215 SIZE 7 7/8" SET NO.
JOINTS OF PIPE IN HOLE 33 SIZE 4 1/2" F.H.	JOINTS OF PIPE IN HOLE 50 SIZE 4 1/2"	JOINTS OF PIPE IN HOLE 64 SIZE 4 1/2"
MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):
AQUAGEL	AQUAGEL	AQUAGEL
HULLS	HULLS	HULLS
ZEOGEL	ZEOGEL	ZEOGEL
OTHER	OTHER	OTHER
DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):

CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.) SH @ 500 = 3/4" SH @ 1000 = 1 1/2" SH @ 1500 = 1"	CASING RECORD (SIZE, CEMENT, ETC.):
-------------------------------------	--------------------------------------------------------------------------------------------	-------------------------------------

REMARKS: Checked Rig, W.D. Drill Pipe 4:45 A.M. To 7:30 A.M.	REMARKS: set up rig for pits @ 1250 jet pits @ 1630 pulled BIT #1 @ 1630 made 1408 in 1 1/2 hrs pulled head in pit side of pump	REMARKS: Rig New head in pump in hole washed 300 ft to bottom @ 5:30 AM
--------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------

NAME OF EMPLOYEE		NAME OF EMPLOYEE		NAME OF EMPLOYEE	
C.R. Clingenpeel	8 Hrs	C.W. Pratt	8 Hrs	T.H. Regs Dale	8 Hrs
L.D. Conrad	8 Hrs	J.T. Blazek	8 "	E.F. Haag	"
J.P. Dasch	8 Hrs	Jim Leewright	8 "	Jim Buffington	"

SIGNED Harold E. Little 8 Hrs. DRILLER	SIGNED F.J. Buffington " DRILLER	SIGNED H.F. Warner " DRILLER
----------------------------------------	----------------------------------	------------------------------

RED TIGER DRILLING COMPANY
DAILY DRILLING REPORT

15-103-30024-00-00

RIG NO. 1 FARM Ostmayer WELL NO. "A-1" COMPANY T.W. Jackson PUSHER Buffington DATE 6-13-65

FOR 8 HOURS ENDING AT 7:30 A.M. HOURS RUN: <u>7 1/4</u> HOURS LOST: <u>3/4</u> CAUSE OF TIME LOST:	FOR 8 HOURS ENDING AT 3:30 P.M. HOURS RUN: <u>6 1/2</u> HOURS LOST: <u>1 1/2</u> CAUSE OF TIME LOST: <u>TRIP SH+ PITS</u>	FOR 8 HOURS ENDING AT 11:30 P.M. HOURS RUN: <u>7 1/2</u> HOURS LOST: <u>1/2</u> CAUSE OF TIME LOST: <u>Rig Pits</u>
----------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
<u>2050</u>	<u>2100</u>	<u>Shale & Shells</u>		<u>2350</u>	<u>2640</u>	<u>shale w/ lime</u>		<u>2640</u>	<u>2870</u>	<u>shale Lime</u>	
<u>2100</u>	<u>2350</u>	<u>shale & Lime</u>									

BIT RUN (KIND) <u>DT</u> (NO.) <u>2</u> NO. OF HOURS RUN ROCK BIT: <u>13 1/4</u> CONE NOS. <u>12215</u> SIZE <u>7 7/8"</u> SET NO. JOINTS OF PIPE IN HOLE <u>74</u> SIZE <u>4 1/2" F.H.</u>	BIT RUN (KIND) <u>DT2G</u> (NO.) <u>3</u> NO. OF HOURS RUN ROCK BIT: <u>6 1/2</u> CONE NOS. <u>17937</u> SIZE <u>7 7/8"</u> SET NO. JOINTS OF PIPE IN HOLE <u>83</u> SIZE <u>4 1/2"</u>	BIT RUN (KIND) <u>DT2G</u> (NO.) <u>3</u> NO. OF HOURS RUN ROCK BIT: <u>14</u> CONE NOS. <u>17937</u> SIZE <u>7 7/8"</u> SET NO. JOINTS OF PIPE IN HOLE <u>90</u> SIZE <u>4 1/2" F.H.</u>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

MUD USED (KIND AND AMOUNT): AQUAGEL HULLS ZEOGEL OTHER	MUD USED (KIND AND AMOUNT): AQUAGEL HULLS ZEOGEL OTHER	MUD USED (KIND AND AMOUNT): AQUAGEL HULLS ZEOGEL OTHER
--------------------------------------------------------------------	--------------------------------------------------------------------	--------------------------------------------------------------------

DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):
---------------------------------------	---------------------------------------	---------------------------------------

CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.):
-------------------------------------	-------------------------------------	-------------------------------------

REMARKS: <u>Checked Rig. Jet Shale Pit. SH+ @ 2000'-1°</u>	REMARKS: <u>serv rig jet shale pit pulled Bit #2 @ 2370 made 740' in 13 1/4 hrs OB w/ bit #3 @ 900 AM. SH+ @ 2500' = 1/2°</u>	REMARKS: <u>17937 Jetted & cleaned Shale pit</u>
------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------

NAME OF EMPLOYEE		NAME OF EMPLOYEE		NAME OF EMPLOYEE	
<u>Marion L. Burris</u>	<u>8-Hrs.</u>	<u>C.W. Pratt</u>	<u>8 Hrs</u>	<u>T.H. Rogalski</u>	<u>8 Hrs</u>
<u>L.O. Connor</u>	<u>8-Hrs.</u>	<u>J.T. Blazek</u>	<u>8 "</u>	<u>E.H. Hays</u>	<u>"</u>
<u>J.P. Dasch</u>	<u>8-Hrs.</u>	<u>Jim Leewright</u>	<u>8 "</u>	<u>Jim Buffington</u>	<u>"</u>
SIGNED <u>Harold E. Little</u>	<u>8-Hrs. DRILLER</u>	SIGNED <u>J.J. Buffington</u>	<u>" DRILLER</u>	SIGNED <u>H.F. Warner</u>	<u>" DRILLER</u>

**RED TIGER DRILLING COMPANY
DAILY DRILLING REPORT**

RIG NO. 1 FARM Ostmyer WELL NO. "A1" COMPANY T. W. Jackson PUSHER Buffington DATE 6-14-65

FOR 8 HOURS ENDING AT 7:30 A.M.	FOR 8 HOURS ENDING AT 3:30 P.M.	FOR 8 HOURS ENDING AT 11:30 P.M.
HOURS RUN: <u>5</u> HOURS LOST: <u>3</u>	HOURS RUN: <u>7 1/4</u> HOURS LOST: <u>1 1/4</u>	HOURS RUN: <u>5 3/4</u> HOURS LOST: <u>2 1/4</u>
CAUSE OF TIME LOST: <u>Remarks</u>	CAUSE OF TIME LOST:	CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
2870	2900	Shale & Lime		2995	3145	Shale & Lime		3165	3242	Shale & Lime	
2900	2995	Lime & Shale									

BIT RUN (KIND) <u>DT2G-5V1</u> (NO.) <u>344</u>	BIT RUN (KIND) <u>5V1</u> (NO.) <u>4</u>	BIT RUN (KIND) <u>5V1</u> (NO.) <u>4</u>
NO. OF HOURS RUN ROCK BIT: <u>3 3/4</u>	NO. OF HOURS RUN ROCK BIT: <u>11 1/2</u>	NO. OF HOURS RUN ROCK BIT: <u>17 1/4</u>
CONE NOS. <u>17937-16234</u> SIZE <u>7 7/8"</u> SET NO. <u>4</u>	CONE NOS. <u>16234</u> SIZE <u>7 7/8"</u> SET NO.	CONE NOS. <u>16234</u> SIZE <u>7 7/8"</u> SET NO. <u>4</u>
JOINTS OF PIPE IN HOLE <u>94</u> SIZE <u>4 1/2" F.H.</u>	JOINTS OF PIPE IN HOLE SIZE <u>4 1/2" EX-F.H.</u>	JOINTS OF PIPE IN HOLE <u>102</u> SIZE <u>4 1/2" F.H.</u>
MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT): <u>4 SKS. Soda Ash</u>	MUD USED (KIND AND AMOUNT):
AQUAGEL <u>6-Soda Ash</u>	AQUAGEL <u>15 SKS. Mx. b. c. o. g. l.</u>	AQUAGEL <u>2 SK. Caustic</u>
HULLS <u>10-Mag. c. o. g. l.</u>	HULLS <u>10 SKS. 5 SKS. DRISCOSE</u>	HULLS
ZEOGEL	ZEOGEL <u>11 SKS. Tannin</u>	ZEOGEL <u>2 SK. Tannin</u>
OTHER	OTHER <u>4 SKS. Caustic Soda</u>	OTHER
DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):	DAY WORK (CORING, CIRCULATING, ETC.):
<u>Board-2913-01</u> <u>Strip-2912-97</u>		
CASING RECORD (SIZE, CEMENT, ETC.): <u>-14</u>	CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.):

REMARKS: <u>Checked Rig, Trip Pulled Bit #3 @ 2910' Made 540' In 15 1/2 Hrs. Bit #4 O.B. @ 3:45 P.M. Strapped Drill Pipe-Jet Kite To Mix Mud</u>	REMARKS: <u>serv rig</u>	REMARKS: <u>VRig Pulled Bit #3 @ 3242 cut 332 ft in 17 1/4 hrs Run flex in hole</u>
--------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------	-------------------------------------------------------------------------------------

NAME OF EMPLOYEE	NAME OF EMPLOYEE	NAME OF EMPLOYEE
<u>Marion L. Burris</u> 8 Hrs.	<u>Ernie Pratt</u> 8 Hrs.	<u>T.H. Pogdale</u> 8 Hrs.
<u>L.O. Conrad</u> 8 Hrs.	<u>J.J. Blazek</u> 8 "	<u>F.F. Harg</u> "
<u>J.P. Dusch</u> 8 Hrs.	<u>Jim Leewright</u> 8 "	<u>Sam Buffington</u> "
SIGNED <u>Harold L. Little</u> 8 Hrs. DRILLER	SIGNED <u>J.J. Buffington</u> " DRILLER	SIGNED <u>A.F. Warner</u> " DRILLER

RED TIGER DRILLING COMPANY
DAILY DRILLING REPORT

15-163-30024-00-00

RIG NO. 1 FARM Ostmayer WELL NO. "A-1" COMPANY T. W. Jackson PUSHER Buffington DATE 6-15-65

FOR 8 HOURS ENDING AT 7:30 A.M.	FOR 8 HOURS ENDING AT 3:30 P.M.	FOR 8 HOURS ENDING AT 11:30 P.M.
HOURS RUN: <u>3 3/4</u> HOURS LOST: <u>4 1/4</u>	HOURS RUN: <u>1 1/2</u> HOURS LOST: <u>6 1/2</u>	HOURS RUN: <u>5 3/4</u> HOURS LOST: <u>2 1/4</u>
CAUSE OF TIME LOST: <u>Remarks</u>	CAUSE OF TIME LOST: <u>DST#1</u>	CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
3242	3289	Lime & Shale		3289	3315	Lime		3315	3405	Lime	
		<u>4 1/4 Hrs Co. Time - 3 3/4 Hrs.</u>				<u>6 1/2 Hrs Co Time</u>				<u>2 Hrs Co Time</u>	

BIT RUN (KIND) <u>SV2</u> (NO.) <u>5</u>	BIT RUN (KIND) <u>SV2</u> (NO.) <u>5</u>	BIT RUN (KIND) <u>SV2</u> (NO.) <u>5</u>
NO. OF HOURS RUN ROCK BIT: <u>3 3/4</u>	NO. OF HOURS RUN ROCK BIT: <u>5 1/4</u>	NO. OF HOURS RUN ROCK BIT: <u>11</u>
CONE NOS. <u>19199</u> SIZE <u>7 7/8"</u> SET NO.	CONE NOS. <u>19199</u> SIZE <u>7 7/8"</u> SET NO.	CONE NOS. <u>19199</u> SIZE <u>7 7/8"</u> SET NO.
JOINTS OF PIPE IN HOLE <u>104</u> SIZE <u>4 1/2" F.H.</u>	JOINTS OF PIPE IN HOLE <u>104</u> SIZE <u>4 1/2" F.H.</u>	JOINTS OF PIPE IN HOLE <u>107</u> SIZE <u>4 1/2" F.H.</u>
MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT):	MUD USED (KIND AND AMOUNT): <u>15 Spx Magcogel</u>
AQUAGEL	AQUAGEL	AQUAGEL <u>7 Sx Caustic</u>
HULLS	HULLS	HULLS <u>4 Sx Tannathin</u>
ZEOGEL	ZEOGEL	ZEOGEL <u>1 Sx Drycose</u>
OTHER	OTHER	OTHER <u>4 Sx Soda Ash</u>

DAY WORK (CORING, CIRCULATING, ETC.): <u>Circ. For 5 1/2 hrs @ 3289' D.S.T. #1 From 3229' TO 3289' W.D. Tester. 447 to 730</u>	DAY WORK (CORING, CIRCULATING, ETC.): <u>1 hr</u>	DAY WORK (CORING, CIRCULATING, ETC.): <u>CFS @ 2322 1 hr @ 3350 1 hr</u>
--------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------	--------------------------------------------------------------------------

CASING RECORD (SIZE, CEMENT, ETC.):	CASING RECORD (SIZE, CEMENT, ETC.): <u>DST#1 3229-3289 O.B. Tool open @ 9:30. 150 / O.S.C. 30 min open 45 min closed 30 min out REC</u>	CASING RECORD (SIZE, CEMENT, ETC.):
REMARKS: <u>Finished Trip O.B. w/Bit #5 @ 11:56 P.M.</u>	REMARKS: <u>5' D. 1 1/2" Mud I.C.P. = 1002 2 1/2" # FF=17# FBHP=676. O.B. Drilling @ 1:53 PM</u>	REMARKS: <u>Rig Jetted Pits</u>

NAME OF EMPLOYEE		NAME OF EMPLOYEE		NAME OF EMPLOYEE	
<u>Marion L. Burris</u>	<u>8 Hrs.</u>	<u>C.W. Pratt</u>	<u>8 HRS</u>	<u>T.H. Regsdale</u>	<u>8 Hrs.</u>
<u>L.O. Conrad</u>	<u>8 Hrs.</u>	<u>J.J. Blazek</u>	<u>8 "</u>	<u>E.F. Haag</u>	<u>"</u>
<u>J.P. Dasch</u>	<u>8 Hrs.</u>	<u>Tim Leewright</u>	<u>8 "</u>	<u>Jim Buffington</u>	<u>"</u>
SIGNED <u>Harold L. Little</u> DRILLER		SIGNED <u>J.J. Buffington</u> DRILLER		SIGNED <u>H.F. Warner</u> DRILLER	

RED TIGER DRILLING COMPANY
DAILY DRILLING REPORT

15-163-30024-00-00

RIG NO. 1 FARM Ostrayon WELL NO. 211 COMPANY T.W. Jackson PUSHER Buntington DATE 6-17-65

FOR 8 HOURS ENDING AT 7:30 A.M. FOR 8 HOURS ENDING AT 3:30 P.M. FOR 8 HOURS ENDING AT 11:30 P.M.

HOURS RUN: 1/4 HOURS LOST: 7 3/4 HOURS RUN: 1 HOURS LOST: 2 HOURS RUN: HOURS LOST:

CAUSE OF TIME LOST: CAUSE OF TIME LOST: Laying Down DP. CAUSE OF TIME LOST:

RECORD OF HOLE MADE				RECORD OF HOLE MADE				RECORD OF HOLE MADE			
FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET	FROM	TO	FORMATION	FEET
3535	3537	Lime		3537	3565	ARB		TD	3565		
		7 3/4 Hrs Co. Time				5 Hrs CO TIME					

BIT RUN (KIND) SV2 (NO.) 6 BIT RUN (KIND) SV2 (NO.) 6 BIT RUN (KIND) (NO.)

NO. OF HOURS RUN ROCK BIT: 4 NO. OF HOURS RUN ROCK BIT: 5 NO. OF HOURS RUN ROCK BIT:

CONE NOS. 19158 SIZE 7 7/8" SET NO. CONE NOS. 19158 SIZE 7 7/8" SET NO. CONE NOS. SIZE SET NO.

JOINTS OF PIPE IN HOLE 112 SIZE 4 1/2" FH JOINTS OF PIPE IN HOLE 112 SIZE 4 1/2" FH JOINTS OF PIPE IN HOLE SIZE

MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT): MUD USED (KIND AND AMOUNT):

AQUAGEL HULLS ZEOGEL OTHER
AQUAGEL HULLS ZEOGEL OTHER
AQUAGEL HULLS ZEOGEL OTHER

DAY WORK (CORING, CIRCULATING, ETC.): C.F.S. 3535' 1/4 Hr. DAY WORK (CORING, CIRCULATING, ETC.): DAY WORK (CORING, CIRCULATING, ETC.):

CASING RECORD (SIZE, CEMENT, ETC.): Dis. T. #3-3507 to 3537' Open Bottom, Shut In 40 Min, Open 40 Min, Final Seal 2. 30 Min, Recd. CASING RECORD (SIZE, CEMENT, ETC.): After Dis. T. #3-3507 to 3537' PFS @ 3547.2' 2 1/4 HRS PFS @ 3557' 1 1/2 HRS CASING RECORD (SIZE, CEMENT, ETC.): 20' SCS cement

REMARKS: 15' Mud w/ Oil Specks. REMARKS: 1:30 PM Laying down DP helped gear down plugged hole REMARKS: Filled hole w/ mud up to 540' set plug 2 sacks cement Filled hole up to 210' set plug 20' SCS cement Filled hole up to 35' set plug 1/2 sack HULLS 10 sacks cement. Hole plugged @ 900 Learning Down

NAME OF EMPLOYEE NAME OF EMPLOYEE NAME OF EMPLOYEE

Mervin L. Burris J. J. Blazek J. J. Blazek J. J. Blazek J. J. Blazek
L. J. ... J. J. Blazek J. J. Blazek J. J. Blazek J. J. Blazek
J. J. Blazek J. J. Blazek J. J. Blazek J. J. Blazek J. J. Blazek

SIGNED J. J. Blazek DRILLER SIGNED J. J. Blazek DRILLER SIGNED J. J. Blazek DRILLER

State of Kansas



15-163-30024-00-00

State Corporation Commission

CONSERVATION DIVISION

(Oil, Gas and Water)

500 Insurance Bldg. 212 N. Market

WICHITA, KANSAS 67202

WM. H. AVERY Governor
 WILLIAM L. MITCHELL Chairman
 JAMES O. GREENLEAF Commissioner
 HARRY G. WILES Commissioner
 RAYMOND B. HARVEY Secretary
 E. EDWARD JOHNSON Gen. Counsel

June 21, 1965

WELL PLUGGING AUTHORITY

Well No.	A-1
Lease	Ostmeyer
Description	NE NE SW 31-6-19W
County	Rooks
Total Depth	3565'
Plugging Contractor	Red Tiger Drlg. Co.

T. W. Jackson
 Phillipsburg, Kansas

Gentlemen:

This is your authority to plug the above subject well in accordance with the Rules and Regulations of the State Corporation Commission.

This authority is void after 90 days from the above date.

Very truly yours,


 J. P. Roberts, Administrator

Mr. Eldon Petty Box 326 Hays, Kansas
 is hereby assigned to supervise the plugging of the above named well.