KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Operator: License # 9855 CONFIDENTIAL	API No. 15 - 135-24215-00-00 URIGINAL					
Name: Grand Mesa Operating Company	County: Ness					
Address: 200 E. First St., Ste 307	S/2 N/2 S/2 SW _{Sec.} 5 Twp. 18 S. R. 24 East West					
City/State/Zip: Wichita, KS 67202 MAR 2 4 2003						
	1220 leet from Syl N (circle one) Line of Section					
Purchaser: Operator Contact Person: Ronald N. Sinclair CONFIDENTIAL	Teet from E (W) (circle one) Line of Section					
	Footages Calculated from Nearest Outside Section Corner:					
	Concide only INC. OL INV					
Contractor: Name: Mallard JV, Inc. License: 4958 MAR 2 5 2003	Lease Name: Schuckman Well #: 1-5					
	i idu Nailie.					
Wellsite Geologist: Wesley Hansen KCC WICHIT Designate Type of Completion:	Producing Formation: None Elevation: Ground: 2346' Kelly Bushing: 2351'					
New Well Re-Entry Workover	·					
Oil SWD SIOW Temp. Abd.	Total Depth: 4560' Plug Back Total Depth:					
AEIEAGE	Amount of Surface Pipe Set and Cemented at					
Dry Other (Core, WSW, Expl., Cathodic, etc) 4 2005	If yes, show depth setFeet					
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from					
Operator: FROM CONFIDER	rfeet depth to sx cmt.					
Well Name.	Drilling Fluid Management Plan PtA & 2380					
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)					
Deepening Re-perf Conv. to Enhr./SWD	Chloride content 4200 ppm Fluid volume 6800 bbls					
Plug BackPlug Back Total Depth	Dewatering method used Evaporation & Backfill					
Commingled Docket No.	Location of fluid disposal if hauled offsite:					
Dual Completion Docket No	·					
Other (SWD or Enhr.?) Docket No	Operator Name:					
03/08/03 03/15/03 03/16/03	Lease Name: License No.:					
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec Twp. S. R East West					
Necompletion Date	Recompletion Date County: Docket No.:					
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING					
All requirements of the statutes, rules and regulations promulgated to regulat herein are complete and regulations promulgated to regulate herein are complete and regulations promulgated to regulate herein are complete and regulations.	te the oil and gas industry have been fully complied with and the statements					
Signature RONALD N. SIN	NCLAIR KCC Office Use ONLY					
Title: President Date: 3/24/03	Letter of Confidentiality Attached					
Westernamental Conference of C	If Denied, Yes Date:					
Subscribed and sworn to before me this 24th day of March	Wireline Log Received					
+ · · · · · · · · · · · · · · · · · · ·	Geologist Report Received					
Notary Public PHYLLS E. BREWER (253)	UIC Distribution					
Date Commission Expires: 7/21/03						
A PHYLLIS E. BREWE Notary Public - State of Ka My Appt. Expires 7-21-03	ER Insas					

X

Side Two

ORIGINAL Well# 1-5

Operator Name: Gra	nd Mesa Ope	rating C	ompany ·	Leace	a Namo	. Schuckman	·		1-5	
Sec. 5 Twp. 1			ast 🗸 West		y: Ne			Well #:	10	
INSTRUCTIONS: She tested, time tool open temperature, fluid reco Electric Wireline Logs	very, and flow ra	tes if gas	to surface test.	, wnether st along with f	nut_in n	raccura raaaha	d atatia laval bud-			
Drill Stem Tests Taken			Yes No			Log Forma	tion (Top), Depth a	and Datum	Sample	
(Attach Additional S Samples Sent to Geok	,	[Nar	me Top			Datum	
	ogicai Survey		Yes No		Ston	ю				
Cores Taken			Yes ✓ No		1	Stn Crl		1642 1676	+ 70	-
Electric Log Run (Submit Copy)		•	Yes No		Heet			3744	+ 67 -139	
,,			RECE	EIVED	Lans			3788	-139	
ist All E. Logs Run:					Ft. S	•		4318	-196	
CND w/PE; DI; So	vnic a 🥙 🧀		MAR 2	5 2003	Bs/P	enn Lm		4400	-204	
0.10 W/ L, DI, 00	"" KC				Cher	okee Sd		4418	-206	
	MAR 2	2003	KCC W	ICHITA	Miss	issippi		4476	-212	5
			CASING ort all strings set-	RECORD	N rface, int	ew Used ermediate, produc	ction, etc.			- 1-11
Purpose of String	Size Hole Drilled	8	Size Casing	Weig	ıht	Setting	Type of	# Sacks	Type and Pero	cent
Surface Csg.	12 1/4"	Set (In O.D.) 8 5/8"		Lbs./	Ft.	231.50	70/30 POZ	Used	Additives	
						231.30	70/30 POZ	150	3% GEL; 29	% CC
	1									
			ADDITIONAL	CEMENTIN		IFF7F DEGGE				
Purpose:	Depth	T		CEMENTIN	G / SQ	JEEZE RECORI)			
Perforate Protect Casing	Top Bottom	Тур	Type of Cement #Sacks U		Jsed	Type and Percent Additives				
Plug Back TD Plug Off Zone	4560'	60/40	POZ MIX	205SX	(6% GEL; 1/	4# SX FLOCE	LE		
X Plug Well										
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated						Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
							a	ieasi		
							USE		22 1000	
							JA	V V 4 200	5	
							FROMO	ONFIDE	ENTIAL	1
UBING RECORD	Size	Set At		Packer At		Liner Run				
ate of First, Resumed Pro	duction, SWD or E	nhr.	Producing Metho	nd			Yes No			
					Flowing	Pumpin	g Gas Lift	Othe	r (Explain)	
stimated Production Per 24 Hours	Oil	Bbls.	Gas M	Acf	Water	BŁ	ols. Ga	s-Oil Ratio	Gravity	,
isposition of Gas	METHOD OF C	OMPLETIC	DN			Production Interv	al			
Vented Sold [Used on Lease		Open Hole	Perf.	Di	ually Comp.	Commingled			
	•		Other (Specify	ý						

ALLIED CEMENTING CO., INC. 6132 CONFIDENTIAL KCC ORIGINIA

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

MAR 2 4 2003 ERVICE POINT GINAL GREAT BEND

						ONFIRENTA	.		
DATE 3-803	SEC.	TWP.	RANGE 24		LED OUT [©] OO pm	ON LOCATI	ON JO	B START つんのの	JOB FINISH
Schuckman LEASE		-5	LOCATION ()	100 Mil	1 1	Just	ICC	DUNTY LESS	STATE
OLD OR NEW (Cir			Hnorth-	1(.)	F-noot	h+East i	1	1600	
		•	PICALIV	ILLE	21 - 110151				
CONTRACTOR Y					OWNER	GRAND	Me	5A-	
	SURSING	· · · · · · · · · · · · · · · · · · ·		nney idahi kempulanya mad	CITA ATONIO				
HOLE SIZE 13	7 5/2	T.D.			CEMENT			70/	0 0 00
CASING SIZE	5 %		TH 2.32		AMOUNT C	RDERED _/	DSX '	130 3	39. c/c 220g
TUBING SIZE DRILL PIPE	······································	DEP							t
TOOL	***************************************	DEP DEP			// 		*******************************	***************************************	
PRES. MAX			IIMUM		COMMON_	105 14	a	160	100 2
MEAS. LINE	- Milymon - Indiana - Anna		DE JOINT		POZMIX	45 Rel		6.65° 3.85	698.25 159.75
CEMENT LEFT IN	CSG.			ASED	-	45 RUL		10.00	30.00
PERFS.		JUROF L	RELE	Seek of Comment of the Comment of th		5 24		30.00	-
DISPLACEMENT	14 13	RI	. A 2 C A	r 2002	CILLOTTIDL		@		12000
	FOID	PMENT	JAN U	1 the way			@		
•	EQUI	T LIVERAL T		FIREAL	TIAI		@		
DIMDERICE	Mark And & Mall		FROM CON	ILIDEIA.	6 00 Mm		@		Bert Stade, det des Main verientes besons pas any prince de service
	CEMENTE	R_d	ACK				@		# William Committee and the Section of Secti
# 120 I BULK TRUCK	HELPER		D]	HANDLING	158 Del	@	1.10	17380
1	DIVED	ا ب]	MILEAGE _	158 AU	04	5 MIL	100.00
# 342 I BULK TRUCK	DRIVER		<u>COC</u>			•	•		
	ORIVER							TOTAL	1311.80
				of the control of the control of					
Coment h	faesh le Diel.C.	des-	- Dky wi		EXTRA FOO MILEAGE _	CK CHARGE _ DTAGE	@	3.00	520.00 18.00
]	PLUG 1-63	5/8 wood	<u> </u>	45.00	4500
E-16-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-					***************************************		@	****	*
		hank:	<u> </u>		***************************************		@		
CHARGE TO:	teand "	Mesa						TOTAL	_583.00
STREET	-			Ter Formely, benedicted to the community					
						FLOAT I	EQUIPN	IENT	
CITY	STA	TE	ZIP	-	Transferration of the second o				
			RECEIVED		to de como de transportante de la companya della companya de la companya della co	the state of the s	@	***************************************	
				-			@	***************************************	
			MAR 2 5 2003	3 -					Management of the state of the
		84			T-1.2-1.2-1.2-1.2-1.2-1.2-1.2-1.2-1.2-1.2	The state of the s			
To Allied Cement	ing Co., I	nc.	CC WICHIT	Α -			@		
You are hereby re				ent					
and furnish cemer								TOTAL	-
contractor to do w									
done to satisfaction					ГАХ		****		
contractor. I have				ND			394.8	21	. *
CONDITIONS" I	isted on th	e reverse	side.	Ţ.	TOTAL CHA	ARGE	שאדינע		
]	DISCOUNT	189	.48	IF PAI	D IN 30 DAYS
	0 ^	_	1 -			•			75,32
SIGNATURE X		/) 1	. / /		,	_			_
DICTION TO BE THE PARTY OF A	(11/1000	1/1	laler		LAV.	P	1100	5 a • 4	The contract of the state of th

CONFIDENTIAL

CONFIDENTIAL CULCIVICINI IIVU., IIVU.

UU ...

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 JAN	0 4 2005	SER	SERVICE POINT:			
The managed was at 1 th 1			HT Bax	e de la companya de l		
DATES-16-C3 SEC. TVP. RATROMCC	ONFIDENTIAL 2200 PM	QN LOCATION	S-03	3-11e-0		
DATE 3-16-03 SEC. TYP RATROM CC	2200PM	ANOS O	1135AN	JOB FINISH		
LEASE THUCKEN WELL # 1-5 LOCATION NO	an City 4 w.	• 10	The state of the s	STATE		
OLD ORNEW Circle one)	74-774 - 1 N)	1 1 1 1 1 1 1 1 1 1 1 2	MRM	I KA		
The same of the sa	· programmer designations of the state of th	ments of to make the secretary of the se		,		
CONTRACTOR Molland	OWNER 5	Q				
TYPE OF JOB Rates VILLE	SPARATE FOR THE STATE	,	The same address above	e plant for estandique man esta forest apostant made an abustant e displant		
HOLE SIZE	CEMENT	<u> </u>	0 101.			
CASING SIZE DEPTH // TUBING SIZE CONTROL DEPTH	AMOUNT OF	HEREIXADS.	7 6740	1090Hall		
DRILL PIPE 46" DEPTH 1675	2 there	pd war	or measurement applicable of the solution state and a state of the sta	ner, franchessandur zwiegspatelika des kupur spir spir geregen spir s ign.		
TOOL DEPTH	and an experience of the second section of the section of th	of Birth 100 Birth - well-ship and Associate Section Section Section 100 Birth 100 Bir	A secondaria despita de condicionario de despita de la consecución de consecución	entrese para a santant a santant appropriate de California de Santa		
PRES. MAX: MINIMUM	COMMON	12301.	(g) La.L.S	Carried and the Carried States		
MEAS, LINE SHOE JOINT	POZMIX	South Sand Sandaghan	(a) = 5	27/10		
CEMENT LEFT IN CSG. 46.1	GEL	11 0.44	@ 10.00	110.00		
PERFS.	CHLORIDE _	Transce Microsoft of a professional agreement action public & one some	(i)			
DISPLACEMENT (V. 13)	_ ho Sen	La Sal Attur	@ 14D	71.40		
EQUIPMENT	reduced attached on a planting that solutions again such account	4 (' **********************************	_ (d)	Management of # 1 a common se		
1 .	10 age 4 V pt 4 a	i i i i i i i i i i i i i i i i i i i	@	përse qua tonumbalamernakninë schretorionisheloronish teë aloca v		
PUMPTRUCK CEMENTER TAGE O	The state of the s	The arthur design was of the effect of the property of the same of	(<u>q</u>)	уменновичення миненформ меняни гред и феньморенформ за гради		
# 181 HELPER WEST B	HANDLING	218 04	@ 1.1D	239.5		
# 314 DRIVER	MILEAGE	more and the state of a control of the agention of the second	Set 6 Mi	and the second s		
BULK TRUCK	mit a altered	- Amor Dissert	. A word for recommended to the state of the same of the file of the	American of the state of the st		
# DRIVER			TOTAL	16300		
And the second s			14,1,41,			
DEDMA VIZO			_	,		
REMARKS:		SERVI	E	,		
Minera - Source less	properties of the second contract of the seco	w territ hermaldished substitute and approximate destructurant responsible to the	a a majorinanne navne tanne	i deponie a provincio registra di scolet, sin a per scollère alla propie persona di es se se se se		
Ma 0 6 7100	DEPTH OF K)B 11475	ede – edersjäffere derforbænne ere replante.	podertamon dese — wieley ped Are ladde de la Fernande pedie pagind she and		
Inil. a un	EXTRA FOOT	K CHARGE		<i>\$20a</i>		
15 Sain Robert	MILEACE	La		1 Comp man		
shokemen wingo	PLUG . 25	shallowed w	(a) 2500			
	All as indigates address		(i)	المستعدد الم		
Thereby	e druge see st. to or Adria and administrative and confidences and	or a province of the contract	(<u>w</u>	properties ago, sp. grades - a 2 Mars wordt response paradometries		
			-	The state of the s		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			TOTAL	561.00		
CHARGE TO: ASABAM Mers Operating, Co.	i					
STREET 200 E. Front St 50 307		FLOAT EQUI	DATESTT			
CITY LOLD STATE K ZIP 602	and the state of t	r.m.c.wr.m.c.m	E IVERNIA I			
STATE KA ZIP 6720	Les 16 New Les	addid-indresser in the contral statement of th	· · · · · · · · · · · · · · · · · · ·	tal map about to a software course soons staged decomposite descriptions		
REC		an estança i indirente — à si bi su lincon pri decidente de actual de actual	(0)	makapantur para promotes et kolonopiis (1900 angisti ilinopiis ilinopiis ilinopiis ilinopiis ilinopiis ilinopi		
MAD 1	2 5 2003	e mantend de missame de seder a apole y en principa por desegna de la secretario de se en el composito de secretario de se en el composito de la secretario del la secretario de la secretario de la secretario de la secretario de la secretario della secretario de		an bepronounces out the development of a design company of		
· · · · · · · · · · · · · · · · · · ·				-papers ay veloces whereas three places the field field brilling and		
To Allied Cementing Co., Inc. KCC V	VICHITA	NOTE OF STREET,	(a)	he V 11 no ny 12 no 6 métatrohistoria aprilamentata has apapela.		
You are hereby requested to rent cementing equipment	. •	The state of the s	The second section of the second section of the second section of the second section s	tualitie turkinin pelenderan meskeri kom de nagan sake p turking sek. Adam tera y d		
and furnish cementer and helper to assist owner or	11		TOTAL			
contractor to do work as is listed. The above work wa	3.0		I WAYAA	n in the transported of the confidence of the state of th		
done to satisfaction and supervision of owner agent or						
contractor. I have read & understand the "TERMS AN	VD.		وتتغيير والكلم			
CONDITIONS" listed on the reverse side.	TOTAL CHAR	1915 - and	Alma	millionen vomb lafter annenskapplisstäplising därlindered dungsaklau		
	DISCOUNT	219.1	2 10010	IN 20 PLANE		
VAA	l l		1 / The 120	IN OUDAYS		
SIGNATURE Sugar	XII	- American	"CENOR	- C1200		
Just the fill a play the thirty but IN delice for annual	Myline	Jurgens	PAL DNAME	mara kiramethyd. Afa spinyddin, sodwir fi afashaninan argaldfi asanghidg		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	* 1 1 1 1 Y 1 L.	and A T C T I V I Am			