

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

15-069-02879-00-00

WELL PLUGGING APPLICATION FORM
File One Copy

Lease Owner Musgrove Petroleum Corporation Address 518 Petroleum Building,
(Applicant) Wichita, Kansas.

Lease (Farm Name) Rush Well No. 1

Well Location NW NE NE Sec. 9 Twp. 6 Rge. 22 (E)-(W)

County Graham Field Name (if any) Alda & Houston Pool Area

Total Depth 3661' Oil Gas Dry Hole Dry hole

Was well log filed with application? Yes . If not, explain: _____

Date and hour plugging is desired to begin As soon as possible

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully and exceptions desired. None

(Use an additional sheet if necessary) _____

Name of the person on the lease in charge of well for owner A. L. Abercrombie

Address P. O. Box 406, Russell, Kansas.

Name of Plugging Contractor Jayhawk Casing Pulling Company,

Address Russell, Kansas.

Invoice covering assessment for plugging this well should be sent to _____

Musgrove Petroleum Corporation Address 518 Petroleum Building, Wichita, Kans.

and payment will be guaranteed by applicant.

RECEIVED
STATE CORPORATION COMMISSION
SEP 14 1953
PLUGGING
FILE SEC 9 T 6 R 22
CONSERVATION DIVISION
WICHITA, KANSAS
PAGE 128 LINE 30
9-14-53

[Signature]
Applicant or Acting Agent
Date 9-14-53

15-065-02879-00-00

COMPANY: Husgrove Petroleum Corporation
 CONTRACTOR: Mallard Drilling Company
 FARM: Rush #1
 LOCATION: NW 1/4 NE Sec. 9-6-22
 Graham County, Kansas
 COMMENCED: 8-16-50 Rotary
 COMPLETED: 8-24-50 Rotary

0	to	155	Sand and shale
155	to	920	Shale
920	to	1675	Shale and shells
1675	to	1920	Shale and sand
1950	to	1945	Anhydrate
1945	to	1995	Shale and shells
1995	to	2325	Shale and shells
2325	to	2775	Shale and lime
2775	to	2910	Shale and lime
2910	to	3225	Lime and shale
3225	to	3350	Lime and shale
3350	to	3410	Lime and shale
3410	to	3500	Lime
3500	to	3519	Lime
3519	to	3580	Lime
3580	to	3630	Lime
3630	to	3661	Lime
		3661	T.D.

Set 156 feet of 8 5/8" surface pipe. Cemented with 120 sacks of cement.

Set 5 1/2" pipe at 3660 1/2. Cemented with 125 sacks cement.

TOPS: Topeka--3262 Hebnar--3462 Kansas City--3487

Measurements taken from derrick floor.

RECEIVED
STATE CORPORATION COMMISSION

SEP 14 1950

9-14-53

REGISTRATION DIVISION

C E R T I F I C A T E

I, O. C. Nelson, do hereby certify that the above and foregoing is a true and correct copy of log of the Rush #1, Sec. 9-6-22, Graham County, Kansas, as reflected by files of the Mallard Drilling Company.

O. C. Nelson

Subscribed and sworn to before me a Notary Public, within and for Sedgwick County, Kansas this 18th day of September 1950.

A. Maxwell Wright

My commission expires 12/4/52

PLUGGING
 FILE SEC 9 T 6 R 224
 BOOK PAGE 128 LINE 30



15-065-62879-00-00

STATE OF KANSAS
STATE CORPORATION COMMISSION
CONSERVATION DIVISION
800 BITTING BUILDING
WICHITA, KANSAS

September 14, 1953

Well No. 1
Lease Rush
Description Nw NB NE Sec. 9-6-22W
County Graham
File No. 128-30

Musgrove Petroleum Corporation
518 Petroleum Bldg.,
Wichita, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION
CONSERVATION DIVISION

BY: J. P. Roberts
J. P. ROBERTS

cc: District Plugging Supervisor