KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1 September 1999 Form must be Typed Form must be Signed All blanks must be Filled

| Marc 4, 2005 | |
|--|---|
| Expected Spud Date May 1, 2005 | Spot 100' East of |
| month day year | NW - SW - NW Sec. 6 Twp. 32 S. R. 11 West |
| OPERATOR: License# 30128 | 3630 feet from S / N (circle one) Line of Section |
| Name: KENNETH S. WHITE | 430feet from E / (W) (circle one) Line of Section |
| 2400 N. Woodlawn, Suite 115 | Is SECTIONRegularIrregular? |
| Address: City/State/Zip: Wichita, KS 67220 RECEIVED | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person: Kenneth S. White | County: Barber |
| Phone: (316) 682-6300 APR 1 5 2005 | Lease Name: Swayden Well #: 2 |
| | Field Name: Whelan |
| CONTRACTOR: License# 5123 V | Is this a Prorated / Spaced Field? |
| Name: Pickrell Drilling Co., Inc. | Target Formation(s): Mississippi |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 430' |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation: 1519 feet MSL |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| OWWO Disposal Wildcat Cable | Public water supply well within one mile: |
| Selsmic;# of Holes Other | Depth to bottom of fresh water: 150' |
| Other | Depth to bottom of usable water: 180' |
| | Surface Pipe by Alternate: X 12 |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 300'. Length of Conductor Pipe required: none |
| Operator: | Projected Total Depth: 4400' |
| Well Name: | Formation at Total Depth: Kinderhook |
| Original Completion Date:Original Total Depth: | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | Water Source for Drilling Operations: Not known at this time |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| KCC DKT #: | Will Cores be taken? |
| | If Yes, proposed zone: |
| ACE | IDAVIT |
| | |
| The undersigned hereby affirms that the drilling, completion and eventual p | lugging of this well will comply with K.S.A. 55-101, et. seq. |
| It is agreed that the following minimum requirements will be met: | |
| Notify the appropriate district office prior to spudding of well; | |
| | |
| 2. A copy of the approved notice of intent to drill shall be posted on ea | |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be se | of by circulating cement to the top; in all cases surface pipe shall be set |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of | of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this is the state of the st |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction. The appropriate district office will be notified before well is either plug | of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set | of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Instrict office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of | of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Iistrict office on plug length and placement is necessary prior to plugging ; iged or production casing is cemented in; led from below any usable water to surface within 120 days of spud |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set | of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Iistrict office on plug length and placement is necessary prior to plugging ; iged or production casing is cemented in; led from below any usable water to surface within 120 days of spud |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement date. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of the construction. | of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Ilistrict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; led from below any usable water to surface within 120 days of spud |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of | of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 days of spud f my knowledge and belief. |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plus of the statement of the prior to any cementing. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of the prior to appropriate distriction. | of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 days of spud f my knowledge and belief. |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the surface of the | of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification of the surface of the underlying formation. Identification of the underlying formation. In the underlying formation. Identification of the underlying formation. In the underlying formation. Identification of the underlying formation. In the underlying formation. Identification of the underlying formation. In the u |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the constitution of the constitution of the constitution of the constitution of the set of the | of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. listrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 days of spud of my knowledge and belief. Titte: Owner Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement date. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of the construction of the district office of the construction of the district of | of by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification on plug length and placement is necessary prior to plugging; led or production casing is cemented in; led from below any usable water to surface within 120 days of spud of my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus to 6. If an ALTERNATE II COMPLETION, production pipe shall be cement date. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of the construction of the desired prior to appropriate date. For KCC Use ONLY API # 15 - OO7 22895-OOO Conductor pipe required 1000 feet per Alt. 1020 | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification on plug length and placement is necessary prior to plugging; led or production casing is cemented in; led from below any usable water to surface within 120 days of spud of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement date. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of the construction of the district office of the construction of the district of | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification on plug length and placement is necessary prior to plugging; led or production casing is cemented in; led from below any usable water to surface within 120 days of spud of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the second of the well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cemented attended to the statements of the second of the sec | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification on plug length and placement is necessary prior to plugging; led or production casing is cemented in; led from below any usable water to surface within 120 days of spud of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of t | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification on plug length and placement is necessary prior to plugging; led or production casing is cemented in; led from below any usable water to surface within 120 days of spud of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of t | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification on plug length and placement is necessary prior to plugging; led or production casing is cemented in; led from below any usable water to surface within 120 days of spud of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; |


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 | Location of Well: County: Barber |
|--|---|
| Operator: KENNETH S. WHITE | 3630 feet from S / N (circle one) Line of Section |
| Lease: Swayden | 430 feet from E / W (circle one) Line of Section |
| Well Number: 2 Field: Whelan | Sec. 6 Twp. 32 S. R. 11 East West |
| Number of Acres attributable to well: | Is Section Regular or Irregular |
| QTR / QTR / QTR of acreage; NW - SW - NW | If Section is irregular, locate well from nearest corner boundary. Section comer used:NENWSESW |

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS

CORPORATION COMMISSION

KATHLEEN SEBELIUS, GOVERNOR BRIAN J. MOLINE, CHAIR ROBERT E. KREHBIEL, COMMISSIONER MICHAEL C. MOFFET, COMMISSIONER

April 19, 2005

Mr. Kenneth S. White Kenneth S. White 2400 N. Woodlawn Ste 115 Wichita, KS 67220

RE: Drilling Pit Application

Swayden Lease Well No. 2 NW/4 Sec. 06-32S-11W Barber County, Kansas

Dear Mr. White:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. The pits shall be kept on top of the hill.

If production casing is set all completion fluids shall be removed on a daily basis.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Also please file the enclosed CDP-5 form, Surface Pond Waste Transfer, within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

cc: S Durrant