

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

15-179-00103-06-00


WELL PLUGGING APPLICATION FORM

Drilling Co.  
Lease Owner Heathman-Seeligson Address 1015 East Second, Wichita, Kansas  
(Applicant)  
Lease (Farm Name) Wente Well No. 1  
Well Location NE/4 NE/4 NW/4 Sec. 25 Twp. 6S Rge. 26 (E)-(W) W  
County Sheridan Field Name (if any) \_\_\_\_\_  
Total Depth 3500' plus or minus Oil -- Gas -- Dry Hole yes  
Was well log filed with application? yes . If not, explain: \_\_\_\_\_

Date and hour plugging is desired to begin 1-14-55 4 PM  
Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.  
(Use an additional sheet if necessary) No Exceptions

Name of the person on the lease in charge of well for owner \_\_\_\_\_  
S. J. Fickel Address Plainville, Kansas  
Name of Plugging Contractor Heathman-Seeligson Drilling Co.  
Address 1015 East Second, Wichita, Kansas

Invoice covering assessment for plugging this well should be sent to Heathman-Seeligson Drilling Co. Address 1015 East Second, Wichita, Kansas and payment will be guaranteed by applicant.

  
Applicant or Acting Agent \_\_\_\_\_  
Date January 14, 1955

**PLUGGING**  
FILE SEC 25 6 R 26 W  
BOOK PAGE 91 LINE 32

CONSERVATION DIVISION  
Wichita, Kansas

1-27-55

15-179-00103-00-00

DRILLERS' LOG

NAME: WENTE #1 DATE SPUDDED: 1-7-55

LOCATION: NE/4 NE/4 NW/4 Sec. 25-6S-26W ROTARY COMPLETED: 1-14-55  
 Sheridan County, Kansas

OPERATOR: Heathman-Seeligson Drilling Co. ELEVATION: 2606 GR  
 2608 DF  
 2611 RB

CONTRACTOR: Heathman-Seeligson Drilling Co. ROTARY TOTAL DEPTH: 3500'  
 plus or minus

SURFACE CASING: 9 jts. 8-5/8" 8V thd. casing  
 set at 279.47' cemented w/150  
 sacks cement and 2 Calcium  
 Chloride. Cement Circulated.

OIL STRING: None run - Temporarily abandoned 1-14-55

GEOLOGICAL TOPS (RB)

Anhydrite 2195 (416)  
 R.T.D. 3500' plus or minus

LOG

(Figures indicate bottom of formation)

Clay & Soil	0 to 30
Sand	270
Shale	280
Shale, Sand & Shells	1130
Sand	1200
Shale & Sand	1285
Sand	1400
Shale & Shells	1650
Anhydrite	1680
Shale & Shells	1695
Shale, Shells & Red Bed	1940
Shale & Red Bed	2195
Anhydrite	2218
Shale & Shells	2260
Shale & Lime Shells	2475
Lime & Shale	2850
Shale	2980
Lime & Shale	3415
R.T.D.	3500' plus or minus

The undersigned, H. D. Shreve, hereby certifies that the above log is a true and correct log of the formations encountered in drilling the above noted well as reflected by the Daily Drilling Reports.

HEATHMAN-SEELIGSON DRILLING CO.

By: *H. D. Shreve*

Subscribed and sworn to before me  
this 19th day of January, 1955.

*D. Majorie Matt*  
Notary Public

My Commission expires: June 28, 1956

**PLUGGING**  
 FILE SEC 25-6-R-26W  
 BOOK PAGE 91 LINE 32

**RECEIVED**  
 STATE CORPORATION COMMISSION  
 JAN 27 1955  
 CONSERVATION DIVISION  
 Wichita, Kansas  
 1-27-55



STATE OF KANSAS  
 STATE CORPORATION COMMISSION  
 CONSERVATION DIVISION  
~~XXXXXXXXXXXXXXXXXXXX~~  
 WICHITA 2, KANSAS

15-179-00103-00-00

January 18, 1955  
 211 N. Broadway

Well No.	1
Lease	Wente
Description	NE NE NW 25-6-26N
County	Sheridan
File No.	91-32

Heathman & Seeligson  
 251 N. Washington  
 Wichita, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION  
 CONSERVATION DIVISION

BY: J. P. Roberts  
 J. P. ROBERTS

cc: District Plugging Supervisor