STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 200 Colorado Derby Building Wichita, Kansas 67202

WELL PLUGGING APPLICATION FORM

(File One Copy) 15-065-21604-00-&				
API NUMBER * See attachment (of this well). Unknown, Logged 4-9-82				
WELL OWNER/OPERATOR Ron's 0il Operations, Inc. OPERATOR'S LICENSE NO. 6861				
ADDRESS Rt 1 Box 194, Penokee, Ks PHONE # (913) 674-2315				
LEASE (FARM) Morris WELL NO. 1-22 WELL LOCATION 990 from N COUNTY Graham				
SEC. 22 TWP. 6 RGE. 23 (E) or (W) TOTAL DEPTH 4150 PLUG BACK TD 4149				
Check One:				
OIL WELL X GAS WELL D & A SWD or INJ WELL DOCKET NO				
SURFACE CASING SIZE 8 5/8 SET AT326 CEMENTED WITH 200 SACKS				
CASING SIZE 4½ SET AT 4149 CEMENTED WITH SACKS				
PERFORATED AT 3595-97 3688-90 3719-23 3736-40				
CONDITION OF WELL: GOOD X POOR CASING LEAK JUNK IN HOLE				
PROPOSED METHOD OF PLUGGING Plugged according to the rules and regulations				
of the state of Ks, under the supervision of Dist # 4, Hays, Ks.				
(If additional space is needed use back of form.)				
IS WELL LOG ATTACHED TO THIS APPLICATION AS REQUIRED? Yes IS ACO-1 FILED? Information				
(If not explain.) not available.				
DATE AND HOUR PLUGGING IS DESIRED TO BEGIN A.S.A.P.				
PLUGGING OF THIS WELL WILL BE DONE IN ACCORDANCE WITH K.S.A. 55-101 et. seq. AND THE RULES AND REGULATIONS OF THE STATE CORPORATION COMMISSION.				
NAME OF REPRESENTATIVE AUTHORIZED TO BE IN CHARGE OF PLUGGING OPERATIONS:				
Ronald Nickelson PHONE # (913) 674-2516-D				
ADDRESS Rt 1 Box 194, Penokee, Ks 67659 NOV 2 0 1990				
PLUGGING CONTRACTOR Allied Cementing Co Inc LICENSE NO.				
ADDRESS Russell, Ks 67665 PHONE # (913) 434-2812, Plainville				
PAYMENT OF THE PLUGGING FEE (K.A.R. 82-3-118) WILL BE GUARANTEED BY OPERATOR OR AGENT.				
SIGNED: Wasing & (Operator or Agent)				
DATE: 11-19-90				

RON'S OIL OPERATIONS, INC.

5-065-21604-06-XX

RFD PENOKEE, KANSAS 67659 PHONE 913-674-2315 BUSINESS ADDRESS
ROUTE 1, BOX 194
PENOKEE, KANSAS 67659

Nov 19, 1990

State of Kansas State Corporation Commission Conservation Division 200 Colorado Derby Bldg Wichita, Ks 67202

RE: Well plugging application, Ron's Oil Operations, Inc

Dear Sir,

We are unable to provide some of the information requested on the well plugging application, for the following reasons.

The Morris 1-22 was originally drilled by Oilexco, Inc during the 1982 period, we believe. At any rate longstring pipe was sets and it was logged 4-9-82. To our knowledge the lease was then abandoned, or at least never produced. Our company leased the premises in 1984, and produced the Oilexco well as well as an additional well which we drilled.

At this time we are preparing to plug both wells, and have submitted applications for such.

Sincerely,

Ron's Oil Operations, Inc Ronald Nickelson, Pres. <

Jean L. Wasinger

RN/jw

RECEIVED STATE CORPORATION COMMISSION

NOV 20 1990-20-9 0

CONSERVATION DIVISION Wichita, Kansas



GEOLOGISTS REPORT

DRILLING TIME AND SAMPLE LOG

RON'S OIL	OPERATIONS.	Didrris #1	955'fnl + 355'fwl of NW/4 22.65.23w	
HELBER		VERON NORTH EXT.	GRAHAM / KANSAS	
CONTRACTOR	K MICHEAL FIEL	FIELD/PROSPECT	COUNTY/STATE	
GEOLOGIS!		COMMENCED COMPLETED	INITIAL PRODUCTION	
ELEVATION/L	2349 KB	SURFACE CASING/SX		
GEOLOGIC :	SUPERVISION	3350 3550 rld 3500	3850 rtd	
DBULING	TIME KERT	=1 1950 to 2050 1 = 34	00 ro 3850 rtl	
SAMPLES	KEPT <u>DW</u> Muli	no mu Western Testing	etro-Log/NL	
SERV/SUP	PLY BY MUD	nd Mai Western Testing I 1 Soll Gel LRossell Hearting Sp	-G-N-Res Hac. Inder	
PEFERENC	e vei (0)	excos Morris#1 (990 fn/2	2300 FW 01 NW 22.65 23W)	
REFERENCE WELL DILEXCOS MORRIS#1 (990 fn + 2300 fw o) NW 22 65 23W)				
	2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		그렇게 되어 없는 것이 있는 것이 얼마 박하는 것이 없는 생각이 없다.	
GEOLOGIC	AL SAMPLE TOPS	ELŐĞ TÖPS CO	MPARISONS / REMARKS	
FORMATION	SAMPLE TOPS	ELOG TOPS CON	MPARISONS / REMARKS	
FORMATION Leebner Toronto	SAMPLE TOPS 3532 (1183) 3558 (1209)	3511 (-1482) 3558 (-1209)	MPARISONS / REMARKS	
FORMATION LEEDNEY TOTONTO LENGING	SAMPLE TOPS 3532 (188) 3558 (1289) 3576 (1227)	3531 (-1482) 3558 (-1207) 3574 (-1215)	WPARISONS / REMARKS	
Jeebner Jeebner Josonto Lansing "B zone	SAMPLE TOPS 3532 (188) 3558 (1889) 3576 (1224) 3602 (1233)	3531 (-1481) 3558 (-1209) 3574(-1225) 3600(-1251)	MPARISONS / REMARKS	
Jeebner Jeebner Toronto Lansing "B zone I zone	SAMPLE TOPS 35 32 (1183) 3558 (-1209) 3576 (-1227) 3102 (-1253) 3706 (-1357)	3531 (-1481) 3558 (-1209) 3574 (-1225) 3600 (-1351) 3407 (-1358)	WPARISONS / REMARKS	
Jeebner Jeebner Toronto Lansing "B zone I zone	SAMPLE TOPS 35 32 (1183) 3558 (-1209) 3576 (-1227) 3102 (-1253) 3706 (-1257) 3711 (-1372)	3574 (-1487) 3558 (-1209) 3574 (-1225) 3600 (-1751) 3404 (-1358) 3723 (1314)	WPARISONS / REMARKS	
Heedner Toronto Lansing "B zone I'zone "J" zone "K zone "K zone	SAMPLE TOPS 35 32 (1188) 3558 (-1209) 3576 (-1227) 3402 (-1253) 3706 (-1357) 3731 (-1372) 3732 (-1388)	3531 (-1481) 3558 (-1209) 3574 (-1225) 3600 (-1351) 3407 (-1358)	MPARISONS / REMARKS	
Jeedner Toronto Lansing "B zone I zone J zone K zone L zone L zone	SAMPLE TOPS 35 32 (1183) 3558 (-1209) 3576 (-1221) 3402 (-1253) 3706 (-1357) 3737 (-1388) 3750 (-1401)	3531 (-1481) 3558 (-1209) 3574 (-1725) 3680 (-1751) 3707 (-1358) 3713 (-1374) 3710 (-1891) 3754 (-144)	WPARISONS / REMARKS	
Heedner Toronto Lansing "B zone I'zone "J" zone "K zone "K zone	SAMPLE TOPS 3532 (1188) 3558 (-1289) 3576 (-1227) 3102 (-1253) 3706 (-1253) 3710 (-1357) 3737 (-1368) 3765 (-146) 3790 (-1441)	3531 (-1487) 3558 (-1209) 3574(-1725) 3600 (-1751) 3707 (-1358) 3773 (-1374) 37740 (1891) 3754 (-1414)	WPARISONS / REMARKS	
Jeebner Jeebner Toronto Lansina "B zone T zone "J" zone "K zone "L zone "L zone "Bese K.C.	SAMPLE TOPS 3532 (1183) 3558 (1289) 3576 (1227) 3602 (1253) 3706 (1357) 3737 (1388) 3750 (1401) 3765 (1446)	3551 (-1487) 3558 (-1207) 35714 (-1215) 3600 (-1231) 3407 (-1358) 3723 (-1214) 3740 (-1391) 3754 (-1492) 3754 (-1482) 3754 (-1482) 3	WPARISONS / REMARKS	
Jeebner Toronto Lansing "B zone I zone "K zone "K zone "L zone "L zone "Base K.C. Marmaton	SAMPLE TOPS 3532 (1188) 3558 (-1289) 3576 (-1227) 3102 (-1253) 3706 (-1253) 3710 (-1357) 3737 (-1368) 3765 (-146) 3790 (-1441)	3551 (-1487) 3558 (-1207) 35714 (-1215) 3600 (-1231) 3407 (-1358) 3723 (-1214) 3740 (-1391) 3754 (-1492) 3754 (-1482) 3754 (-1482) 3	WPARISONS / REMARKS	
Jeebner Toronto Lansing "B zone I zone "K zone "K zone "L zone "L zone "Base K.C. Marmaton	SAMPLE TOPS 3532 (1188) 3558 (-1289) 3576 (-1227) 3102 (-1253) 3706 (-1253) 3710 (-1357) 3737 (-1368) 3765 (-146) 3790 (-1441)	3551 (-1487) 3558 (-1209) 3574 (-1215) 3600 (-1251) 3707 (-1358) 3723 (-374 3740 (1887) 3754 (1962) 3764 (1962) 3764 (1962) 3764 (1962) 3764 (1962) 3764 (1962) 3764 (1962) 3764 (1962) 3764 (1962)	WPARISONS / REMARKS	
Jeebner Toronto Lansing "B zone I zone "K zone "K zone "L zone "L zone "Base K.C. Marmaton	SAMPLE TOPS 3532 (1188) 3558 (-1289) 3576 (-1227) 3102 (-1253) 3706 (-1253) 3710 (-1357) 3737 (-1368) 3765 (-146) 3790 (-1441)	3577 (-1482) 3558 (-1209) 3579 (-1225) 3600 (-7731) 3707 (-2358) 3723 (-374) 3740 (-1397) 3754 (-1410) 3754 (WPARISONS / REMARKS	
Jeebner Toronto Lansing "B zone I zone "K zone "K zone "L zone "L zone "Base K.C. Marmaton	SAMPLE TOPS 3532 (1188) 3558 (-1289) 3576 (-1227) 3102 (-1253) 3706 (-1253) 3710 (-1357) 3737 (-1368) 3765 (-146) 3790 (-1441)	3577 (-1482) 3558 (-1209) 3579 (-1225) 3600 (-7731) 3707 (-2358) 3723 (-374) 3740 (-1397) 3754 (-1410) 3754 (WPARISONS / REMARKS	
Jeebner Toronto Lansing "B zone I zone "K zone "K zone "L zone "L zone "Base K.C. Marmaton	SAMPLE TOPS 3532 (1188) 3558 (-1289) 3576 (-1227) 3102 (-1253) 3706 (-1253) 3710 (-1357) 3737 (-1368) 3765 (-146) 3790 (-1441)	3551 (-1487) 3558 (-1209) 3574 (-1215) 3600 (-1251) 3707 (-1358) 3723 (-374 3740 (1887) 3754 (1962) 3764 (1962) 3764 (1962) 3764 (1962) 3764 (1962) 3764 (1962) 3764 (1962) 3764 (1962) 3764 (1962)	WPARISONS / REMARKS	
Langing "B zone "I zone "K zone "L zone "L zone "K zone "L zone "L zone "L zone "L zone	SAMPLE TOPS 3532 (1188) 3558 (-1289) 3576 (-1227) 3102 (-1253) 3706 (-1253) 3710 (-1357) 3737 (-1368) 3765 (-146) 3790 (-1441)	3577 (-1482) 3558 (-1209) 3579 (-1225) 3600 (-7731) 3707 (-2358) 3723 (-374) 3740 (-1397) 3754 (-1410) 3754 (WPARISONS / REMARKS	

State of Kansas



15-065-21604-00-XX

Kansas Corporation Commission

MIKE HAYDEN KEITH R. HENLEY RICH KOWALEWSKI JACK SHRIVER JUDITH MCCONNELL FRANK A. CARO, JR.

GOVERNOR
CHAIRMAN
COMMISSIONER
COMMISSIONER
EXECUTIVE DIRECTOR
GENERAL COUNSEL

CONSERVATION DIVISION
SHARI FEIST ALBRECHT, DIRECTOR
200 Colorado Derby Bldg.
202 W. 1st Street
Wichita, KS 67202-1286
(316) 263-3238

NOTICE OF RECEIPT OF WELL PLUGGING APPLICATION

November 20, 1990

Ron's Oil Operations, Inc. Rt. 1, Box 194 Penokee, KS 67659

Morris #1-22 990'FNL-2300'FWL 22-06-23W Graham County, KS

Gentlemen:

This letter is to notify you that the Conservation Division is in receipt of your plugging proposal, form CP-1, for the above-captioned well.

Your CP-1 has been reviewed by the Conservation Division central office for completeness and to verify license numbers. The plugging proposal will now be forwarded to the district office listed below for review of your proposed method of plugging. Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113(b). Failure to do so is punishable by an administrative penalty of up to \$1000.

It has recently come to my attention that the form CP-1 has been filed by operators other than the owner or operator of the well and without the consent of the owner or operator. The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well.

This notice in no way constitutes authorization to plug the above-captioned well by persons not having legal rights of ownership or interest in the well. This notice is void after ninety (90) days from the above date.

Sincerely,

David P. Williams
Production Supervisor

Production Supervis

District: #4, 2301 E. 13th Hays, KS 67601 (913) 628 - 1200