

STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

15-065-00264-00-00

WELL PLUGGING APPLICATION FORM

Lease Owner Empire Drilling Co. Address 1121 Union Natl. Bank Bldg.  
(Applicant) Wichita, Kans.  
Lease (Farm Name) Johnson #1 Well No. 1

Well Location NW NW SE Sec. 19 Twp. 6 Rge. 25 (N)-(W)

County Graham Field Name (if any) Wildcat

Total Depth 4154' Oil      Gas      Dry Hole X

Was well log filed with application? Yes. If not, explain: \_\_\_\_\_

Date and hour plugging is desired to begin 11-16-51

Plugging of the well will be done in accordance with the Rules and Regulations of the State Corporation Commission, or with the approval of the following exceptions: Explain fully any exceptions desired.

(Use an additional sheet if necessary) \_\_\_\_\_

Name of the person on the lease in charge of well for owner \_\_\_\_\_

Marion Helberg Address Lindsberg, Kansas

Name of Plugging Contractor Empire Drilling Company

Address 1121 Union National Bank Bldg., Wichita, Kans.

Invoice covering assessment for plugging this well should be sent to

Empire Drilling Company Address 1121 Union Natl. Bank Bldg.


and payment will be guaranteed by applicant.

RECEIVED  
STATE CORPORATION COMMISSION

NOV 24 1951

11-24-51

Applicant, Operating Agent



Date 11-16-51

COMPANY: EMPIRE DRILLING COMPANY  
 CONTRACTOR: EMPIRE DRILLING COMPANY  
 FARM: C. Johnson No. 1  
 LOCATION: NW NW SE Sec. 19-6S-25W,  
 Graham County, Kansas  
 COMMENCED: November 1, 1951.  
 COMPLETED: November 16, 1951.

0	to	225	Sand and shale
225	to	295	Shale, sand and shells
295	to	334	Shale and shells
334	to	554	Shale and shells
554	to	1175	Shale and sand
1175	to	1470	Shale and shells
1470	to	1635	Shale and lime
1635	to	1960	Shale and sand
1960	to	2045	Shale and lime
2045	to	2165	Red rock and shale
2165	to	2195	ANHYDRITE
2195	to	2352	Lime and shale
2352	to	2565	Shale and lime
2565	to	2985	Shale and lime
2985	to	3160	Shale
3160	to	3390	Shale and lime
3390	to	3465	Shale
3465	to	3490	Lime and shale
3490	to	3665	Shale and lime
3665	to	3730	Lime
3730	to	3903	Lime
3903	to	3950	Shale
3950	to	4045	Shale
4045	to	4085	Shale and lime
4085	to	4120	Shale - some chert
4120	to	4154	ARBUCKLE - T. D.

Set 307' of 8-5/8" surface pipe. Cemented with 175 sacks cement.

Ran Schlumberger Electric Log at 4154'.

Drill stem test - 3690' to 3730'.

TOPS: Anhydrite 2165', Topeka 3488', Heebner 3643', Toronto 3666', Lansing-Kansas City 3683', Base Kansas City 3874', Conglomerate 4082', Arbuckle 4105'.

All measurements from top of rotary bushings, 8' above ground. Elevation: 2593' ground.

DRY.

RECEIVED  
NOV 24 1951

CERTIFICATE

NOV 24 1951

11-24-51

CONSERVATION DIVISION  
Wichita, Kansas

I, Dan J. Kornfeld, do hereby certify that the above and foregoing is a true and correct copy of the log of the Johnson #1 in Sec. 19, Township 6-South, Range 25-West, Graham County, Kansas, as reflected by files of the Empire Drilling Company.

Dan J. Kornfeld  
Dan J. Kornfeld

Subscribed and sworn to before me a Notary Public, within and for Sedgwick County, Kansas, this 20th day of November, 1951.

Evelyn V. North  
Notary Public

My commission expires Dec. 22, 1954.

Sec. 19-6-25W  
125-24



STATE OF KANSAS  
STATE CORPORATION COMMISSION  
CONSERVATION DIVISION  
800 BITTING BUILDING  
WICHITA, KANSAS

15-065-00264-00-00

November 20, 1951

Well No. 1  
Lease Johnson  
Description NW NW SE 19-6-25W  
County Graham  
File No. 125-24

Empire Drilling Company  
1121 Union Nat'l. Bank Bldg.  
Wichita, Kansas

Gentlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Eldon Petty, Box 326, Hays, Kansas.

STATE CORPORATION COMMISSION  
CONSERVATION DIVISION

BY: J. P. Roberts  
J. P. ROBERTS

cc: DISTRICT PLUGGING SUPERVISOR