STATE OF KANSAS STATE CORPORATION COMMISSION CONSERVATION DIVISION 211 NORTH BROADWAY

WICHITA, KANSAS

15-065-00940-00-00

CONSERVATION DIVISION Wichita, Kensas

$\frac{\text{WELL}}{\text{File One Copy}} \; \frac{\text{PLUGGING APPLICATION FORM}}{\text{File One Copy}}$

Lease Owner D	. G. Hansen	Address	Ioren V	'onana	
() Carpenter				
	SW SW SW				
	Graham				
	4310'				
	ed with application?			-	
	Principal and the control of the con			Baye manifest in the standings at talking the standings to a standing to the standings to the standing tendency to the standings to the standing tendency to the standings to the standing tendency to the standings to the standin	
Date and hour plu	gging is desired to be	egin 11:00 p.m.	March 9,	 1957	
	rell will be done in a				
the State Corpora	tion Commission.		-		
Name of the perso	n on the lease in char	ge of well for o	wner		
					*
	or C-G Drilling Co			•	
	or's License No.				
	107 Rule Buildi				
	assessment for pluggin				
**	Co.				
	pe guaranteed by appli				and the second s
		_			
		8	key 71. / Ja	eloway	
-		Appl	icant or Acti	ng Agent	THE CONTRACT OF THE CONTRACT O
·		Date Mar	áh 0 1057		S. Physiole
- CII T	PLUGGING SEC 13 16 R25W	The second secon	MAD 1	3-15	5-57

BOOK PAGE 147 LINE 14

CONTRACTOR'S WELL LOG

OPERAT	OR	D. G. Hansen	WELL NAME	Carpenter #1
LOCATI	ON	SW SW Sw Sec. 13-6-25	RIG NO.	
COUNTY		GRAHAM	STATE	Kansas
COMMEN	CEMENT DA	TE February 28, 1957	COMPLETION DA	ITE <u>March</u> 9, 1957
		Log of we	业	
Elevat	ion 2561! asurement	Rotary bushing. s taken from the top of rot	ary bushing	
			DEVIATION	
FROM	TO	FORMATION	FROM VERTICAL	REMARKS:
0	263			
263	1060	Surface Soil Shale		
1060	1140	Shale-Sand		
1140	1215	Sandy Shale		
1215	1370	Shale	CALL THE SHOP HIS CA	
1370	1760	Sandy Shale		
1760	1970	gradama (talah salah dari dari dari dari dari dari dari dari		
1970	2185	Red Bed		시간주문에 집안되는 사가 되어 되는 사용한다는 그런 살았다.
2185	2225		化金属化锑矿原 医多线性过滤性动脉管	하고 하다. 경쟁을 다른 시간에는 그리 이렇게 되는 하다고나 말했다.
		Anhydrite		
	2475	Anhydrite Shale		
2475	2690	Anhydrite Shale Lime-Shale	0° - 2569	
2475 2690	2690 2875	Anhydrite Shale Lime-Shale Lime-Shale	0° - 2750	
2475 2690 2875	2690 2875 3040	Anhydrite Shale Lime-Shale Lime-Shale Lime-Shale		
2475 2690 2875 3040	2690 2875 3040 3170	Anhydrite Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale	0° - 2750	
2475 2690 2875 3040 3170	2690 2875 3040 3170 3240	Anhydrite Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale	0° - 2750 0° - 3000	
2475 2690 2875 3040 3170 3240	2690 2875 3040 3170 3240 3355	Anhydrite Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale	0° - 2750 0° - 3000 0° - 3250	
2475 2690 2875 3040 3170 3240 3355	2690 2875 3040 3170 3240 3355 3525 3714	Anhydrite Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale	0° - 2750 0° - 3000	
2475 2690 2875 3040 3170 3240 3355	2690 2875 3040 3170 3240 3355 3525 3714	Anhydrite Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale	0° - 2750 0° - 3000 0° - 3250 0° - 3500	DCM 2711 761
2475 2690 2875 3040 3170 3240 3355	2690 2875 3040 3170 3240 3355 3525 3714 3880 4059	Anhydrite Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale	0° - 2750 0° - 3000 0° - 3250 0° - 3500 1 6 - 3750	DST 3744-701
2475 2690 2875 3040 3170 3355 33525 3714 3880 4059	2690 2875 3040 3170 3240 3355 3525 3714 3880 4059 4135	Anhydrite Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale Lime-Shale	0° - 2750 0° - 3000 0° - 3250 0° - 3500	DST 3744-70! DST 3846-80!
2475 2690 2875 3040 33170 33240 33525 33525 34059 4135	2690 2875 3040 3170 3240 3355 3525 3714 3880 4059 4135 4197	Anhydrite Shale Lime-Shale	0° - 2750 0° - 3000 0° - 3250 0° - 3500 1 6 - 3750	DST 3744-701 DST 3846-801
2225 2475 26975 28740 33170 33170 33524 335214 335214 34137 44190	2690 2875 3040 3170 3240 3355 3525 3714 3880 4059 4135	Anhydrite Shale Lime-Shale	0° - 2750 0° - 3000 0° - 3250 0° - 3500 1 6 - 3750	DST 3744-70! DST 3846-80!

Jts.) 8-5/8" OD Surface Casing.

STATE OF KANSAS

COUNTY OF SEDGWICK

SS.

The undersigned hereby certifies that to the best of his knowledge and belief, the above facts are true and correct.

C-G DRILLING OC

Subscribed and sworn to before me this lith day of

March, 1957.

My commission expires: Mey 20, 1959

PLUGGING FILE SEC. 13 1 6 R 25W POOK PAGE 147 14

ic**ky Luggoos, Notar** State Coxportation Commiss

WAR 15 007

CONSERVATION PIVISION WITHING WESTERS



STATE OF KANSAS

STATE CORPORATION COMMISSION

CONSERVATION DIVISION

211 NORTH BROADWAY WICHITA, KANSAS

15-065-00940-00-00

March 12, 1957

Well No.

*

Lease

Carpenter

Description

50 50 50 33-6-250

County File No.

Oradian 11:7-11:

D. G. Hansen c/o G & G Drilling Co. 107 Bale Building Wichita, Kansas

Centlemen:

This letter is your authority to plug the above subject well, in accordance with the Rules and Regulations of the State Corporation Commission. When you are ready to plug this well, please contact our District Plugging Supervisor, Mr. Mon Petty, No. 326, Mays, Kansas.

STATE CORPORATION COMMISSION CONSERVATION DIVISION

S.S. Greider

WELL PLUGGING SUPERVISOR

cc:

District Plugging Supervisor